

Wisconsin AIDS/HIV Surveillance Summary

AIDS/HIV cases reported 1983 through September 30, 2009

	Year of report											
	1983-2009(a)		2004-2008				2009			Presumed alive		
	Cases	%	Cases	Avg(b)	%	Rate(c)	Cases	%	Rate(c)	Cases	%	Rate(c)
Total												
Total cases(d)	10,665	100%	2,003	401	100%	7	342	100%	-	6,897	100%	123
Disease category												
AIDS	7,166	67%	923	185	46%	3	100	29%	-	3,687	53%	66
Non-AIDS	3,499	33%	1,080	216	54%	4	242	71%	-	3,210	47%	57
Sex												
Male	8,851	83%	1,607	321	80%	12	270	79%	-	5,530	80%	199
Female	1,814	17%	396	79	20%	3	72	21%	-	1,367	20%	49
Unknown	0	0%	0	0	0%	-	0	0%	-	0	0%	-
Race/Ethnicity												
White	5,831	55%	949	190	47%	4	157	46%	-	3,370	49%	70
African American	3,580	34%	722	144	36%	41	123	36%	-	2,580	37%	743
Hispanic	1,029	10%	270	54	13%	20	44	13%	-	779	11%	287
American Indian	94	1%	15	3	1%	6	4	1%	-	54	1%	105
Asian/Pacific Islander	80	1%	31	6	2%	5	9	3%	-	68	1%	57
Multi-racial	49	0%	16	3	1%	-	4	1%	-	45	1%	-
Unknown	2	0%	0	0	0%	-	1	0%	-	1	0%	-
Age(e)												
<5	91	1%	16	3	1%	1	4	1%	-	4	0%	1
5-14	43	0%	7	1	0%	0	2	1%	-	33	0%	5
15-19	288	3%	82	16	4%	4	17	5%	-	46	1%	12
20-24	1,214	11%	275	55	14%	14	53	15%	-	217	3%	55
25-44	7,452	70%	1,224	245	61%	16	199	58%	-	2,940	43%	196
45+	1,577	15%	399	80	20%	4	67	20%	-	3,656	53%	164
Unknown	0	0%	0	0	0%	-	0	0%	-	1	0%	-
Risk exposure												
Men who have sex with men (MSM)	5,604	53%	1,031	206	51%	-	148	43%	-	3,387	49%	-
Injecting drug use (IDU)	1,455	14%	158	32	8%	-	22	6%	-	845	12%	-
MSM and IDU	720	7%	100	20	5%	-	6	2%	-	444	6%	-
High-risk heterosexual contact	1,282	12%	231	46	12%	-	39	11%	-	981	14%	-
Other	285	3%	21	4	1%	-	3	1%	-	136	2%	-
Undetermined	1,319	12%	462	92	23%	-	124	36%	-	1,104	16%	-
Year of first report	Cases	%	Rate(c)									
Cases reported before 2000	6,844	64%	-									
2000	389	4%	7									
2001	335	3%	6									
2002	388	4%	7									
2003	364	3%	7									
2004	417	4%	8									
2005	374	4%	7									
2006	407	4%	7									
2007	407	4%	7									
2008	398	4%	7									
2009	342	3%	-									

- a. The first cases of HIV infection in Wisconsin were reported in 1983. Thus, these represent cumulative cases through the specified date.
- b. The average annual cases in the specified period.
- c. Cases per 100,000 population. Rates not available for risk exposure groups.
- d. Demographic and risk exposure breakdown not shown if total is less than 5 cases.
- e. Age when first diagnosed with HIV infection, except for cases presumed alive where age is age on 9/30/2009.

Wisconsin AIDS/HIV Surveillance Summary

AIDS/HIV Cases reported by county, 1983 through September 30, 2009

Region/County	Year of report											
	1983-2009(a)		2004-2008				2009			Presumed alive		
	Cases	%	Cases	Avg(b)	%	Rate(c)	Cases	%	Rate(c)	Cases	%	Rate(c)
<u>Northeastern</u>												
Brown	360	3%	70	14	3%	6	12	4%	-	231	3%	95
Calumet	16	0%	4	1	0%	2	4	1%	-	12	0%	27
Door	22	0%	5	1	0%	4	0	0%	-	14	0%	50
Fond du lac	54	1%	11	2	1%	2	3	1%	-	34	0%	34
Green Lake	9	0%	3	1	0%	3	0	0%	-	8	0%	43
Kewaunee	8	0%	3	1	0%	3	1	0%	-	6	0%	29
Manitowoc	47	0%	11	2	1%	3	2	1%	-	28	0%	35
Marinette	37	0%	7	1	0%	3	0	0%	-	22	0%	52
Marquette	11	0%	0	0	0%	0	1	0%	-	7	0%	47
Menominee	17	0%	2	0	0%	9	0	0%	-	11	0%	238
Oconto	18	0%	2	0	0%	1	0	0%	-	6	0%	16
Outagamie	139	1%	30	6	1%	3	17	5%	-	94	1%	54
Shawano	30	0%	6	1	0%	3	0	0%	-	15	0%	37
Sheboygan	91	1%	29	6	1%	5	3	1%	-	59	1%	52
Waupaca	18	0%	6	1	0%	2	0	0%	-	13	0%	25
Waushara	12	0%	6	1	0%	5	0	0%	-	9	0%	36
Winnebago	159	1%	26	5	1%	3	7	2%	-	90	1%	56
Region total	1,048	10%	221	44	11%	4	50	15%	-	659	10%	55
<u>Northern</u>												
Ashland	14	0%	4	1	0%	5	1	0%	-	10	0%	61
Bayfield	12	0%	2	0	0%	3	0	0%	-	9	0%	60
Florence	1	0%	0	0	0%	0	0	0%	-	1	0%	21
Forest	9	0%	1	0	0%	2	0	0%	-	6	0%	61
Iron	10	0%	1	0	0%	3	0	0%	-	4	0%	63
Langlade	10	0%	2	0	0%	2	0	0%	-	7	0%	34
Lincoln	10	0%	2	0	0%	1	1	0%	-	5	0%	17
Marathon	99	1%	18	4	1%	3	4	1%	-	64	1%	49
Oneida	22	0%	4	1	0%	2	0	0%	-	11	0%	30
Portage	55	1%	11	2	1%	3	0	0%	-	28	0%	41
Price	9	0%	1	0	0%	1	2	1%	-	3	0%	21
Sawyer	9	0%	1	0	0%	1	1	0%	-	5	0%	29
Taylor	4	0%	1	0	0%	1	0	0%	-	3	0%	16
Vilas	17	0%	2	0	0%	2	1	0%	-	10	0%	45
Wood	62	1%	10	2	0%	3	7	2%	-	38	1%	51
Region total	343	3%	60	12	3%	2	17	5%	-	204	3%	42
<u>Southeastern</u>												
Jefferson	44	0%	9	2	0%	2	1	0%	-	24	0%	30
Kenosha	323	3%	71	14	4%	9	8	2%	-	212	3%	130
Milwaukee	5,291	50%	893	179	45%	19	154	45%	-	3405	49%	358
Ozaukee	54	1%	19	4	1%	4	2	1%	-	36	1%	42
Racine	325	3%	61	12	3%	6	10	3%	-	211	3%	108
Walworth	87	1%	18	4	1%	4	3	1%	-	48	1%	48
Washington	63	1%	13	3	1%	2	3	1%	-	42	1%	33
Waukesha	234	2%	51	10	3%	3	7	2%	-	148	2%	39
Region total	6,421	60%	1,135	227	57%	11	188	55%	-	4126	60%	198

Region/County	Year of report											
	1983-2009(a)		2004-2008				2009			Presumed alive		
	Cases	%	Cases	Avg(b)	%	Rate(c)	Cases	%	Rate(c)	Cases	%	Rate(c)
<u>Southern</u>												
Adams	25	0%	3	1	0%	3	0	0%	-	13	0%	63
Columbia	43	0%	11	2	1%	4	2	1%	-	23	0%	42
Crawford	23	0%	4	1	0%	5	0	0%	-	10	0%	59
Dane	1,343	13%	288	58	14%	12	41	12%	-	915	13%	192
Dodge	53	0%	12	2	1%	3	4	1%	-	38	1%	43
Grant	31	0%	3	1	0%	1	1	0%	-	15	0%	31
Green	35	0%	5	1	0%	3	2	1%	-	20	0%	56
Iowa	20	0%	7	1	0%	6	1	0%	-	13	0%	55
Juneau	12	0%	1	0	0%	1	0	0%	-	7	0%	26
Lafayette	10	0%	2	0	0%	3	0	0%	-	6	0%	38
Richland	10	0%	3	1	0%	3	0	0%	-	6	0%	33
Rock	264	2%	56	11	3%	7	8	2%	-	184	3%	115
Sauk	55	1%	11	2	1%	4	1	0%	-	40	1%	68
Region total	1,924	18%	406	81	20%	8	60	18%	-	1290	19%	124
<u>Western</u>												
Barron	40	0%	8	2	0%	4	0	0%	-	25	0%	55
Buffalo	5	0%	3	1	0%	4	0	0%	-	3	0%	22
Burnett	15	0%	5	1	0%	6	0	0%	-	11	0%	67
Chippewa	30	0%	5	1	0%	2	2	1%	-	17	0%	28
Clark	16	0%	6	1	0%	4	1	0%	-	11	0%	33
Douglas	59	1%	8	2	0%	4	3	1%	-	33	0%	75
Dunn	19	0%	3	1	0%	1	2	1%	-	11	0%	26
Eau Claire	99	1%	13	3	1%	3	3	1%	-	61	1%	63
Jackson	7	0%	1	0	0%	1	0	0%	-	1	0%	5
La Crosse	198	2%	51	10	3%	9	4	1%	-	133	2%	119
Monroe	31	0%	7	1	0%	3	2	1%	-	20	0%	46
Pepin	2	0%	0	0	0%	0	0	0%	-	2	0%	27
Pierce	32	0%	8	2	0%	4	1	0%	-	23	0%	58
Polk	28	0%	7	1	0%	3	2	1%	-	15	0%	34
Rusk	8	0%	3	1	0%	4	0	0%	-	5	0%	34
St. Croix	50	0%	14	3	1%	3	1	0%	-	38	1%	47
Trempealeau	12	0%	2	0	0%	1	0	0%	-	6	0%	22
Vernon	10	0%	1	0	0%	1	0	0%	-	5	0%	17
Washburn	11	0%	0	0	0%	0	1	0%	-	6	0%	36
Region total	672	6%	145	29	7%	4	22	6%	-	426	6%	54
<u>Other</u>												
Correctional System	257	2%	36	7	2%	-	5	1%	-	192	3%	-
Unknown	0	0%	0	0	0%	-	0	0%	-	0	0%	-
Region total	257	2%	36	7	2%	-	5	1%	-	192	3%	-
State total	10,665	100%	2,003	401	100%	7	342	100%	-	6,897	100%	123

a. The first cases of HIV infection in Wisconsin were reported in 1983. Thus, these represent cumulative cases through the specified date.

b. The average annual cases in the specified period.

c. Cases per 100,000 population.