

**Table 1. Reported cases of sexually transmitted disease
Outagamie County
Year: 2006**

| | <u>All STDs</u> | | <u>Chlamydia</u> | | <u>Gonorrhea</u> | | <u>Syphilis</u> | | <u>Genital HSV</u> | |
|---------------------------|-----------------|---------|------------------|---------|------------------|---------|-----------------|---------|--------------------|---------|
| | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent |
| Total | 562 | 100.0% | 402 | 100.0% | 69 | 100.0% | 4 | 100.0% | 87 | 100.0% |
| Sex | | | | | | | | | | |
| Male | 176 | 31.3% | 124 | 30.8% | 33 | 47.8% | 4 | 100.0% | 15 | 17.2% |
| Female | 386 | 68.7% | 278 | 69.2% | 36 | 52.2% | 0 | 0.0% | 72 | 82.8% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Race | | | | | | | | | | |
| White | 401 | 71.4% | 288 | 71.6% | 42 | 60.9% | 4 | 100.0% | 67 | 77.0% |
| Black | 34 | 6.0% | 20 | 5.0% | 12 | 17.4% | 0 | 0.0% | 2 | 2.3% |
| Am. Indian | 33 | 5.9% | 22 | 5.5% | 8 | 11.6% | 0 | 0.0% | 3 | 3.4% |
| Asian/Pacific Is. | 16 | 2.8% | 15 | 3.7% | 0 | 0.0% | 0 | 0.0% | 1 | 1.1% |
| Other | 14 | 2.5% | 10 | 2.5% | 2 | 2.9% | 0 | 0.0% | 2 | 2.3% |
| Unknown | 64 | 11.4% | 47 | 11.7% | 5 | 7.2% | 0 | 0.0% | 12 | 13.8% |
| Hispanic ethnicity | | | | | | | | | | |
| Hispanic | 23 | 4.1% | 16 | 4.0% | 4 | 5.8% | 0 | 0.0% | 3 | 3.4% |
| Non Hispanic | 470 | 83.6% | 337 | 83.8% | 60 | 87.0% | 4 | 100.0% | 69 | 79.3% |
| Unknown | 69 | 12.3% | 49 | 12.2% | 5 | 7.2% | 0 | 0.0% | 15 | 17.2% |
| Age group | | | | | | | | | | |
| 0-4 | 1 | 0.2% | 1 | 0.2% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 5-9 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 10-14 | 3 | 0.5% | 2 | 0.5% | 1 | 1.4% | 0 | 0.0% | 0 | 0.0% |
| 15-19 | 151 | 26.9% | 120 | 29.9% | 18 | 26.1% | 0 | 0.0% | 13 | 14.9% |
| 20-24 | 210 | 37.4% | 166 | 41.3% | 25 | 36.2% | 2 | 50.0% | 17 | 19.5% |
| 25-29 | 101 | 18.0% | 74 | 18.4% | 14 | 20.3% | 0 | 0.0% | 13 | 14.9% |
| 30-34 | 41 | 7.3% | 22 | 5.5% | 5 | 7.2% | 1 | 25.0% | 13 | 14.9% |
| 35-39 | 29 | 5.2% | 12 | 3.0% | 2 | 2.9% | 1 | 25.0% | 14 | 16.1% |
| 40-44 | 13 | 2.3% | 5 | 1.2% | 3 | 4.3% | 0 | 0.0% | 5 | 5.7% |
| 45-49 | 3 | 0.5% | 0 | 0.0% | 1 | 1.4% | 0 | 0.0% | 2 | 2.3% |
| 50+ | 10 | 1.8% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 10 | 11.5% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Year of diagnosis | | | | | | | | | | |
| 1997 | 270 | - | 171 | - | 36 | - | 1 | - | 62 | - |
| 1998 | 311 | - | 207 | - | 34 | - | 1 | - | 69 | - |
| 1999 | 310 | - | 228 | - | 28 | - | 1 | - | 53 | - |
| 2000 | 300 | - | 209 | - | 20 | - | 0 | - | 71 | - |
| 2001 | 369 | - | 273 | - | 28 | - | 1 | - | 67 | - |
| 2002 | 420 | - | 297 | - | 44 | - | 0 | - | 79 | - |
| 2003 | 443 | - | 294 | - | 50 | - | 2 | - | 97 | - |
| 2004 | 483 | - | 342 | - | 73 | - | 2 | - | 66 | - |
| 2005 | 534 | - | 396 | - | 80 | - | 2 | - | 56 | - |
| 2006 | 562 | - | 402 | - | 69 | - | 4 | - | 87 | - |