

**Table 1. Reported cases of sexually transmitted disease
Polk County
Year: 2006**

| | <u>All STDs</u> | | <u>Chlamydia</u> | | <u>Gonorrhea</u> | | <u>Syphilis</u> | | <u>Genital HSV</u> | |
|---------------------------|-----------------|---------|------------------|---------|------------------|---------|-----------------|---------|--------------------|---------|
| | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent | Cases | Percent |
| Total | 83 | 100.0% | 58 | 100.0% | 7 | 100.0% | 0 | - | 18 | 100.0% |
| Sex | | | | | | | | | | |
| Male | 15 | 18.1% | 12 | 20.7% | 1 | 14.3% | 0 | - | 2 | 11.1% |
| Female | 68 | 81.9% | 46 | 79.3% | 6 | 85.7% | 0 | - | 16 | 88.9% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| Race | | | | | | | | | | |
| White | 74 | 89.2% | 55 | 94.8% | 5 | 71.4% | 0 | - | 14 | 77.8% |
| Black | 1 | 1.2% | 1 | 1.7% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| Am. Indian | 2 | 2.4% | 1 | 1.7% | 1 | 14.3% | 0 | - | 0 | 0.0% |
| Asian/Pacific Is. | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| Other | 1 | 1.2% | 1 | 1.7% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| Unknown | 5 | 6.0% | 0 | 0.0% | 1 | 14.3% | 0 | - | 4 | 22.2% |
| Hispanic ethnicity | | | | | | | | | | |
| Hispanic | 1 | 1.2% | 1 | 1.7% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| Non Hispanic | 76 | 91.6% | 57 | 98.3% | 6 | 85.7% | 0 | - | 13 | 72.2% |
| Unknown | 6 | 7.2% | 0 | 0.0% | 1 | 14.3% | 0 | - | 5 | 27.8% |
| Age group | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| 5-9 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| 10-14 | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| 15-19 | 30 | 36.1% | 23 | 39.7% | 4 | 57.1% | 0 | - | 3 | 16.7% |
| 20-24 | 34 | 41.0% | 28 | 48.3% | 3 | 42.9% | 0 | - | 3 | 16.7% |
| 25-29 | 4 | 4.8% | 2 | 3.4% | 0 | 0.0% | 0 | - | 2 | 11.1% |
| 30-34 | 8 | 9.6% | 3 | 5.2% | 0 | 0.0% | 0 | - | 5 | 27.8% |
| 35-39 | 2 | 2.4% | 0 | 0.0% | 0 | 0.0% | 0 | - | 2 | 11.1% |
| 40-44 | 1 | 1.2% | 1 | 1.7% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| 45-49 | 3 | 3.6% | 0 | 0.0% | 0 | 0.0% | 0 | - | 3 | 16.7% |
| 50+ | 1 | 1.2% | 1 | 1.7% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | - | 0 | 0.0% |
| Year of diagnosis | | | | | | | | | | |
| 1997 | 45 | - | 32 | - | 2 | - | 0 | - | 11 | - |
| 1998 | 30 | - | 24 | - | 1 | - | 0 | - | 5 | - |
| 1999 | 37 | - | 29 | - | 2 | - | 0 | - | 6 | - |
| 2000 | 51 | - | 32 | - | 0 | - | 0 | - | 19 | - |
| 2001 | 67 | - | 42 | - | 4 | - | 0 | - | 21 | - |
| 2002 | 68 | - | 50 | - | 5 | - | 0 | - | 13 | - |
| 2003 | 84 | - | 72 | - | 4 | - | 0 | - | 8 | - |
| 2004 | 82 | - | 64 | - | 6 | - | 0 | - | 12 | - |
| 2005 | 80 | - | 61 | - | 9 | - | 1 | - | 9 | - |
| 2006 | 83 | - | 58 | - | 7 | - | 0 | - | 18 | - |