

State of Wisconsin
2008
Prairie Island
Environmental Radioactivity Survey

Wisconsin Department of Health Services
Division of Public Health
Bureau of Environmental and Occupational Health
Radiation Protection Section
P.O. Box 2659
Madison, Wisconsin 53701

Table of Contents

	Page
Introduction	1
WI DHS Prairie Island Environmental Monitoring Sampling Program	1
Program Modifications	1
Laboratory Services and Quality Assurance	1
Detection Limits	1
Reporting of Sample Analysis Results	2
Results & Discussion	5
References	7
Sample Activity Summary	8

List of Tables

	Page
Table 1. WI DHS Prairie Island environmental monitoring sampling sites.	4
Table 2. Sample collection summary and required analyses.	4
Table 3. Missing Sample Report.	5
Table 4. Sample activity summary for the WI DHS Prairie Island environmental monitoring program.	8
Table 5. WI DHS air particulate gross beta and air iodine (I-131) results from the the Prairie Island environmental monitoring program.	11
Table 6. WI DHS gamma isotopic results from the quarterly composite of air particulate filters for the Prairie Island environmental monitoring program.	13
Table 7. WI DHS TLD network for the Prairie Island environmental monitoring program.	14
Table 8. WI DHS results for precipitation samples collected for the Prairie Island environmental monitoring program.	14
Table 9. WI DHS results for surface water samples collected for the Prairie Island environmental monitoring program.	15
Table 10. WI DHS results for fish samples collected for the Prairie Island environmental monitoring program.	16
Table 11. WI DHS results for well water samples collected for the Prairie Island environmental monitoring program.	16
Table 12. WI DHS results for milk samples collected for the Prairie Island environmental monitoring program.	17
Table 13. WI DHS results for vegetation samples collected for the Prairie Island environmental monitoring program.	19
Table 14. WI DHS results for soil samples collected for the Prairie Island environmental monitoring program.	20

List of Figures

Figure 1. Location of WI DHS environmental monitoring sites for the Prairie Island Monitoring program.	3
--	---

State Of Wisconsin DHS

2008

Prairie Island Environmental Radioactivity Survey

Introduction

Wisconsin Public Health Statutes 254.41 mandates the Department of Health Services to conduct environmental radiation monitoring around the nuclear power facilities that impact Wisconsin. This environmental monitoring report is for the Prairie Island nuclear generating plant for the calendar year January - December 2008 and provides a description and results of this environmental monitoring program.

WI DHS Prairie Island Environmental Monitoring Sampling Program

The WI DHS environmental monitoring program consists of the collection of various types of samples from the air, water and terrestrial exposure pathways. The sampling program included samples of air, precipitation, ambient gamma radiation (TLD), surface water, fish, soil, milk, well water and vegetation that are collected from selected locations at planned sampling intervals.

Table 1 is a listing of sampling sites and includes a description, direction and distance from the monitored power plant. Table 2 provides a listing of types of samples collected, sites where samples are collected, the number of samples collected, number of samples that were missed and a listing of the required analyses. Table 3 provides an explanation of missing samples or non-routine sample analyses. Figure 1 is a map showing the location of each environmental sampling site.

Program Modifications

There were no program modifications for 2008.

Laboratory Services and Quality Assurance

The analysis of the samples is performed under contract with the State Laboratory of Hygiene (SLH). SLH maintains a quality assurance program. Analytical procedures provide for routine replicate analyses to verify methods and instrument operation. Traceable sources are used to regularly calibrate the counters and daily performance checks are made between calibrations. In addition, quality control charts are maintained on the counters.

SLH participates in the Environmental Resource Associates' Proficiency Testing program and has performed satisfactorily over the report period. Proficiency testing results are available from the State Laboratory of Hygiene.

Detection Limits

Detection limits, required by WI DHS, will be expressed as a lower limit of detection (LLD). The required WI DHS LLD as indicated in Table 4 under the heading "LLD" is an "a priori" estimate of the capability for detecting an activity concentration by a given measurement system, procedure, and type of sample. Counting statistics of the appropriate instrument background are used to compute the LLD

for each specific analysis. Using 4.66 times the standard deviation (s_b) of the instrument background, the LLD for each specific analysis is defined at the 95% Confidence Level.

The LLD for each radioisotope listed in Table 4 has been calculated from the following equation:

$$LLD = \frac{4.66 s_b}{E * V * 2.22 * Y * S * \exp(-dt)}$$

Where:

- LLD is the "a priori" lower limit of detection as defined above, as picocuries per unit mass or volume,
- s_b is the standard deviation of the background counting rate or of the counting rate of blank sample as appropriate, as counts per minute,
- E is the counting efficiency, as counts per disintegration,
- V is the sample size in units of mass or volume,
- 2.22 is the number of disintegrations per minute per picocurie,
- Y is the fractional radiochemical yield, when applicable,
- S is the self-absorption correction factor,
- d is the radioactive decay constant for the particular radionuclide, and
- t for environmental samples is the elapsed time between sample collection, or end of the sample collection period, and time of counting.

Typical values for E, V, Y and dt have been used to calculate the LLD.

Reporting of Sample Analysis Results

Results for specific analyses will be reported as either a "less than" (<) value or an actual activity value. The reporting of results in Table 4 under the heading "Range" and in Tables 5-14 are "a posteriori" calculations based on the actual analysis performed using the actual sample values for E, V, Y and dt. Typically the reported "less than" (<) results are lower than the required WI DHS LLD indicating that the required WI DHS LLD has been met.

An actual activity value will be accompanied by an uncertainty term for that analysis. The uncertainty term is a plus or minus counting uncertainty term at the 2 sigma (95%) confidence interval and is printed as (+- or ±). Examples and explanations of data reporting are:

<u>Example</u>	<u>Nuclide</u>	<u>Activity reported</u>
1	¹³⁷ Cs	< 10 pCi/liter
2	¹³⁷ Cs	15 ± 3 pCi/liter

In example 1 we can be 95% confident that the sample activity, if any, is less than the LLD of 10 pCi/liter. In example 2 we can be 95% confident that the actual sample activity is greater than the LLD for that analysis and is between 12 and 18 pCi/liter.




Figure 1. Location of WI DHS environmental monitoring sites for the Prairie Island monitoring program

Table 1. WI DHS Prairie Island environmental monitoring sampling sites.

Sample site	Distance and direction (miles)	Location description
PRI-1a	11.6 NW	Prescott; air site
PRI-1b	11.6 NW	Prescott; harbor area
PRI-2	3.6 ESE	Trenton
PRI-3	10.9 NE	Ellsworth (discontinued 07/01/96)
PRI-4a	8.7 ESE	Bay City park
PRI-4b	8.7 ESE	Bay City, Hwy 35
PRI-5	4.8 ESE	Hager City
PRI-6a	1.9 NNE	Diamond Bluff; Pierce County highway shed
PRI-6b	1.8 NNE	Diamond Bluff cemetery
PRI-7	11.9 E	Junction of Hwy 35 & Cty D (discontinued 07/01/96)
PRI-8	3.4 N	Station 2 - farm
PRI-9	6.6 ESE	Bay City substation on Hwy 35
PRI-10	2.6 NE	Welch farm
PRI-11	4.0 NNE	D. Dosdall farm (discontinued in March, 1995)
PRI-12	11.1 NNW	S. Rohl farm (discontinued in October, 1999)
PRI-13	3.8 E	Christiansen farm
PRI-14	13.8 N	A. Huppert farm (discontinued in February 2004)
PRI-15	13.9 N	R. Peterson farm
PRI-T30	1.9 N	Diamond Bluff
PRI-T31	1.7 NNE	Diamond Bluff
PRI-T32	1.8 ENE	290th Avenue
PRI-T33	4.4 N	Hwy 35, Thomas Killian residence
PRI-T34	4.7 NE	Cty K and 840th Street
PRI-T35	5.2 E	Cty VV and 790th Street
PRI-T36	4.8 ESE	Hager City
PRI-T37	10.3 NE	Ellsworth
PRI-T38	8.9 ESE	Bay City, Hwy 35
PRI-T39	11.6 NW	Prescott

Table 2. Sample collection summary and required analyses for 2008.

Sample Type	Collection and Frequency	Site locations	Number of Samples Collected	Number of Sample Deviations	Required Analyses
air particulate	C/BW	1a, 6a, 9	78	0	GA, GB, GI
air iodine	C/BW	1a, 6a, 9	78	0	GI
precipitation	C/BW	1a, 9	12	0	GB, H
TLD	C/Q	T30 – T39	40	0	direct exposure
surface water	G/SA	1b, 2, 4a	6	0	GA, GB, GI, Sr, H
fish	G/SA	upstream, downstream	4	0	GI
vegetation	G/SA	1b, 4b, 5, 6a, 8, 9	12	0	GA, GB, GI
soil	G/SA	1b, 4b, 5, 6a, 8, 9	12	0	GA, GB, GI
well water	G/SA	4a, 5, 6b	6	0	GA, GB, H
milk	G/M	10, 13, 15	24	0	GI, I, Sr

Collection type: C/ = continuous; G/ = grab

Frequency: /W = weekly; /M = monthly; /Q = quarterly; /A = annually; /BW = bi-weekly; /SA = semi-annually

Required analyses: GA = gross alpha; GB = gross beta; GI = gamma isotopic; Sr = strontium; I = iodine; H = tritium

Table 3. WI DHS missing sample report or non-routine analyses for 2008.

Sample type	Date	Site	Explanation
			There were no missed samples or non-routine analyses for 2008.

Results And Discussion

Air Particulate

A summary of reported activities by WI DHS for air particulate samples is included in Table 4. Results from the individual sample analyses are listed in Tables 5-6.

From the individual activities or quarterly averages for gross beta activities it may be noted that there are no significant differences between sites at different distances from the Prairie Island facility. With no significant difference with distance from the Prairie Island site, an increase in gross beta activity attributable to the Prairie Island plant operation is not evident.

The gamma isotopic analysis of the quarterly air particulate filter composites detected only small amounts of the radioisotopes listed in Table 4. Beryllium-7 (^7Be), detected in all composites, is a naturally occurring radioisotope that is constantly produced through nuclear reactions between cosmic rays and nuclei in the atmosphere and is detected in air composites from other areas of the state.

Influence by the Prairie Island nuclear generating facility on air quality is not evident from air particulate analysis.

Air Iodine

A summary of reported activities by WI DHS for air iodine samples is included in Table 4. Results from the individual sample analyses are listed in Table 5.

Air iodine measurements were all below the LLD of 0.07 pCi/m^3 for all sites.

Direct Radiation - Thermoluminescent Dosimeters (TLD's)

A summary of reported activities by WI DHS for direct radiation is included in Table 4. Results from the individual sample analyses are listed in Table 7.

Direct radiation (TLD) data for 2008 from the WI DHS network was comparable for all sites. Significant differences in exposure were not noticed at different distances from the Prairie Island nuclear facility. The average quarterly exposure from the ten sites located within Wisconsin was 15.2

+ 2.1 milliroentgens. The average quarterly exposure for 2008 is at background levels and is comparable to other areas within Wisconsin.

Precipitation

A summary of reported activities by WI DHS for precipitation is included in Table 4. Results from the individual sample analyses are listed in Table 8.

The gross beta activity in precipitation was within the normal range of activity when compared to previous year's data.

Surface Water

A summary of reported activities by WI DHS for surface water samples is included in Table 4. Results from the individual sample analyses are listed in Table 9.

The surface water samples showed no unusual activities and are at background levels comparable to previous years. From the gamma isotopic analysis all radioisotopes were below their respective LLD. All reported activities for gross beta, gross alpha and tritium (^3H), except for one tritium (^3H) activity at site PRI-2, are at background levels. The reported activity at PRI-2 is a site closest to the plant and could possibly be attributed to a Prairie Island waste release. The surface water samples uniformly show activities well below state or federal standards.

Fish

A summary of reported activities by WI DHS for fish samples is included in Table 4. Results from the individual sample analyses are listed in Table 10.

The fish samples showed no unusual activities. Naturally occurring potassium-40 (^{40}K) was detected in all samples. All other radioisotopes were below their respective LLD.

Well Water

A summary of reported activities by WI DHS for well water samples is included in Table 4. Results from the individual sample analyses are listed in Table 11.

The well water samples showed no unusual gross alpha and gross beta activities and all activities for tritium (^3H) were less than its LLD. The activity levels are all below state and federal standards.

Milk

A summary of reported activities by WI DHS for milk samples is included in Table 4. Results from the individual sample analyses are listed in Table 12.

Analysis of the milk samples showed no unusual activities. Naturally occurring potassium-40 (^{40}K) was detected in all samples. The detected activities for strontium-90 (^{90}Sr) are attributable to residual fallout from previous atmospheric nuclear weapons testing and were also detected in previous years at similar activity levels.

Vegetation

A summary of reported activities by WI DHS for vegetation samples is included in Table 4. Results from the individual sample analyses are listed in Tables 13.

Analysis of the vegetation samples showed no unusual activities. The gamma isotopic analysis detected only small amounts of the naturally occurring radioisotopes beryllium-7 (^7Be) and potassium-40 (^{40}K) listed in Table 4. All other radioisotopes were below their respective LLD.

Soil

A summary of reported activities by WI DHS for soil samples is included in Table 4. Results from the individual sample analyses are listed in Table 14.

Analysis of the soil samples showed no unusual activities. The gamma isotopic analysis detected only small amounts of the radionuclides listed in Table 4. Potassium-40 (^{40}K) is a naturally occurring radioisotope. The reported activities for cesium-137 (^{137}Cs) were also detected in previous years and are largely attributable to fallout from previous atmospheric nuclear weapons testing. Naturally occurring radioisotopes such as radium-226 (^{226}Ra), bismuth-214 (^{214}Bi), lead-214 (^{214}Pb), actinium-228 (^{228}Ac), bismuth-212 (^{212}Bi) and lead-212 (^{212}Pb) from the naturally occurring uranium-238 (^{238}U) and thorium-232 (^{232}Th) decay series are commonly detected but have not been quantified or reported.

Dose to an Average Individual

Federal regulations 10 CFR 20, 10 CFR 50 Appendix I and 40 CFR 190 restrict the annual exposure of the population from all parts of the nuclear fuel cycle, including nuclear power plants. Doses resulting from gaseous and liquid effluent releases from the Prairie Island nuclear generating facilities are less than the limits as stated in these Federal regulations.

The WI DHS limits for permissible levels of radiation exposure from external sources in unrestricted areas is defined in the Wis. Adm. Code section HFS 157.23. Doses resulting from gaseous and liquid effluent releases from the Prairie Island nuclear generating facilities are less than the limits as stated in Wis. Adm. Code section HFS 157.23.

References

State of Wisconsin, Wisconsin Administrative Code, HFS 157.23

U.S. Environmental Protection Agency, Environmental Radiation Requirements for Normal Operations of Activities in the Uranium Fuel Cycle, EPA 520/4-76-016, 40 CFR Part 190, November 1976.

U.S. Nuclear Regulatory Commission, Title 10, Part 20.

U.S. Nuclear Regulatory Commission, Title 10, Part 50, Appendix I.

Table 4. Sample activity summary for the Prairie Island environmental monitoring program for 2008.

Sample type (units)	LLD	Number of samples ^a	Analysis	Range
air particulate (pCi/m ³)	0.005	78 / 78	gross beta	0.009 - 0.039
			gamma isotopic	
	0.020	12 / 12	Be-7	0.042 - 0.081
	0.002	12 / 0	Mn-54	< 0.0005
	0.002	12 / 0	Co-58	< 0.0005
	0.005	12 / 0	Fe-59	< 0.0013
	0.002	12 / 0	Co-60	< 0.0005
	0.005	12 / 0	Zn-65	< 0.0013
	0.002	12 / 0	Nb-95	< 0.0007
	0.005	12 / 0	Zr-95	< 0.0011
	0.002	12 / 0	Ru-103	< 0.0005
	0.015	12 / 0	Ru-106	< 0.0038
	0.020	12 / 0	I-131	< 0.0022
	0.002	12 / 0	Cs-134	< 0.0004
	0.002	12 / 0	Cs-137	< 0.0005
	0.030	12 / 0	Ba-140	< 0.0035
	0.020	12 / 0	La-140	< 0.0020
	0.002	12 / 0	Ce-141	< 0.0007
0.005	12 / 0	Ce-144	< 0.0024	
air iodine (pCi/m ³)	0.07	78 / 0	I-131	< 0.030
surface water (pCi/liter)	3.0	6 / 5	gross beta (sol)	< 2.6 – 4.7
	3.0	6 / 1	gross beta (insol)	< 2.4 – 1.6
	3.0	6 / 3	gross alpha (sol)	< 2.1 - 4.0
	3.0	6 / 0	gross alpha (insol)	< 1.3
	300	6 / 2	H-3	< 180 – 1790
	2.0	6 / 0	Sr-89	< 0.8
	1.0	6 / 0	Sr-90	< 0.4
			gamma isotopic	
	15	6 / 0	Mn-54	< 8
	15	6 / 0	Co-58	< 9
	30	6 / 0	Fe-59	< 19
	15	6 / 0	Co-60	< 11
	30	6 / 0	Zn-65	< 22
	15	6 / 0	Nb-95	< 9
	30	6 / 0	Zr-95	< 14
	15	6 / 0	I-131	< 10
	15	6 / 0	Cs-134	< 9
	15	6 / 0	Cs-137	< 8
60	6 / 0	Ba-140	< 29	
15	6 / 0	La-140	< 14	

Table 4. Sample activity summary for the Prairie Island environmental monitoring program for 2008.

Sample type (units)	LLD	Number of samples ^a	Analysis	Range
fish (pCi/kg wet)	800	4 / 4	gamma isotopic K-40	2190 - 3100
	50	4 / 0	Mn-54	< 20
	60	4 / 0	Co-58	< 35
	130	4 / 0	Fe-59	< 120
	60	4 / 0	Co-60	< 31
	130	4 / 0	Zn-65	< 110
	50	4 / 0	Nb-95	< 46
	100	4 / 0	Zr-95	< 60
	50	4 / 0	Cs-134	< 27
	60	4 / 0	Cs-137	< 28
	precipitation (nCi/m ²)	1.5 ^b	12 / 8	gross beta
300 ^b		12 / 0	H-3	< 24
well water (pCi/liter)	3.0	6 / 2	gross beta	< 1.6 – 1.7
	3.0	6 / 0	gross alpha	< 2.7
	300	6 / 0	H-3	< 180
vegetation (pCi/kg wet)	5000	12 / 1	gross alpha	< 3000 – 3000
	4000	12 / 12	gross beta	5300 - 10000
	600	12 / 10	gamma isotopic Be-7	< 410 - 1600
	2000	12 / 12	K-40	4300 - 6400
	90	12 / 0	Mn-54	< 70
	100	12 / 0	Co-58	< 80
	200	12 / 0	Fe-59	< 170
	100	12 / 0	Co-60	< 90
	250	12 / 0	Zn-65	< 250
	100	12 / 0	Nb-95	< 70
	200	12 / 0	Zr-95	< 110
	80	12 / 0	I-131	< 80
	80	12 / 0	Cs-134	< 70
	90	12 / 0	Cs-137	< 80
	350	12 / 0	Ba-140	< 260
	100	12 / 0	La-140	< 100

Table 4. Sample activity summary for the Prairie Island environmental monitoring program for 2008.

Sample type (units)	LLD	Number of samples ^a	Analysis	Range
soil (pCi/kg dry)	6000	12 / 12	gross beta	12000 - 24000
	15000	12 / 3	gross alpha	< 8000 - 14000
			gamma isotopic	
	800	12 / 12	K-40	10700 - 15800
	60	12 / 0	Mn-54	< 56
	90	12 / 0	Co-58	< 49
	600	12 / 0	Fe-59	< 130
	90	12 / 0	Co-60	< 70
	300	12 / 0	Zn-65	< 250
	100	12 / 0	Nb-95	< 50
	250	12 / 0	Zr-95	< 80
	80	12 / 0	Cs-134	< 80
	80	12 / 12	Cs-137	90 - 420
milk (pCi/liter)	1.0	24 / 22	Sr-90	< 0.4 - 1.4
	1.5	14 / 1	I-131	< 0.6 – 0.9
			gamma isotopic	
	500	24 / 24	K-40	1320 - 1690
	15	24 / 0	Mn-54	< 14
	15	24 / 0	Co-58	< 13
	40	24 / 0	Fe-59	< 27
	15	24 / 0	Co-60	< 15
	40	24 / 0	Zn-65	< 34
	15	24 / 0	Nb-95	< 13
	40	24 / 0	Zr-95	< 25
	15	24 / 0	I-131	< 14
	15	24 / 0	Cs-134	< 13
	15	24 / 0	Cs-137	< 13
	60	24 / 0	Ba-140	< 46
15	24 / 0	La-140	< 15	
direct exposure (mR/Std Qtr)	1.0 ^c	40 / 40	direct exposure	12.3 – 20.4

a - Number of analyses / number of analyses detected above the WI DHS LLD.
b - MDC activities expressed in units of pCi/liter.
c – 1.0 mR/ TLD

Table 5. WI DHS air particulate gross beta and air iodine (I-131) analysis results from the Prairie Island environmental monitoring program.

Measurements in units of pCi/m ³							
PRI-1; Prescott				PRI-6; Diamond Bluff			
collection date	volume m ³	air particulate	air iodine	collection date	volume m ³	air particulate	air iodine
01/09/08	837	0.034 +- 0.002	< 0.011	01/09/08	874	0.037 +- 0.002	< 0.012
01/23/08	1000	0.037 +- 0.002	< 0.010	01/23/08	1048	0.037 +- 0.002	< 0.011
02/06/08	1000	0.035 +- 0.002	< 0.018	02/06/08	1039	0.034 +- 0.002	< 0.018
02/22/08	1141	0.033 +- 0.002	< 0.016	02/22/08	1194	0.031 +- 0.002	< 0.017
03/04/08	773	0.026 +- 0.002	< 0.023	03/04/08	804	0.027 +- 0.002	< 0.026
03/19/08	1042	0.021 +- 0.002	< 0.013	03/19/08	1075	0.020 +- 0.002	< 0.014
04/02/08	961	0.016 +- 0.002	< 0.017	04/02/08	991	0.016 +- 0.002	< 0.015
1st Qtr				1st Qtr			
mean +- s.d.		0.029 +- 0.008	< 0.015	mean +- s.d.		0.029 +- 0.008	< 0.016
04/16/08	969	0.017 +- 0.002	< 0.018	04/16/08	991	0.013 +- 0.001	< 0.015
04/29/08	873	0.015 +- 0.002	< 0.030	04/29/08	900	0.016 +- 0.002	< 0.023
05/18/08	1237	0.014 +- 0.001	< 0.011	05/18/08	1283	0.015 +- 0.001	< 0.012
06/01/08	898	0.010 +- 0.001	< 0.017	06/01/08	936	0.009 +- 0.001	< 0.013
06/14/08	834	0.012 +- 0.002	< 0.018	06/14/08	876	0.012 +- 0.001	< 0.014
06/29/08	904	0.014 +- 0.002	< 0.015	06/29/08	981	0.014 +- 0.001	< 0.018
2nd Qtr				2nd Qtr			
mean +- s.d.		0.014 +- 0.002	< 0.018	mean +- s.d.		0.013 +- 0.002	< 0.016
07/12/08	793	0.013 +- 0.002	< 0.026	07/12/08	835	0.013 +- 0.002	< 0.021
07/26/08	843	0.015 +- 0.002	< 0.024	07/26/08	895	0.014 +- 0.002	< 0.019
08/10/08	907	0.017 +- 0.002	< 0.024	08/10/08	969	0.018 +- 0.002	< 0.021
08/22/08	747	0.023 +- 0.002	< 0.025	08/22/08	775	0.022 +- 0.002	< 0.017
09/05/08	875	0.017 +- 0.002	< 0.016	09/05/08	909	0.020 +- 0.002	< 0.016
09/17/08	760	0.013 +- 0.002	< 0.018	09/17/08	797	0.014 +- 0.002	< 0.027
10/05/08	1116	0.023 +- 0.002	< 0.011	10/05/08	1167	0.022 +- 0.002	< 0.010
3rd Qtr				3rd Qtr			
mean +- s.d.		0.017 +- 0.004	< 0.021	mean +- s.d.		0.018 +- 0.004	< 0.019
10/17/08	774	0.020 +- 0.002	< 0.022	10/17/08	807	0.019 +- 0.002	< 0.018
10/30/08	848	0.021 +- 0.002	< 0.013	10/30/08	893	0.018 +- 0.002	< 0.014
11/17/08	1195	0.021 +- 0.001	< 0.009	11/17/08	1267	0.021 +- 0.001	< 0.010
12/01/08	943	0.025 +- 0.002	< 0.021	12/01/08	990	0.022 +- 0.002	< 0.011
12/12/08	763	0.025 +- 0.002	< 0.020	12/12/08	805	0.025 +- 0.002	< 0.023
12/27/08	1057	0.035 +- 0.002	< 0.014	12/27/08	1094	0.031 +- 0.002	< 0.014
4th Qtr				4th Qtr			
mean +- s.d.		0.025 +- 0.006	< 0.017	mean +- s.d.		0.023 +- 0.005	< 0.015

Table 5. WI DHS air particulate gross beta and air iodine (I-131) analysis results from the Prairie Island environmental monitoring program.

Measurements in units of pCi/m³

PRI-9; Bay City substation

collection date	volume m ³	air particulate	air iodine
01/09/08	1121	0.033 +- 0.002	< 0.009
01/23/08	1334	0.039 +- 0.002	< 0.009
02/06/08	1335	0.033 +- 0.002	< 0.005
02/22/08	1521	0.030 +- 0.001	< 0.011
03/04/08	1031	0.028 +- 0.002	< 0.027
03/19/08	1390	0.019 +- 0.001	< 0.009
04/02/08	1281	0.016 +- 0.001	< 0.015
1st Qtr			
mean +- s.d.		0.028 +- 0.008	< 0.012
04/16/08	1283	0.016 +- 0.001	< 0.010
04/29/08	1163	0.015 +- 0.001	< 0.016
05/18/08	1653	0.014 +- 0.001	< 0.007
06/01/08	1214	0.009 +- 0.001	< 0.009
06/14/08	1140	0.013 +- 0.001	< 0.012
06/29/08	1277	0.013 +- 0.001	< 0.011
2nd Qtr			
mean +- s.d.		0.013 +- 0.002	< 0.011
07/12/08	1101	0.012 +- 0.001	< 0.023
07/26/08	1164	0.015 +- 0.001	< 0.015
08/10/08	1266	0.018 +- 0.001	< 0.015
08/22/08	1029	0.023 +- 0.002	< 0.016
09/05/08	1198	0.018 +- 0.001	< 0.014
09/17/08	1036	0.015 +- 0.001	< 0.017
10/05/08	1541	0.024 +- 0.001	< 0.006
3rd Qtr			
mean +- s.d.		0.018 +- 0.004	< 0.015
10/17/08	1062	0.019 +- 0.002	< 0.016
10/30/08	1158	0.021 +- 0.002	< 0.010
11/17/08	1620	0.021 +- 0.001	< 0.006
12/01/08	1263	0.024 +- 0.001	< 0.010
12/12/08	1026	0.025 +- 0.002	< 0.021
12/27/08	1396	0.035 +- 0.002	< 0.012
4th Qtr			
mean +- s.d.		0.024 +- 0.006	< 0.013

Table 6. WI DHS gamma isotopic analysis results from the quarterly composites of air particulate filters collected from the Prairie Island environmental monitoring program.

Measurements in units of pCi/m ³				
Site: PRI-1	1st quarter	2nd quarter	3 rd quarter	4th quarter
Be-7	0.051 +- 0.002	0.042 +- 0.002	0.072 +- 0.003	0.058 +- 0.004
Mn-54	< 0.0002	< 0.0005	< 0.0003	< 0.0005
Co-58	< 0.0003	< 0.0004	< 0.0003	< 0.0004
Fe-59	< 0.0008	< 0.0009	< 0.0007	< 0.0010
Co-60	< 0.0003	< 0.0004	< 0.0004	< 0.0005
Zn-65	< 0.0007	< 0.0013	< 0.0007	< 0.0012
Nb-95	< 0.0004	< 0.0005	< 0.0003	< 0.0006
Zr-95	< 0.0005	< 0.0006	< 0.0006	< 0.0008
Ru-103	< 0.0003	< 0.0005	< 0.0003	< 0.0005
Ru-106	< 0.0021	< 0.0038	< 0.0028	< 0.0037
I-131	< 0.0022	< 0.0016	< 0.0020	< 0.0011
Cs-134	< 0.0002	< 0.0004	< 0.0003	< 0.0004
Cs-137	< 0.0002	< 0.0004	< 0.0002	< 0.0005
Ba-140	< 0.0031	< 0.0028	< 0.0035	< 0.0028
La-140	< 0.0014	< 0.0020	< 0.0011	< 0.0009
Ce-141	< 0.0005	< 0.0004	< 0.0004	< 0.0007
Ce-144	< 0.0013	< 0.0010	< 0.0009	< 0.0024
Site: PRI-6				
Be-7	0.053 +- 0.002	0.070 +- 0.002	0.081 +- 0.002	0.045 +- 0.003
Mn-54	< 0.0002	< 0.0002	< 0.0002	< 0.0003
Co-58	< 0.0002	< 0.0003	< 0.0002	< 0.0003
Fe-59	< 0.0005	< 0.0007	< 0.0006	< 0.0007
Co-60	< 0.0002	< 0.0003	< 0.0003	< 0.0003
Zn-65	< 0.0006	< 0.0007	< 0.0007	< 0.0008
Nb-95	< 0.0004	< 0.0003	< 0.0003	< 0.0004
Zr-95	< 0.0005	< 0.0005	< 0.0004	< 0.0005
Ru-103	< 0.0002	< 0.0003	< 0.0003	< 0.0003
Ru-106	< 0.0016	< 0.0019	< 0.0020	< 0.0030
I-131	< 0.0017	< 0.0009	< 0.0013	< 0.0006
Cs-134	< 0.0002	< 0.0002	< 0.0002	< 0.0003
Cs-137	< 0.0002	< 0.0002	< 0.0002	< 0.0003
Ba-140	< 0.0023	< 0.0020	< 0.0022	< 0.0015
La-140	< 0.0014	< 0.0008	< 0.0014	< 0.0008
Ce-141	< 0.0003	< 0.0004	< 0.0003	< 0.0004
Ce-144	< 0.0006	< 0.0012	< 0.0007	< 0.0014
Site: PRI-9				
Be-7	0.054 +- 0.002	0.069 +- 0.003	0.075 +- 0.002	0.054 +- 0.003
Mn-54	< 0.0002	< 0.0003	< 0.0002	< 0.0003
Co-58	< 0.0002	< 0.0005	< 0.0002	< 0.0003
Fe-59	< 0.0006	< 0.0013	< 0.0005	< 0.0007
Co-60	< 0.0002	< 0.0004	< 0.0003	< 0.0004
Zn-65	< 0.0006	< 0.0001	< 0.0005	< 0.0007
Nb-95	< 0.0003	< 0.0007	< 0.0003	< 0.0005
Zr-95	< 0.0004	< 0.0011	< 0.0003	< 0.0006
Ru-103	< 0.0003	< 0.0005	< 0.0002	< 0.0004
Ru-106	< 0.0015	< 0.0026	< 0.0017	< 0.0026
I-131	< 0.0021	< 0.0020	< 0.0013	< 0.0008
Cs-134	< 0.0002	< 0.0002	< 0.0002	< 0.0003
Cs-137	< 0.0002	< 0.0004	< 0.0002	< 0.0003
Ba-140	< 0.0030	< 0.0024	< 0.0021	< 0.0021
La-140	< 0.0014	< 0.0014	< 0.0009	< 0.0008
Ce-141	< 0.0004	< 0.0005	< 0.0002	< 0.0006
Ce-144	< 0.0011	< 0.0014	< 0.0006	< 0.0018

Radioisotopes other than those reported were not detected.

Table 7. WI DHS TLD network for the Prairie Island environmental monitoring program.

Date Placed:	01/09/08	04/09/08	07/09/08	10/08/08
Date Removed:	04/09/08	07/09/08	10/08/08	01/14/09
Days in the Field:	91	91	91	98
Individual quarterly date is reported as : mR / Standard Quarter + 2 sigma counting error.				
TLD sites that are located 0 – 2 miles from the Prairie island facility.				
T30	13.5 +- 0.7	13.9 +- 0.7	13.5 +- 0.7	16.5 +- 0.5
T31	13.1 +- 0.9	13.9 +- 0.9	12.9 +- 0.7	16.0 +- 0.7
T32	13.7 +- 0.9	14.0 +- 1.0	14.4 +- 0.6	16.5 +- 1.1
Quarterly average +- s.d.	13.4 +- 0.3	13.9 +- 0.1	13.6 +- 0.8	16.3 +- 0.3
TLD sites that are located 2– 5 miles from the Prairie island facility				
T33	16.7 +- 0.6	17.3 +- 0.7	16.4 +- 0.6	19.8 +- 0.5
T34	17.0 +- 0.7	17.7 +- 0.6	17.4 +- 0.5	20.4 +- 0.5
T35	15.2 +- 0.6	15.7 +- 1.0	16.2 +- 0.6	18.2 +- 1.1
T36	13.0 +- 0.6	16.5 +- 0.9	13.8 +- 0.4	19.2 +- 0.7
Quarterly average +- s.d.	15.5 +- 1.8	16.8 +- 0.9	16.0 +- 1.5	19.4 +- 0.9
TLD sites that are located greater than 5 miles from the Prairie island facility				
T37	13.7 +- 1.0	14.3 +- 0.7	14.2 +- 1.3	17.1 +- 0.6
T38	13.3 +- 0.5	12.3 +- 0.8	13.0 +- 0.4	14.8 +- 0.8
T39	12.9 +- 0.8	12.4 +- 0.8	12.9 +- 0.9	14.9 +- 0.9
Quarterly average +- s.d.	13.3 +- 0.4	13.0 +- 1.1	13.4 +- 0.7	15.6 +- 1.3

Table 8. WI DHS analysis results for precipitation samples collected for the Prairie Island environmental monitoring program.

Measurements in units of nCi/m2			
monthly composite sample			
Collection	inches	gross beta	tritium
01/23/08	0.55	0.13 +- 0.03	< 2.5
02/22/08	0.27	0.05 +- 0.01	< 1.2
03/19/08	0.64	0.23 +- 0.03	< 2.9
04/16/08	2.57	< 0.16	< 12
05/18/08	4.23	0.19 +- 0.10	< 19
06/29/08	5.15	0.24 +- 0.14	< 24
07/26/08	2.73	< 0.10	< 12
08/22/08	1.59	< 0.10	< 7.7
09/17/08	2.55	< 0.16	< 12
10/17/08	1.79	0.12 +- 0.07	< 8.6
11/17/08	1.65	0.13 +- 0.07	< 8.0
12/27/08	1.02	0.13 +- 0.05	< 4.9

Table 9. WI DHS analysis results for surface water samples collected for the Prairie Island environmental monitoring program.

Measurements in units of pCi/liter

Site:	PRI-1	PRI-2	PRI-4	PRI-1	PRI-2	PRI-4
Collection date:	06/03/08	06/03/08	06/03/08	09/16/08	09/16/08	09/16/08
gross alpha-sol	< 2.1	4.0 +- 2.0	4.0 +- 2.0	< 1.9	< 2.0	4.0 +- 2.0
gross beta-sol	1.7 +- 1.1	3.5 +- 0.8	2.9 +- 0.9	< 2.6	4.2 +- 1.3	4.7 +- 1.4
gross alpha-insol	< 1.1	< 1.1	< 1.3	< 1.1	< 1.1	< 1.1
gross beta-insol	< 1.2	< 1.1	1.6 +- 0.8	< 2.4	< 2.4	< 2.4
H-3 *	< 180	< 180	< 180	< 180	1790 +- 140	350 +- 120
Sr-89 *	< 0.7	< 0.8	< 0.6	< 0.4	< 0.4	< 0.4
Sr-90 *	< 0.1	< 0.4	< 0.4	< 0.4	< 0.3	< 0.3
gamma isotopic						
Mn-54	< 6	< 8	< 6	< 6	< 7	< 8
Co-58	< 6	< 8	< 6	< 6	< 6	< 9
Fe-59	< 11	< 19	< 13	< 14	< 12	< 15
Co-60	< 7	< 8	< 7	< 8	< 7	< 11
Zn-65	< 15	< 22	< 17	< 17	< 17	< 21
Nb-95	< 6	< 8	< 6	< 6	< 7	< 9
Zr-95	< 11	< 12	< 11	< 11	< 10	< 14
I-131	< 8	< 8	< 6	< 8	< 8	< 10
Cs-134	< 7	< 8	< 6	< 7	< 7	< 9
Cs-137	< 6	< 7	< 6	< 7	< 6	< 8
Ba-140	< 27	< 29	< 18	< 23	< 25	< 27
La-140	< 9	< 14	< 11	< 11	< 11	< 14

Radioisotopes other than those reported were not detected.

Table 10. WI DHS analysis results for fish samples collected for the Prairie Island environmental monitoring program.

Measurements in units of pCi/kilogram (wet)

Collection	05/12/08	05/15/08	09/15/08	09/17/08
Location	downstream	upstream	downstream	upstream
Type	white bass	white bass	white bass	white bass
gamma isotopic				
K-40	2610 +- 120	2190 +- 130	3000 +- 200	3100 +- 200
Mn-54	< 17	< 20	< 18	< 17
Co-58	< 22	< 27	< 35	< 27
Fe-59	< 70	< 80	< 80	< 120
Co-60	< 8	< 21	< 29	< 31
Zn-65	< 44	< 60	< 80	< 110
Nb-95	< 44	< 46	< 45	< 26
Zr-95	< 39	< 47	< 60	< 33
Cs-134	< 15	< 18	< 27	< 22
Cs-137	< 13	< 14	< 28	< 19

Radioisotopes other than those reported were not detected.

Table 11. WI DHS analysis results for well water samples collected for the Prairie Island environmental monitoring program.

Measurements in units of pCi/liter

	PRI-4	PRI-5	PRI-6	PRI-4	PRI-5	PRI-6
Collection date:	06/03/08	06/03/08	06/03/08	09/16/08	09/16/08	09/16/08
gross alpha	< 2.4	< 2.5	< 2.7	< 1.9	< 1.9	< 2.0
gross beta	1.6 +- 0.9	1.7 +- 0.8	< 1.6	< 1.4	< 1.1	< 1.1
H-3	< 180	< 180	< 180	< 180	< 180	< 180

Table 12. WI DHS analysis results for milk samples collected for the Prairie Island environmental monitoring program.

Measurements in units of pCi/liter

Location	PRI-13	PRI-10	PRI-13	PRI-10	PRI-13	PRI-10
Collection date:	01/10/08	02/06/08	03/26/08	04/10/08	05/13/08	06/12/08
I-131	< 0.3	< 0.4		< 0.2	< 0.4	
Sr-90	1.1 +- 0.2	1.1 +- 0.3	0.9 +- 0.3	0.4 +- 0.2	0.9 +- 0.3	< 0.4
gamma isotopic						
K-40	1320 +- 90	1500 +- 80	1370 +- 80	1330 +- 60	1420 +- 60	1440 +- 60
Mn-54	< 14	< 10	< 11	< 7	< 7	< 6
Co-58	< 12	< 10	< 10	< 8	< 6	< 6
Fe-59	< 24	< 20	< 25	< 17	< 14	< 14
Co-60	< 12	< 14	< 11	< 7	< 8	< 7
Zn-65	< 29	< 32	< 31	< 21	< 18	< 16
Nb-95	< 10	< 10	< 11	< 8	< 6	< 7
Zr-95	< 25	< 19	< 18	< 12	< 11	< 11
I-131	< 11	< 10	< 13	< 9	< 7	< 10
Cs-134	< 11	< 10	< 12	< 7	< 7	< 6
Cs-137	< 11	< 12	< 10	< 8	< 8	< 5
Ba-140	< 37	< 34	< 42	< 31	< 23	< 30
La-140	< 12	< 14	< 14	< 15	< 9	< 15
Location	PRI-13	PRI-10	PRI-13	PRI-10	PRI-13	PRI-10
Collection date:	07/21/08	08/12/08	09/09/08	10/14/08	11/11/08	12/16/08
I-131	< 0.2			< 0.6	< 0.2	< 0.2
Sr-90	1.2 +- 0.3	0.8 +- 0.3	0.8 +- 0.2	0.5 +- 0.2	1.0 +- 0.3	< 0.4
gamma isotopic						
K-40	1450 +- 60	1690 +- 100	1490 +- 60	1500 +- 70	1430 +- 60	1560 +- 150
Mn-54	< 6	< 14	< 7	< 7	< 7	< 14
Co-58	< 6	< 13	< 5	< 6	< 7	< 10
Fe-59	< 14	< 23	< 12	< 15	< 14	< 27
Co-60	< 7	< 12	< 7	< 8	< 9	< 15
Zn-65	< 17	< 34	< 16	< 18	< 15	< 30
Nb-95	< 7	< 10	< 5	< 6	< 6	< 13
Zr-95	< 10	< 21	< 9	< 11	< 10	< 19
I-131	< 8	< 13	< 6	< 6	< 6	< 11
Cs-134	< 7	< 12	< 5	< 6	< 6	< 8
Cs-137	< 6	< 13	< 5	< 7	< 6	< 11
Ba-140	< 27	< 44	< 20	< 21	< 20	< 42
La-140	< 8	< 12	< 9	< 9	< 11	< 14

Radioisotopes other than those reported were not detected.

Table 12. WI DHS analysis results for milk samples collected for the Prairie Island environmental monitoring program.

Measurements in units of pCi/liter

Location: PRI-15

Collection date:	01/10/08	02/06/08	03/26/08	04/10/08	05/13/08	06/12/08
I-131	< 0.4	< 0.3		< 0.2	< 0.4	
Sr-90	1.1 +- 0.2	1.0 +- 0.3	1.2 +- 0.3	0.7 +- 0.3	1.4 +- 0.4	0.5 +- 0.2
gamma isotopic						
K-40	1520 +- 70	1530 +- 50	1560 +- 80	1530 +- 80	1500 +- 60	1490 +- 60
Mn-54	< 10	< 4	< 10	< 9	< 7	< 6
Co-58	< 10	< 4	< 11	< 9	< 7	< 7
Fe-59	< 22	< 9	< 21	< 19	< 16	< 18
Co-60	< 10	< 5	< 13	< 11	< 9	< 6
Zn-65	< 24	< 10	< 33	< 27	< 19	< 19
Nb-95	< 11	< 4	< 10	< 10	< 7	< 7
Zr-95	< 14	< 6	< 15	< 18	< 11	< 13
I-131	< 12	< 4	< 10	< 10	< 8	< 14
Cs-134	< 9	< 3	< 10	< 10	< 8	< 6
Cs-137	< 9	< 4	< 11	< 10	< 7	< 6
Ba-140	< 37	< 13	< 34	< 34	< 27	< 41
La-140	< 13	< 6	< 15	< 9	< 11	< 14
Collection date:	07/21/08	08/12/08	09/09/08	10/14/08	11/11/08	12/16/08
I-131	< 0.2			0.9 +- 0.4	< 0.2	< 0.2
Sr-90	0.8 +- 0.2	1.2 +- 0.3	1.3 +- 0.3	0.9 +- 0.3	1.1 +- 0.2	0.8 +- 0.3
gamma isotopic						
K-40	1500 +- 80	1630 +- 90	1570 +- 70	1400 +- 80	1430 +- 60	1480 +- 130
Mn-54	< 11	< 10	< 6	< 10	< 6	< 10
Co-58	< 11	< 11	< 7	< 11	< 5	< 8
Fe-59	< 24	< 25	< 17	< 24	< 13	< 13
Co-60	< 14	< 12	< 7	< 14	< 8	< 12
Zn-65	< 29	< 32	< 16	< 28	< 16	< 22
Nb-95	< 12	< 10	< 7	< 10	< 6	< 13
Zr-95	< 20	< 18	< 12	< 17	< 10	< 17
I-131	< 13	< 13	< 10	< 10	< 6	< 9
Cs-134	< 13	< 11	< 5	< 10	< 6	< 10
Cs-137	< 11	< 10	< 6	< 10	< 6	< 12
Ba-140	< 46	< 40	< 28	< 39	< 22	< 29
La-140	< 15	< 15	< 13	< 15	< 10	< 15

Radioisotopes other than those reported were not detected.

Table 13. WI DHS analysis results for vegetation samples collected for the Prairie Island environmental monitoring program.

Measurements in units of pCi/kilogram (wet)

Site	PRI-1	PRI-4	PRI-5	PRI-6	PRI-8	PRI-9
Collection date:	06/03/08	06/03/08	06/03/08	06/03/08	06/03/08	06/03/08
gross alpha	< 2400	< 1900	< 2000	< 2300	< 2300	< 2700
gross beta	10000 +- 1000	7300 +- 1100	5300 +- 1000	7000 +- 1200	6700 +- 1200	6200 +- 1400
gamma isotopic						
Be-7	490 +- 110	< 410	< 400	580 +- 90	570 +- 150	550 +- 140
K-40	5000 +- 400	4700 +- 400	4300 +- 400	5500 +- 400	4900 +- 400	5500 +- 400
Mn-54	< 51	< 45	< 50	< 36	< 56	< 50
Co-58	< 49	< 51	< 60	< 45	< 60	< 56
Fe-59	< 110	< 120	< 130	< 60	< 130	< 170
Co-60	< 60	< 70	< 60	< 60	< 49	< 90
Zn-65	< 130	< 160	< 250	< 100	< 120	< 130
Nb-95	< 49	< 60	< 50	< 48	< 60	< 70
Zr-95	< 80	< 100	< 90	< 70	< 110	< 90
I-131	< 60	< 60	< 49	< 40	< 60	< 80
Cs-134	< 60	< 60	< 38	< 37	< 60	< 60
Cs-137	< 54	< 53	< 41	< 36	< 70	< 60
Ba-140	< 150	< 230	< 140	< 160	< 190	< 260
La-140	< 90	< 70	< 90	< 100	< 80	< 70
Collection date:	09/16/08	09/16/08	09/16/08	09/16/08	09/16/08	09/16/08
gross alpha	< 3000	< 2300	3000 +- 2000	< 2000	< 2400	< 3000
gross beta	7400 +- 1400	7000 +- 1300	5700 +- 1200	6200 +- 1300	6700 +- 1300	5500 +- 1600
gamma isotopic						
Be-7	1300 +- 200	540 +- 120	1200 +- 100	1100 +- 200	1600 +- 200	1500 +- 100
K-40	5700 +- 500	6400 +- 400	5800 +- 400	5200 +- 400	6000 +- 500	5900 +- 400
Mn-54	< 60	< 60	< 52	< 70	< 46	< 70
Co-58	< 80	< 50	< 54	< 39	< 30	< 39
Fe-59	< 110	< 120	< 150	< 130	< 120	< 100
Co-60	< 48	< 60	< 33	< 60	< 52	< 53
Zn-65	< 180	< 160	< 160	< 140	< 150	< 130
Nb-95	< 70	< 47	< 47	< 46	< 41	< 52
Zr-95	< 90	< 100	< 80	< 60	< 90	< 70
I-131	< 52	< 57	< 40	< 58	< 44	< 51
Cs-134	< 70	< 52	< 42	< 56	< 58	< 58
Cs-137	< 60	< 52	< 45	< 80	< 50	< 60
Ba-140	< 170	< 150	< 190	< 120	< 220	< 180
La-140	< 100	< 70	< 80	< 53	< 80	< 80

Radioisotopes other than those reported were not detected.

Table 14. WI DHS analysis results for soil samples collected for the Prairie Island environmental monitoring program.

Measurements in units of pCi/kilogram (dry)

Site	PRI-1	PRI-4	PRI-5	PRI-6	PRI-8	PRI-9
Collection date:	06/03/08	06/03/08	06/03/08	06/03/08	06/03/08	06/03/08
gross alpha	< 8000	< 8000	< 8000	10000 +- 8000	14000 +- 8000	< 8000
gross beta	12000 +- 4000	13000 +- 4000	14000 +- 4000	22000 +- 4000	24000 +- 4000	14000 +- 4000
gamma isotopic						
K-40	11300 +- 500	11400 +- 600	12400 +- 500	15500 +- 600	15800 +- 600	10700 +- 400
Mn-54	< 33	< 34	< 50	< 46	< 51	< 16
Co-58	< 42	< 27	< 36	< 48	< 49	< 20
Fe-59	< 120	< 47	< 110	< 120	< 130	< 52
Co-60	< 41	< 34	< 70	< 55	< 55	< 25
Zn-65	< 140	< 80	< 180	< 210	< 250	< 43
Nb-95	< 48	< 36	< 39	< 46	< 50	< 25
Zr-95	< 70	< 55	< 80	< 80	< 70	< 34
Cs-134	< 60	< 28	< 60	< 60	< 80	< 20
Cs-137	420 +- 20	163 +- 16	170 +- 20	260 +- 20	90 +- 20	190 +- 12
Collection date:	09/16/08	09/16/08	09/16/08	09/16/08	09/16/08	09/16/08
gross alpha	< 8000	< 8000	< 8000	< 8000	11000 +- 8000	< 8000
gross beta	17000 +- 4000	16000 +- 4000	13000 +- 4000	16000 +- 4000	20000 +- 4000	14000 +- 4000
gamma isotopic						
K-40	15100 +- 600	12600 +- 400	11700 +- 400	15000 +- 500	14600 +- 500	12200 +- 400
Mn-54	< 56	< 13	< 14	< 16	< 18	< 13
Co-58	< 44	< 12	< 13	< 16	< 15	< 12
Fe-59	< 130	< 30	< 30	< 43	< 35	< 33
Co-60	< 60	< 11	< 14	< 16	< 18	< 15
Zn-65	< 250	< 34	< 40	< 42	< 41	< 31
Nb-95	< 48	< 13	< 15	< 18	< 18	< 14
Zr-95	< 80	< 18	< 22	< 31	< 28	< 25
Cs-134	< 70	< 9	< 10	< 12	< 12	< 9
Cs-137	150 +- 20	170 +- 10	140 +- 10	206 +- 14	130 +- 13	190 +- 11

Naturally occurring radioisotopes such as radium-226 (²²⁶Ra), bismuth-214 (²¹⁴Bi), lead-214 (²¹⁴Pb), actinium-228 (²²⁸Ac), bismuth-212 (²¹²Bi), lead-212 (²¹²Pb) from the naturally occurring uranium-238 (²³⁸U) and thorium-232 (²³²Th) decay series are commonly detected but have not been quantified or reported.

Radioisotopes other than those reported were not detected.