

State of Wisconsin
2008
Zion
Environmental Radioactivity Survey

**Wisconsin Department of Health Services
Division of Public Health
Bureau of Environmental and Occupational Health
Radiation Protection Section
P.O. Box 2659
Madison, Wisconsin 53701**

Table of Contents

| | Page |
|---|------|
| Introduction | 1 |
| WI DHS Zion Environmental Monitoring Sampling Program | 1 |
| Program Modifications | 1 |
| Laboratory Services and Quality Assurance | 1 |
| Detection Limits | 2 |
| Reporting of Sampling Analysis Results | 2 |
| Sample Collection Summary | 3 |
| Zion Environmental Monitoring Sampling Sites | 4 |
| Results & Discussion | 5 |
| References | 6 |
| Sample Activity Summary | 7 |

List of Tables

| | Page |
|---|-------------|
| Table 1. WI DHS Zion environmental monitoring sampling sites. | 3 |
| Table 2. Sample collection summary and required analyses. | 3 |
| Table 3. Missing sample report and listing of non-routine analyses. | 3 |
| Table 4. Sample activity summary for the WI DHS Zion environmental monitoring program. | 7 |
| Table 5. WI DHS air particulate gross beta results from the Zion environmental monitoring program. | 9 |
| Table 6. WI DHS gamma isotopic results from the quarterly composites of air particulate filters for the Zion environmental monitoring program. | 10 |
| Table 7. WI DHS TLD results from the Zion environmental monitoring program. | 11 |
| Table 8. WI DHS analysis results for surface water samples collected for the Zion environmental monitoring program. | 11 |
| Table 9. WI DHS analysis results for vegetation and soil samples collected for the Zion environmental monitoring program. | 12 |

List of Figures

| | |
|---|----------|
| Figure 1. WI DHS environmental monitoring sites for the Zion environmental monitoring program. | 4 |
|---|----------|

**State of Wisconsin DHS
2008
Zion Environmental Radioactivity Survey**

Introduction

Wisconsin Public Health Statutes 254.41 mandates the Department of Health Services to conduct environmental radiation monitoring around the nuclear power facilities that impact Wisconsin. This environmental monitoring report is for the Zion nuclear generating plant for the calendar year January - December 2008 and provides a description and results of this environmental monitoring program.

WI DHS Zion Environmental Monitoring Sampling Program

The WI DHS environmental monitoring program consists of the collection of various types of samples from the air, water and terrestrial exposure pathways. The sampling program included samples of air, ambient gamma radiation (TLD), surface water, soil and vegetation that are collected from selected locations at planned sampling intervals.

Table 1 is a listing of presently used sampling sites that have been renumbered after eliminating sample sites that have been discontinued. Sampling sites that have been discontinued were last listed as sampling sites in WI DHS's environmental monitoring report for the Zion nuclear plant for the calendar year of January - December, 2000. Table 2 provides a listing of types of samples collected, collection frequency, sites where samples are collected, the number of samples collected, number of samples that were missed or had sample or analysis deviations and a listing of the required analyses. Table 3 provides an explanation of missing samples or non-routine sample analyses. Figure 1 is a map showing the location of each environmental sampling site.

Program Modifications

In January 1998 ComEd announced that it was permanently closing the Zion nuclear power station and initiated the process of decommissioning the Zion station. In response to this and due to other funding restrictions, the Zion environmental monitoring program was reviewed and modified in 1998 and 2000.

There were no additional program modifications for 2008.

Laboratory Services and Quality Assurance

The analysis of the samples is performed under contract with the State Laboratory of Hygiene (SLH). SLH maintains a quality assurance program. Analytical procedures provide for routine replicate analyses to verify methods and instrument operation. Traceable sources are used to regularly calibrate the counters and daily performance checks are made between calibrations. In addition, quality control charts are maintained on the counters.

SLH participates in the Environmental Resource Associates' Proficiency Testing program and has performed satisfactorily over the report period. Proficiency testing results are available from the State Laboratory of Hygiene.

Detection Limits

Detection limits, required by WI DHS, will be expressed as a lower limit of detection (LLD). The required WI DHS LLD as indicated in Table 4 under the heading "LLD" is an "a priori" estimate of the capability for detecting an activity concentration by a given measurement system, procedure, and type of sample. Counting statistics of the appropriate instrument background are used to compute the LLD for each specific analysis. Using 4.66 times the standard deviation (s_b) of the instrument background, the LLD for each specific analysis is defined at the 95% Confidence Level.

The LLD for each radioisotope listed in Table 4 has been calculated from the following equation:

$$LLD = \frac{4.66 s_b}{E * V * 2.22 * Y * S * \exp(-dt)}$$

Where:

| | |
|-------|---|
| LLD | is the "a priori" lower limit of detection as defined above, as picocuries per unit mass or volume, |
| s_b | is the standard deviation of the background counting rate or of the counting rate of blank sample as appropriate, as counts per minute, |
| E | is the counting efficiency, as counts per disintegration, |
| V | is the sample size in units of mass or volume, |
| 2.22 | is the fractional of disintegrations per minute per picocurie, |
| Y | is the fractional radiochemical yield, when applicable, |
| S | is the self-absorption correction factor, |
| d | is the radioactive decay constant for the particular radionuclide, and |
| t | for environmental samples is the elapsed time between sample collection, or end of the sample collection period, and time of counting. |

Typical values for E, V, Y and dt have been used to calculate the LLD.

Reporting of Sample Analysis Results

Results for specific analyses will be reported as either a "less than" (<) value or an actual activity value. The reporting of results in Table 4 under the heading "Range" and in Tables 5-9 is "a posteriori" calculation based on the actual analysis performed using the actual sample values for E, V, Y and dt. Typically the reported "less than" (<) results are lower than the required WI DHS LLD indicating that the required WI DHS LLD has been met.

An actual activity value will be accompanied by an uncertainty term for that analysis. The uncertainty term is a plus or minus counting uncertainty term at the 2 sigma (95%) confidence interval and is printed as (+- or ±). Examples and explanations of data reporting are:

| <u>Example</u> | <u>Nuclide</u> | <u>Activity reported</u> |
|----------------|-------------------|--------------------------|
| 1 | ^{137}Cs | < 10 pCi/liter |
| 2 | ^{137}Cs | 15 ± 3 pCi/liter |

In example 1 we can be 95% confident that the sample activity, if any, is less than the LLD of 10 pCi/liter. In example 2 we can be 95% confident that the actual sample activity is greater than the LLD for that analysis and is between 12 and 18 pCi/liter.

Table 1. WI DHS Zion environmental monitoring sampling sites.

| Sample site | Distance and direction (miles) | Location description |
|-------------|--------------------------------|---|
| ZI-1 | 3.8 N | Chiwaukee Prairie. |
| ZI-2 | 8.5 NW | Pleasant Prairie, Roger Prange Municipal Center |
| ZI-3 | 10.0 N | Water intake - 4700 feet from shore. |
| ZI-4 | 5.9 NW | Junction of Highway 31 and County ML. |
| ZI-T41 | 4.7 NW | Junction of 122th Street and 39th Avenue |
| ZI-T42 | 3.8 N | Chiwaukee Prairie. |
| ZI-T43 | 10.1 N | Kenosha Water Utility |

Table 2. Sample collection summary and required analyses.

| Sample Type | Collection and Frequency | Site locations | Number of Samples Collected | Number of Samples Deviations | Required Analyses |
|-----------------|--------------------------|----------------|-----------------------------|------------------------------|-------------------|
| air particulate | C/BW | 1,2 | 52 | 3 | GA, GB, GI |
| TLD | C/Q | T41 - T43 | 12 | 0 | direct exposure |
| surface water | G/SA | 3 | 3 | 1 | GA, GB, GI, Sr, H |
| vegetation | G/SA | 1, 4 | 4 | 0 | GA, GB, GI |
| soil | G/SA | 1, 4 | 4 | 0 | GA, GB, GI |

Collection type: C/ = continuous; G/ = grab

Frequency: /W = weekly; /M = monthly; /Q = quarterly; /A = annually; /BW = bi-weekly; /SA = semi-annually

Required analyses: GA = gross alpha; GB = gross beta; GI = gamma isotopic; Sr = strontium; H = tritium

Table 3. Missing sample report and listing of non-routine analyses.

| Sample type | Date | Site | Explanation |
|-----------------|-------------------------|------|---|
| air particulate | 08/11/08 | ZI-1 | Due to an site equipment problem, the air site was not operating for approximately 80 hours during the indicated sampling period. |
| air particulate | 04/21/08 | ZI-2 | Due to equipment problems, the air site was not operating for approximately 6 days and 4 hours during the indicated sampling period. |
| air particulate | 12/29/08 | ZI-2 | Due to electrical problems, the air site was not operating for approximately 10 days and 7 hours at the end of the indicated sampling period. |
| surface water | 4 th quarter | ZI-3 | A sample was not collected for the 4th quarter of 2008. |




Figure 1. WI DHS environmental monitoring sites for the Zion environmental monitoring program.

Results and Discussion

Air Particulate

A summary of reported activities by WI DHS for air particulate samples is included in Table 4. Results from the individual sample analyses are listed in Tables 5 and 6.

From the quarterly gross beta activities listed in Table 5 it may be noted that there are no significant differences due to distance from the Zion nuclear facility. With no significant differences due to distance from the Zion nuclear facility an increase in gross beta activity attributable to the Zion plant operation is not evident.

The gamma isotopic analysis of the quarterly air particulate filter composites detected only small amounts of the radioisotopes listed in Table 6. Beryllium-7 (^7Be), detected in all composites, is constantly produced through nuclear reactions between cosmic rays and nuclei in the atmosphere and is detected in air composites from other areas of the state.

Influence by the Zion nuclear facility on air quality is not evident from air particulate analysis.

Ambient Gamma Radiation (TLDs)

A summary of reported activities by WI DHS for ambient gamma radiation is included in Table 4. Results from the individual sample analyses are listed in Table 7.

Ambient gamma radiation (TLD) data for 2008 from the WI DHS network was comparable for all sites. Significant differences in exposure were not noticed at different distances from the Zion nuclear facility. The average quarterly exposure from the three sites located within Wisconsin was 13.2 ± 1.8 milliroentgens. The average yearly exposure is at background levels and is comparable to other areas within Wisconsin.

Surface Water

A summary of reported activities by WI DHS for surface water samples is included in Table 4. Results from the individual sample analyses are listed in Table 8.

The surface water samples showed no unusual activities and are at background levels comparable to previous years. From the gamma isotopic analysis, all radioisotopes were below their respective minimum detectable concentration. All reported activities for gross beta, gross alpha and tritium (^3H) are at background levels. The surface water samples uniformly show activities well below state or federal standards.

Vegetation

A summary of reported activities by WI DHS for vegetation samples is included in Table 4. Results from the individual sample analyses are listed in Table 9.

Analysis of the vegetation samples showed no unusual activities. The gamma isotopic analysis detected only small amounts of the naturally occurring radioisotopes beryllium-7 (^7Be) and potassium-40 (^{40}K) listed in Table 4. All other radioisotopes were below their respective minimum detectable concentration.

Soil

A summary of reported activities by WI DHS for soil samples is included in Table 4. Results from the individual sample analyses are listed in Table 9.

Analysis of the soil samples showed no unusual activities. The gamma isotopic analysis detected only small amounts of the radionuclides listed in Table 4. Potassium-40 (^{40}K) is a naturally occurring radioisotope. The reported activities for cesium-137 (^{137}Cs) were also detected in previous years and are attributable to fallout from previous atmospheric nuclear tests. Naturally occurring radioisotopes such as radium-226 (^{226}Ra), bismuth-214 (^{214}Bi), lead-214 (^{214}Pb), actinium-228 (^{228}Ac), bismuth-212 (^{212}Bi) and lead-212 (^{212}Pb) from the naturally occurring uranium-238 (^{238}U) and thorium-232 (^{232}Th) decay series are commonly detected but have not been quantified or reported.

Dose to an Average Individual

Federal regulations 10 CFR 20, 10 CFR 50 Appendix I and 40 CFR 190 restrict the annual exposure of the population from all parts of the nuclear fuel cycle, including nuclear power plants. Doses resulting from gaseous and liquid effluent releases from the Zion nuclear generating facilities are less than the limits as stated in these Federal regulations.

The WI DHS limits for permissible levels of radiation exposure from external sources in unrestricted areas is defined in the Wis. Adm. Code section HFS 157.23. Doses resulting from gaseous and liquid effluent releases from the Zion nuclear generating facilities are less than the limits as stated in Wis. Adm. Code section HFS 157.23.

References

State of Wisconsin, Wisconsin Administrative Code, HFS 157.23

U.S. Environmental Protection Agency, Environmental Radiation Requirements for Normal Operations of Activities in the Uranium Fuel Cycle, EPA 520/4-76-016, 40 CFR Part 190, November 1976.

U.S. Nuclear Regulatory Commission, Title 10, Part 20.

U.S. Nuclear Regulatory Commission, Title 10, Part 50, Appendix I.

Table 4. Sample activity summary for the WI DHS Zion environmental monitoring program for 2008.

| Sample type (units) | LLD | Number of samples ^a | Analysis | Range |
|--|------------------|--------------------------------|----------------|---------------|
| air particulate (pCi/m ³) | 0.005 | 52 / 52 | gross beta | 0.008 - 0.041 |
| | | | gamma isotopic | |
| | 0.020 | 8 / 8 | Be-7 | 0.046 - 0.074 |
| | 0.002 | 8 / 0 | Mn-54 | < 0.0005 |
| | 0.002 | 8 / 0 | Co-58 | < 0.0006 |
| | 0.005 | 8 / 0 | Fe-59 | < 0.0011 |
| | 0.002 | 8 / 0 | Co-60 | < 0.0008 |
| | 0.005 | 8 / 0 | Zn-65 | < 0.0013 |
| | 0.002 | 8 / 0 | Nb-95 | < 0.0005 |
| | 0.005 | 8 / 0 | Zr-95 | < 0.0011 |
| | 0.002 | 8 / 0 | Ru-103 | < 0.0007 |
| | 0.015 | 8 / 0 | Ru-106 | < 0.0050 |
| | 0.020 | 8 / 0 | I-131 | < 0.0020 |
| | 0.002 | 8 / 0 | Cs-134 | < 0.0006 |
| | 0.002 | 8 / 0 | Cs-137 | < 0.0004 |
| | 0.030 | 8 / 0 | Ba-140 | < 0.0047 |
| | 0.020 | 8 / 0 | La-140 | < 0.0014 |
| | 0.002 | 8 / 0 | Ce-141 | < 0.0006 |
| 0.005 | 8 / 0 | Ce-144 | < 0.0020 | |
| ambient gamma (mR/Std Qtr) | 1.0 ^b | 12 / 12 | ambient gamma | 10.1 - 15.9 |
| vegetation (pCi/kg wet) | 5000 | 4 / 0 | gross alpha | < 4000 |
| | 4000 | 4 / 4 | gross beta | 6200 - 7700 |
| | | | gamma isotopic | |
| | 600 | 4 / 4 | Be-7 | 1100 - 2300 |
| | 2000 | 4 / 4 | K-40 | 4100 - 6700 |
| | 90 | 4 / 0 | Mn-54 | < 80 |
| | 100 | 4 / 0 | Co-58 | < 90 |
| | 200 | 4 / 0 | Fe-59 | < 190 |
| | 100 | 4 / 0 | Co-60 | < 70 |
| | 250 | 4 / 0 | Zn-65 | < 240 |
| | 100 | 4 / 0 | Nb-95 | < 70 |
| | 200 | 4 / 0 | Zr-95 | < 140 |
| | 80 | 4 / 0 | I-131 | < 70 |
| | 80 | 4 / 0 | Cs-134 | < 70 |
| | 90 | 4 / 0 | Cs-137 | < 60 |
| | 350 | 4 / 0 | Ba-140 | < 230 |
| 100 | 4 / 0 | La-140 | < 90 | |

Table 4. Sample activity summary for the WI DHS Zion environmental monitoring program for 2008.

| Sample type (units) | LLD | Number of samples ^a | Analysis | Range |
|------------------------------|-------|--------------------------------|---------------------|----------------|
| surface water (pCi/liter) | 3.0 | 3 / 1 | gross beta (sol) | < 2.6 – 3.0 |
| | 3.0 | 3 / 0 | gross beta (insol) | < 2.4 |
| | 3.0 | 3 / 0 | gross alpha (sol) | < 3.0 |
| | 3.0 | 3 / 0 | gross alpha (insol) | < 1.4 |
| | 300 | 3 / 0 | H-3 | < 300 |
| | 2.0 | 3 / 0 | Sr-89 | < 0.9 |
| | 1.0 | 3 / 0 | Sr-90 | < 0.7 |
| | | | gamma isotopic | |
| | 15 | 3 / 0 | Mn-54 | < 7 |
| | 15 | 3 / 0 | Co-58 | < 7 |
| | 30 | 3 / 0 | Fe-59 | < 14 |
| | 15 | 3 / 0 | Co-60 | < 8 |
| | 30 | 3 / 0 | Zn-65 | < 19 |
| | 15 | 3 / 0 | Nb-95 | < 7 |
| | 30 | 3 / 0 | Zr-95 | < 12 |
| | 15 | 3 / 0 | I-131 | < 9 |
| | 15 | 3 / 0 | Cs-134 | < 8 |
| | 15 | 3 / 0 | Cs-137 | < 7 |
| | 60 | 3 / 0 | Ba-140 | < 28 |
| | 15 | 3 / 0 | La-140 | < 11 |
| soil (pCi/kg dry) | 6000 | 4 / 4 | gross beta | 14000 - 28000 |
| | 10000 | 4 / 2 | gross alpha | < 8000 - 21000 |
| | | | gamma isotopic | |
| | 800 | 4 / 4 | K-40 | 10400 - 21500 |
| | 60 | 4 / 0 | Mn-54 | < 50 |
| | 90 | 4 / 0 | Co-58 | < 54 |
| | 600 | 4 / 0 | Fe-59 | < 140 |
| | 90 | 4 / 0 | Co-60 | < 70 |
| | 300 | 4 / 0 | Zn-65 | < 230 |
| | 100 | 4 / 0 | Nb-95 | < 60 |
| | 250 | 4 / 0 | Zr-95 | < 80 |
| | 80 | 4 / 0 | Cs-134 | < 80 |
| | 80 | 4 / 4 | Cs-137 | 100 - 350 |

a - Number of analyses / number of analyses detected above the WI DHS LLD.
b - 1.0 mR/TLD.

Table 5. WI DHS air particulate gross beta analysis results from the Zion environmental monitoring program.

| Measurements in units of pCi/m ³ | | | | | |
|---|-----------------------|-----------------|---|-----------------------|-----------------|
| Site: ZI-1; Chiwaukee Prairie | | | Site: ZI-2; Pleasant Prairie, Roger Prange Municipal Center | | |
| collection date | volume m ³ | air particulate | collection date | volume m ³ | air particulate |
| 01/16/08 | 837 | 0.030 +- 0.002 | 01/16/08 | 902 | 0.030 +- 0.002 |
| 01/28/08 | 728 | 0.040 +- 0.003 | 01/28/08 | 782 | 0.040 +- 0.002 |
| 02/11/08 | 841 | 0.026 +- 0.002 | 02/11/08 | 897 | 0.026 +- 0.002 |
| 02/25/08 | 828 | 0.027 +- 0.002 | 02/25/08 | 906 | 0.025 +- 0.002 |
| 03/13/08 | 994 | 0.027 +- 0.002 | 03/13/08 | 1093 | 0.025 +- 0.002 |
| 03/24/08 | 630 | 0.016 +- 0.002 | 03/24/08 | 705 | 0.016 +- 0.002 |
| 1st Qtr | | | 1st Qtr | | |
| mean +- s.d. | | 0.028 +- 0.008 | mean +- s.d. | | 0.027 +- 0.008 |
| 04/07/08 | 799 | 0.020 +- 0.002 | 04/07/08 | 888 | 0.018 +- 0.002 |
| 04/21/08 | 789 | 0.008 +- 0.002 | 04/21/08 a | 483 | 0.008 +- 0.002 |
| 05/05/08 | 790 | 0.021 +- 0.002 | 05/05/08 | 868 | 0.020 +- 0.002 |
| 05/19/08 | 784 | 0.015 +- 0.002 | 05/19/08 | 875 | 0.012 +- 0.001 |
| 06/02/08 | 777 | 0.008 +- 0.002 | 06/02/08 | 973 | 0.009 +- 0.001 |
| 06/19/08 | 923 | 0.012 +- 0.001 | 06/19/08 | 1167 | 0.011 +- 0.001 |
| 07/02/08 | 686 | 0.016 +- 0.002 | 07/02/08 | 903 | 0.014 +- 0.002 |
| 2nd Qtr | | | 2nd Qtr | | |
| mean +- s.d. | | 0.014 +- 0.005 | mean +- s.d. | | 0.013 +- 0.005 |
| 07/14/08 | 626 | 0.013 +- 0.002 | 07/14/08 | 827 | 0.010 +- 0.002 |
| 07/28/08 | 723 | 0.021 +- 0.002 | 07/28/08 | 959 | 0.019 +- 0.002 |
| 08/11/08 b | 555 | 0.017 +- 0.002 | 08/11/08 | 962 | 0.014 +- 0.001 |
| 08/26/08 | 755 | 0.019 +- 0.002 | 08/26/08 | 1018 | 0.014 +- 0.001 |
| 09/08/08 | 655 | 0.023 +- 0.002 | 09/08/08 | 901 | 0.022 +- 0.002 |
| 09/22/08 | 721 | 0.021 +- 0.002 | 09/22/08 | 965 | 0.020 +- 0.002 |
| 3rd Qtr | | | 3rd Qtr | | |
| mean +- s.d. | | 0.019 +- 0.004 | mean +- s.d. | | 0.016 +- 0.005 |
| 10/07/08 | 757 | 0.027 +- 0.002 | 10/07/08 | 1036 | 0.024 +- 0.002 |
| 10/24/08 | 899 | 0.021 +- 0.002 | 10/24/08 | 1218 | 0.018 +- 0.001 |
| 11/05/08 | 634 | 0.030 +- 0.002 | 11/05/08 | 868 | 0.028 +- 0.002 |
| 11/19/08 | 735 | 0.020 +- 0.002 | 11/19/08 | 1017 | 0.017 +- 0.001 |
| 12/02/08 | 700 | 0.023 +- 0.002 | 12/02/08 | 972 | 0.022 +- 0.002 |
| 12/15/08 | 674 | 0.017 +- 0.002 | 12/15/08 | 968 | 0.025 +- 0.002 |
| 12/29/08 | 744 | 0.038 +- 0.002 | 12/29/08 c | 258 | 0.037 +- 0.005 |
| 4th Qtr | | | 4th Qtr | | |
| mean +- s.d. | | 0.025 +- 0.007 | mean +- s.d. | | 0.024 +- 0.007 |

a - Due to equipment problems, the air site was not operating for approximately 6 days and 4 hours during the indicated collection period.

b - Due to an site equipment problem, the air site was not operating for approximately 80 hours during the indicated sampling period.

c - Due to electrical problems, the air site was not operating for approximately 10 days and 7 hours at the end of the indicated collection period.

Table 6. WI DHS gamma isotopic analysis results from the quarterly composites of air particulate filters collected from the Zion environmental monitoring program.

| Measurements in units of pCi/m ³ | | | | |
|---|----------------|----------------|-------------------------|----------------|
| Site: ZI-1 | 1st quarter | 2nd quarter | 3 rd quarter | 4th quarter |
| Be-7 | 0.060 +- 0.002 | 0.074 +- 0.002 | 0.069 +- 0.003 | 0.051 +- 0.004 |
| Mn-54 | < 0.0001 | < 0.0002 | < 0.0004 | < 0.0005 |
| Co-58 | < 0.0001 | < 0.0003 | < 0.0005 | < 0.0003 |
| Fe-59 | < 0.0003 | < 0.0007 | < 0.0011 | < 0.0011 |
| Co-60 | < 0.0001 | < 0.0003 | < 0.0006 | < 0.0004 |
| Zn-65 | < 0.0003 | < 0.0006 | < 0.0010 | < 0.0010 |
| Nb-95 | < 0.0002 | < 0.0003 | < 0.0005 | < 0.0004 |
| Zr-95 | < 0.0002 | < 0.0004 | < 0.0009 | < 0.0006 |
| Ru-103 | < 0.0001 | < 0.0002 | < 0.0004 | < 0.0004 |
| Ru-106 | < 0.0009 | < 0.0017 | < 0.0050 | < 0.0035 |
| I-131 | < 0.0009 | < 0.0020 | < 0.0018 | < 0.0008 |
| Cs-134 | < 0.0001 | < 0.0002 | < 0.0005 | < 0.0003 |
| Cs-137 | < 0.0001 | < 0.0002 | < 0.0003 | < 0.0004 |
| Ba-140 | < 0.0014 | < 0.0027 | < 0.0038 | < 0.0022 |
| La-140 | < 0.0008 | < 0.0014 | < 0.0011 | < 0.0008 |
| Ce-141 | < 0.0002 | < 0.0003 | < 0.0006 | < 0.0005 |
| Ce-144 | < 0.0003 | < 0.0006 | < 0.0014 | < 0.0020 |
| Site: ZI-2 | | | | |
| Be-7 | 0.056 +- 0.002 | 0.071 +- 0.002 | 0.060 +- 0.003 | 0.046 +- 0.003 |
| Mn-54 | < 0.0003 | < 0.0002 | < 0.0005 | < 0.0004 |
| Co-58 | < 0.0003 | < 0.0002 | < 0.0006 | < 0.0004 |
| Fe-59 | < 0.0008 | < 0.0005 | < 0.0010 | < 0.0009 |
| Co-60 | < 0.0003 | < 0.0002 | < 0.0008 | < 0.0002 |
| Zn-65 | < 0.0007 | < 0.0004 | < 0.0013 | < 0.0009 |
| Nb-95 | < 0.0004 | < 0.0003 | < 0.0005 | < 0.0004 |
| Zr-95 | < 0.0005 | < 0.0003 | < 0.0011 | < 0.0006 |
| Ru-103 | < 0.0003 | < 0.0002 | < 0.0007 | < 0.0003 |
| Ru-106 | < 0.0019 | < 0.0012 | < 0.0045 | < 0.0026 |
| I-131 | < 0.0019 | < 0.0017 | < 0.0020 | < 0.0007 |
| Cs-134 | < 0.0003 | < 0.0002 | < 0.0006 | < 0.0003 |
| Cs-137 | < 0.0002 | < 0.0001 | < 0.0004 | < 0.0003 |
| Ba-140 | < 0.0031 | < 0.0022 | < 0.0047 | < 0.0017 |
| La-140 | < 0.0014 | < 0.0011 | < 0.0012 | < 0.0008 |
| Ce-141 | < 0.0005 | < 0.0003 | < 0.0006 | < 0.0005 |
| Ce-144 | < 0.0013 | < 0.0008 | < 0.0016 | < 0.0015 |

Radioisotopes other than those reported were not detected.

Table 7. WI DHS TLD network for the Zion environmental monitoring program.

| | 1st quarter | 2nd quarter | 3rd quarter | 4th quarter |
|--|-------------|-------------|-------------|-------------|
| Date Placed: | 01/03/08 | 04/01/08 | 07/01/08 | 10/01/08 |
| Date Removed: | 04/01/08 | 07/01/08 | 10/01/08 | 01/06/09 |
| Days in the Field: | 89 | 91 | 92 | 97 |
| Individual quarterly date is reported as : mR / Standard Quarter + 2 sigma counting error. | | | | |
| T-41 | 15.2 +- 0.8 | 13.0 +- 0.6 | 15.9 +- 0.7 | 15.8 +- 0.6 |
| T-42 | 13.1 +- 0.7 | 11.1 +- 0.8 | 13.0 +- 0.4 | 14.1 +- 0.9 |
| T-43 | 12.3 +- 0.7 | 10.1 +- 0.7 | 11.9 +- 0.6 | 12.9 +- 0.6 |

Table 8. WI DHS analysis results for surface water samples collected for the Zion environmental monitoring program.

Measurements in units of pCi/liter

| Collection date: | 01/09/08 | 04/09/08 | 07/10/08 | *a |
|-------------------|----------|------------|----------|----|
| gross alpha-sol | < 1.7 | < 1.9 | < 3.0 | |
| gross beta-sol | < 2.6 | 3.0 +- 2.0 | < 1.8 | |
| gross alpha-insol | < 1.0 | < 1.0 | < 1.4 | |
| gross beta-insol | < 2.4 | < 2.4 | < 1.5 | |
| H-3 | < 300 | < 180 | < 180 | |
| Sr-89 | < 0.3 | < 0.3 | < 0.9 | |
| Sr-90 | < 0.3 | < 0.3 | < 0.7 | |
| gamma isotopic | | | | |
| Mn-54 | < 7 | < 6 | < 6 | |
| Co-58 | < 7 | < 7 | < 5 | |
| Fe-59 | < 14 | < 11 | < 10 | |
| Co-60 | < 7 | < 8 | < 6 | |
| Zn-65 | < 19 | < 16 | < 14 | |
| Nb-95 | < 7 | < 6 | < 5 | |
| Zr-95 | < 12 | < 9 | < 9 | |
| I-131 | < 9 | < 6 | < 8 | |
| Cs-134 | < 8 | < 6 | < 6 | |
| Cs-137 | < 7 | < 6 | < 5 | |
| Ba-140 | < 28 | < 20 | < 22 | |
| La-140 | < 10 | < 11 | < 8 | |

a - A sample was not collected for the 4th quarter of 2008.

Radioisotopes other than those reported were not detected.

Table 9. WI DHS analysis results for vegetation and soil samples collected for the Zion environmental monitoring program.

| Site: | ZI-1 | ZI-4 | ZI-1 | ZI-4 |
|------------------|--------------|--------------|--------------|--------------|
| Collection date: | 05/20/08 | 05/20/08 | 09/22/08 | 09/22/08 |
| gross alpha | < 2000 | < 2200 | < 4000 | < 2300 |
| gross beta | 7400 +- 1200 | 7700 +- 1200 | 7000 +- 2000 | 6200 +- 1200 |
| gamma isotopic | | | | |
| Be-7 | 1300 +- 200 | 1500 +- 200 | 2300 +- 200 | 1100 +- 200 |
| K-40 | 5800 +- 400 | 6700 +- 500 | 4500 +- 400 | 4100 +- 400 |
| Mn-54 | < 60 | < 60 | < 80 | < 60 |
| Co-58 | < 60 | < 90 | < 52 | < 56 |
| Fe-59 | < 130 | < 110 | < 190 | < 150 |
| Co-60 | < 60 | < 70 | < 54 | < 54 |
| Zn-65 | < 120 | < 200 | < 240 | < 190 |
| Nb-95 | < 55 | < 60 | < 70 | < 31 |
| Zr-95 | < 120 | < 120 | < 140 | < 80 |
| I-131 | < 60 | < 70 | < 70 | < 45 |
| Cs-134 | < 70 | < 60 | < 43 | < 60 |
| Cs-137 | < 53 | < 60 | < 60 | < 37 |
| Ba-140 | < 230 | < 220 | < 210 | < 200 |
| La-140 | < 51 | < 70 | < 24 | < 28 |

| Site: | ZI-1 | ZI-4 | ZI-1 | ZI-4 |
|------------------|---------------|---------------|---------------|----------------|
| Collection date: | 05/20/08 | 05/20/08 | 09/22/08 | 09/22/08 |
| gross alpha | < 8000 | 15000 +- 9000 | < 8000 | 21000 +- 10000 |
| gross beta | 14000 +- 4000 | 26000 +- 5000 | 14000 +- 4000 | 28000 +- 5000 |
| gamma isotopic | | | | |
| K-40 | 10400 +- 700 | 20700 +- 700 | 10800 +- 500 | 21500 +- 700 |
| Mn-54 | < 41 | < 45 | < 50 | < 49 |
| Co-58 | < 38 | < 48 | < 50 | < 54 |
| Fe-59 | < 140 | < 120 | < 110 | < 100 |
| Co-60 | < 66 | < 60 | < 70 | < 52 |
| Zn-65 | < 90 | < 220 | < 180 | < 230 |
| Nb-95 | < 56 | < 60 | < 37 | < 48 |
| Zr-95 | < 80 | < 80 | < 60 | < 70 |
| Cs-134 | < 37 | < 80 | < 70 | < 80 |
| Cs-137 | 350 +- 30 | 150 +- 20 | 270 +- 20 | 100 +- 20 |

Naturally occurring radioisotopes such as radium-226 (^{226}Ra), bismuth-214 (^{214}Bi), lead-214 (^{214}Pb), actinium-228 (^{228}Ac), bismuth-212 (^{212}Bi), lead-212 (^{212}Pb) from the naturally occurring uranium-238 (^{238}U) and thorium-232 (^{232}Th) decay series are commonly detected but have not been quantified or reported.

Radioisotopes other than those reported were not detected.