

CLIENT / PATIENT DEATH DETERMINATION

USE OF FORM

Reporting of certain deaths to the Department of Health Services is required by Wisconsin State Statute. This form should be used for this purpose. Failure to report these deaths to the Department may result in a citation of noncompliance by the Department. The information obtained will be used for investigative and statistical purposes and the personally identifiable information will be available only to those persons authorized to access treatment records. If you have any questions regarding this form, call the **Reportable Death Review Coordinator at (608) 261-0657**.

I. DETERMINATION

| | | | | | |
|--|--|--------------------------------|---|---------------------------------|---|
| Name – Deceased Client (Last, First, MI) | | Date - Birth | Gender <input type="checkbox"/> M <input type="checkbox"/> F | Date – Admission | Date – Death |
| Ethnicity (Check one.) <input type="checkbox"/> Black - Not Hispanic <input type="checkbox"/> Asian or Pacific Islander <input type="checkbox"/> American Indian / Alaska | | | <input type="checkbox"/> Hispanic - Mexican, Puerto Rican, Cuban <input type="checkbox"/> White - Not Hispanic | | |
| | | | | | Is this death reportable to coroner / medical examiner? <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Name – Agency / Provider | | Certification / License Number | | Provider Type No. (See page 2.) | |
| Address – Street Address | | City | County | State | Zip Code |
| Name - Client Emergency Contact Person | | Relationship | | Telephone Number | |
| Address – Street Address | | City | State | Zip Code | |
| Name - Individual Reporting | | Title | | Telephone Number | |
| Address – Street Address | | City | State | Zip Code | |
| Name - To Whom Reported | | Telephone Number | <input type="checkbox"/> Self Report <input type="checkbox"/> Other: | | Date Reported |

INSTRUCTIONS

- A client death must be reported to the Department within 24 hours after the death or upon learning of the death if there is cause to believe that the death was related to the use of a physical restraint / seclusion, psychotropic medications, or suicide.
- When in doubt---if the death was due to physical restraints / seclusion, psychotropic medications, or suicide---report the death.
- Attach a copy of the progress notes or other documentation which provide additional information to determine if there is reasonable cause to believe that the death was due to the use of physical restraints / seclusion, psychotropic medications, or suicide.
- Check "Yes" or "No" for each item in sections A - C. For assistance, see guidelines on pages 3 and 4.
- Submit the completed form to the Division of Quality Assurance (DQA) chief or director listed in the attached "Division of Quality Assurance Reportable Death Contact Table" (page 5) in the column headed "Where to Fax the Client / Patient Death Determination Form."

Yes **No**

A. Suicide

- | | | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 1. Was there evidence that the client was having suicidal thoughts during the last month? |
| <input type="checkbox"/> | <input type="checkbox"/> | 2. Did the client make any suicide threats or statements during the last month? |
| <input type="checkbox"/> | <input type="checkbox"/> | 3. Did the client make a suicide attempt in the past year? |
| <input type="checkbox"/> | <input type="checkbox"/> | 4. Did the client give away personal possessions within the last month? |
| <input type="checkbox"/> | <input type="checkbox"/> | 5. Was the client found in a position or circumstance which might indicate the death was due to suicide; e.g., hanging, drowning, drug overdose, asphyxiation (being found in a car with the engine running), fall from a bridge or down stairs, a self-inflicted wound, a single car accident with good road conditions, self-immolation (burning)? |

B. Psychotropic Medication

- | | | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 1. Was the client on three or more psychotropic medications? |
| <input type="checkbox"/> | <input type="checkbox"/> | 2. Was the client on two or more psychotropics in the same class? |
| <input type="checkbox"/> | <input type="checkbox"/> | 3. Did the physician discontinue a psychotropic medication within the last seven days? |
| <input type="checkbox"/> | <input type="checkbox"/> | 4. Did the client refuse psychotropic medications within the last seven days? |
| <input type="checkbox"/> | <input type="checkbox"/> | 5. Was the client changed to a different psychotropic medication within the last seven days? |
| <input type="checkbox"/> | <input type="checkbox"/> | 6. Did the client's medical / psychiatric condition change in the last seven days, based on observed symptoms and behaviors? <i>(continued on next page)</i> |

Yes **No**

B. Psychotropic Medication (continued)

- 7. Did the client receive any drug(s) to which he / she has a known allergy or adverse drug reaction as documented in his / her record within the last seven days?
- 8. If the client was on Clozapine, did the known adverse reactions of this medication contribute to the death of the client?
- 9. Did the client present any signs which would indicate the possibility of neuroleptic malignant syndrome (NMS)?
- 10. Was a psychotropic medication given with no valid diagnosis for the drug?
- 11. If the client is a GERIATRIC CLIENT, was he / she on lithium? If "Yes", was lithium used in combination with haloperidol, another antipsychotic, neuromuscular blocker and / or antidepressant?
- 12. If the client is a GERIATRIC CLIENT, was he / she on a long acting benzodiazepine before therapy with a short acting benzodiazepine?
- 13. If the client is a GERIATRIC CLIENT, was he / she on Xanax and did he / she experience a sudden withdrawal of this medication within the last seven days?

C. Physical Restraints and Seclusion (See "Note to Hospitals" below.)

- 1. Did the client die while in restraint or seclusion?
- 2. Did the restraint / seclusion have a direct relationship to the client's death?
- 3. Did the client sustain any injury while in restraint or seclusion?
- 4. Was the client in a prone position when a physical restraint was used?

PROVIDER TYPE AND NUMBER (Enter applicable number on page 1.)

| <u>No.</u> | <u>Type</u> | <u>No.</u> | <u>Type</u> |
|------------|--|------------|---|
| 1. | Facility for the Developmentally Disabled | 13. | AODA Medically Managed Inpatient Detoxification Service |
| 2. | Mendota or Winnebago Mental Health Institute | 14. | AODA Medically Monitored Residential Detox Service |
| 3. | Mental Health Inpatient Program | 15. | AODA Ambulatory Detoxification Service |
| 4. | Community Based Residential Facility | 16. | AODA Residential Intoxication Monitoring Service |
| 5. | Nursing Home | 17. | AODA Medically Managed Inpatient Treatment Service |
| 6. | Mental Health Crisis Service | 18. | AODA Medically Monitored Treatment Service |
| 7. | Community Support Program | 19. | AODA Day Treatment Service |
| 8. | Mental Health Day Treatment | 20. | AODA Outpatient Treatment Service |
| 9. | Mental Health Outpatient Program | 21. | AODA Transitional Residential Treatment Service |
| 10. | Mental Health Day Treatment Services for Children | 22. | AODA Narcotic Treatment Service for Opiate Addiction |
| 11. | Comprehensive Community Services for Persons With Mental Illness | 23. | Hospital AODA Inpatient Program |
| 12. | AODA Emergency Outpatient Service | 24. | AODA Intervention Services |

NOTE TO HOSPITALS

Medicare regulations at 42CRF Part 482 require that the death of a patient that occurred while a physical or chemical restraint was applied to that patient, while that patient was in seclusion, or where it is reasonable to assume that the patient's death may have resulted from the use of a physical or chemical restraint or seclusion, must be reported to the **Health Insurance Specialist of the CMS Regional Office at (312) 353-2888.**

REASON FOR REPORTING

| | | | |
|---|-------|------------------|-------------|
| Name - Therapist Involved in Case | | Telephone Number | |
| SIGNATURE - Person Completing Form | Title | Telephone Number | Date Signed |

II. CLIENT / PATIENT DEATH DETERMINATION GUIDELINES

The following guidelines, which are not all-inclusive, are listed to assist the provider in determining if there is reasonable cause to believe the client / patient death may be due to the use of restraint / seclusion, the use of psychotropic medications, or suicide.

Note: For the purpose of reporting a death of a patient to HCFA, the Federal definition applicable to that Federal reporting requirement is the following:

1. **Physical restraint** means any manual method, physical or mechanical device, material, or equipment which is attached or adjacent to the patient's body, which he or she cannot easily remove, which restricts freedom of movement, and / or restricts normal access to one's body.
2. **Chemical restraint** means a drug or medication used to control behavior or to restrict the patient's freedom of movement and is not a standard treatment for the patient's medical or psychiatric condition.
3. **Seclusion** means the involuntary confinement of a person in a room or an area where the person is physically prevented from leaving.

A. Suicide

Presence of one or more of the following risk factors in the client profile:

1. Clinical syndromes of depression, psychosis, impulsivity, and intoxication.
2. Symptomatic or psychological predictors such as hopelessness, recent losses along with the experience of loss, and panic levels of anxiety.
3. Demographic factors which put a client in a moderate or greater risk category for suicide; e.g., among the seriously mentally ill, male gender, previous suicide attempts, a recent (within the last six months) acute psychotic or affective episode, first decade and---particularly---the first five years of the illness, AODA problems.
4. Recent behaviors that suggest that the client is acting differently; e.g., making final plans, "tidying up" personal affairs, obtaining the means for suicide, seeking out help more often (often with no clear complaint).
5. Lethality: The client's mental intent to die or to kill oneself, including the individual's view of life after death and what relief or reward it offers; specificity and imminence of a suicide plan; availability and lethality of the means for suicide; the opportunity in the suicidal plan for rescue.
6. The absence of positive social supports or the presence of ones that are not helpful or that are harmful; e.g., critical, rejecting.

B. Psychotropic Medications

1. Psychotropic Medication: A psychotropic medication is any drug used to treat, manage, or control psychiatric symptoms or disordered behavior, including but not limited to antipsychotic, antidepressant, mood stabilizing, or anti-anxiety agents. Medications which may be used either for more general medical purposes or for their effect on psychiatric symptoms would be considered psychotropic medications when they were being used to obtain a psychiatrically related benefit.
2. Presence of one or more of the following psychotropic drug interactions and / or conditions in the client profile:
 - a. Any anaphylactic reactions
 - b. Tricyclic antidepressant overdose
 - c. Lithium overdose
 - d. Combination of any psychotropic medication(s) and alcohol
 - e. Bone marrow suppression, especially with clozapine, but also with other neuroleptics and tricyclic antidepressants
 - f. Hypertensive crisis with monoamine oxidase inhibitors (MAOIs)
 - g. Cardiac arrhythmias as a result of an antidepressant medication
 - h. Any drug overdose
 - i. Any blood level of a drug higher than accepted therapeutic drug level
 - j. After starting on antipsychotic medication, the client complains of an increased temperature and muscular rigidity
 - k. Fatal heatstroke, especially if client is on Thorazine
 - l. History of difficult to control epilepsy
 - m. Jaundiced skin and sclera
 - n. Psychotropic medications administered to clients in excess of the recommended geriatric doses which are listed in Appendix P of the Federal Long Term Care Regulations for Nursing Homes
 - o. Any medication error in proximity to time of client death

3. Client experienced the following three operational criteria for a diagnosis of neuroleptic malignant syndrome (NMS).
 - a. Hyperthermia: A high temperature in the absence of known etiology
 - b. Severe extrapyramidal effects characterized by two or more of the following: lead-pipe muscle rigidity, pronounced cogwheeling, sialorrhea, oculogyric crisis, retrocollis, opisthotonos, trismus, dysphagia, choreiform movements, festinating gait, and flexorextensor posturing
 - c. Autonomic dysfunction characterized by two or more of the following: hypertension, tachycardia, prominent diaphoresis, incontinence

In retrospective diagnosis, if one of these three items (3a - 3c) has not been specifically documented, a probable diagnosis is still permitted if the remaining two criteria are clearly met and the client displays one of the following characteristic signs: clouded consciousness as evidenced by delirium, mutism, stupor or coma; leukocytosis (more than 15,000 white blood cells / mm); serum creatine kinase level greater than 1,000 IU / ml. (Source: The Manual of Clinical Psychopharmacology - 2nd Edition)

C. Physical Restraints and Seclusion


1. Presence of one or more of the following indicators:
 - a. Client found suspended by / from restraint
 - b. Client found sliding from bed / wheelchair / chair
 - c. Client's neck / head found under / between side rails
 - d. Client found in tipped wheelchair with a restraint intact
 - e. Autopsy report indicates asphyxiation or possible asphyxiation
2. Position of actual restraint.
 - a. Restraint under client's ribs exerting pressure
 - b. Restraint across chest and conforming to body in a tight appearing fashion
 - c. Restraint across throat area
3. Physical hold by staff utilized in proximity to time of death of client.
4. Resident found expired in seclusion / locked room.
5. Presence of one or more of the following physical signs:
 - a. Discolored areas on skin
 - b. Red markings on skin
 - c. Swollen tongue

Division of Quality Assurance (DQA) Reportable Death Contact Table

| No. | Provider Type | Admin. Rule | Type of License or Certification | Where to Fax the Client/Patient Death Determination Form |
|-----|--|-------------|----------------------------------|--|
| 1 | Facility for the Developmentally Disabled | HFS 134 | License | DQA Regional Field Operations Director for the Region where your facility is located. See attached page with a list and map. |
| 2 | Mendota or Winnebago MHI | HFS 124 | Approval | Director, Health Services Section, Fax (608) 264-9847 . For questions about reporting a death, call (608) 264-9887. |
| 3 | Mental Health Inpatient Program | HFS 124 | Approval | Director, Health Services Section, Fax (608) 264-9847 . For questions about reporting a death, call (608) 264-9887. |
| 4 | Community Based Residential Facility | HFS 83 | License | DQA Regional Field Operations Director for the Region where your facility is located. See attached page with a list and map. |
| 5 | Nursing Home | HFS 132 | License | DQA Regional Field Operations Director for the Region where your facility is located. See attached page with a list and map. |
| 6 | Mental Health Crisis Service | HFS 34 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 7 | Community Support Program | HFS 63 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 8 | Mental Health Day Treatment | HFS 61.75 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 9 | Mental Health Outpatient Program | HFS 61.91 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 10 | Mental Health Day Treatment Services for Children | HFS 40 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 11 | Comprehensive Community Services | HFS 36 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 12 | AODA Emergency Outpatient Service | HFS 75.05 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 13 | AODA Medically Managed Inpatient Detox Service | HFS 75.06 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 14 | AODA Medically Monitored Residential Detox Service | HFS 75.07 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 15 | AODA Ambulatory Detoxification Service | HFS 75.08 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 16 | AODA Residential Intoxication Monitoring Srvc | HFS 75.09 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 17 | AODA Medically Managed Inpatient Treatment Service | HFS 75.10 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 18 | AODA Medically Monitored Treatment Service | HFS 75.11 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 19 | AODA Day Treatment Srvc | HFS 75.12 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 20 | AODA Outpatient Treatment Service | HFS 75.13 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 21 | AODA Transitional Residential Treatment Srvc | HFS 75.14 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 22 | AODA Narcotic Treatment Service for Opiate Addiction | HFS 75.15 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |
| 23 | Hospital AODA Inpatient Program | HFS 124 | Approval | Director, Health Services Section, Fax (608) 264-9847 . For questions about reporting a death, call (608) 264-9887. |
| 24 | AODA Intervention Services | HFS 75.16 | Certification | Chief, Behavioral Hlth Certification Section, Fax (608) 261-0655 . For questions about reporting a death, call (608) 261-0657. |

For additional information (including copies of annual Act 336 Reports) contact:

Richard Ruecking, Reportable Death Review Coordinator
DQA / Bureau of Health Services / Behavioral Health Certification Section
Phone: (608) 261-0657
Fax: (608) 261-0655



Regional Field Operations Director, **Northeastern** Regional Office, Green Bay, **Fax: 920-448-5254**.
For questions about reporting a death, call 920-448-5249.

Regional Field Operations Director, **Northern** Regional Office, Rhinelander, **Fax: 715-365-2815**.
For questions about reporting a death, call 715-365-2802.

Regional Field Operations Director, **Southeastern** Regional Office, Milwaukee, **Fax: 414-227-4139**.
For questions about reporting a death, call 414-227-4908.

Regional Field Operations Director, **Southern** Regional Office, Madison, **Fax: 608-266-9422**.
For questions about reporting a death, call 608-266-9875.

Regional Field Operations Director, **Western** Regional Office, Eau Claire, **Fax: 715-836-2535**.
For questions about reporting a death, call 715-836-4753.