FORWARDHEALTH PRIOR AUTHORIZATION DRUG ATTACHMENT FOR WAKIX

INSTRUCTIONS: Type or print clearly. Before completing this form, read the Prior Authorization Drug Attachment for Wakix Instructions, F-02573A. Providers may refer to the Forms page of the ForwardHealth Portal at https://www.forwardhealth.wi.gov/WIPortal/Subsystem/Publications/ForwardHealthCommunications.aspx?panel=Forms for the completion instructions.

Pharmacy providers are required to have a completed Prior Authorization Drug Attachment for Wakix form signed by the prescriber before submitting a prior authorization (PA) request on the Portal, by fax, or by mail. Providers may call Provider Services at 800-947-9627 with questions.

SECTION I – MEMBER INFORMATION

1. Name – Member (Last, First, Middle Initial)

2. Member ID Number	3. Date of Birth – Member
SECTION II – PRESCRIPTION INFORMATION	
4. Drug Name	5. Drug Strength
6. Date Prescription Written	7. Directions for Use

- 8. Refills
- 9. Name Prescriber

10. National Provider Identifier – Prescriber

11. Address – Prescriber (Street, City, State, Zip+4 Code)

12. Phone Number – Prescriber

SECTION III - CLINICAL INFORMATION

Note: A copy of the member's current medical records that support a clinical correlation between the member's test results and the member's medical condition of narcolepsy with cataplexy or narcolepsy without cataplexy must be submitted with the PA request, including the following:

- Test results and provider interpretation for the overnight polysomnogram (PSG) and Multiple Sleep Latency Test (MSLT)
- For members with excessive daytime sleepiness (EDS), a copy of the Epworth Sleepiness Scale (ESS) questionnaire, Maintenance of Wakefulness Test (MWT), or MSLT
- For renewal PA requests, medical record documentation demonstrating clinical improvement, including a decrease in cataplexy or a decrease in the member's EDS supported by an ESS questionnaire, MWT, or MSLT

13. Diagnosis Code and Description



14. Does the member have narcolepsy with cataplexy?	🛛 Ye	S		lo
If yes, indicate the cataplexy symptoms experienced by the member and how frequently they occur.				
15. Does the member have narcolepsy without cataplexy?	🛛 Ye	S		lo
16. Has the prescriber reviewed the member's current medication list to evaluate for potential drug interactions (for example, cytochrome P450 2D6 [CYP2D6] inhibitors, cytochrome P450 3A4 [CYP3A4] inducers, and drugs that increase the QT interval)?	🔲 Ye	S		lo
17. Indicate which symptom(s) of narcolepsy Wakix is being used to treat.				
Cataplexy				
Other				
18. Is the member taking any sedative hypnotics?	🗋 Ye	S		lo
19. Is the member taking central nervous system (CNS) depressants (for example,				
anxiolytics, barbiturates, or opioids)?	🗖 Ye	S		lo
If yes, indicate the CNS depressants and daily doses.				
1				
2				
3				
Are any of the above listed CNS depressants contributing to the member's daytime sleepiness?	🗖 Ye	s [lo
If no, indicate how the prescriber evaluated the CNS depressants and determined	they are n	ot con	tribut	ing to the
member's daytime sleepiness.				
20. Has the member had an overnight PSG sleep study followed by an MSLT?	🛛 Ye	C		
20. Thas the member have EDS that interferes with normal activities		5		10
on a daily basis?	🛛 Ye	S		lo
22. Has the member completed an ESS questionnaire, MWT, or MSLT?	🛛 Ye	S		lo
23. Has the prescriber ruled out or treated the member for each of the following potential causes of EDS?	🔲 Ye	c		lo
 Other sleep disorders including sleep apnea 		0		
 Chronic pain or illness that disrupts normal sleep patterns 				
Mood disorders such as depression				

• Caffeine or nicotine use causing poor quality of nighttime sleep

24. Has the member experienced an unsatisfactory therapeutic response or a clinically significant adverse drug reaction with a stimulant?	Yes	🖵 No
If yes, list the stimulant and dose, specific details about the unsatisfactory therapeutic significant adverse drug reaction, and the approximate dates the stimulant was taken		
25. Does the member have a medical condition(s) that prevents treatment with a stimulant?	• Yes	🔲 No
If yes, list the medical condition(s) that prevents treatment with a stimulant in the space	e providec	l.
26. Is there a clinically significant drug interaction between another medication the member is taking and stimulants?	Yes	🗖 No
If yes, list the medication(s) and interaction(s) in the space provided.		
27. Has the member experienced an unsatisfactory therapeutic response after the medication has been titrated to a maximum recommended daily dose or experienced		
a clinically significant adverse drug reaction with armodafinil or modafinil?	Yes	No
If yes, list the drug and dose, specific details about the unsatisfactory therapeutic resp adverse drug reaction, and the approximate dates armodafinil or modafinil was taken		
28. Does the member have a medical condition(s) that prevents treatment with armodafinil or modafinil?	☐ Yes	🔲 No
If yes, list the medical condition(s) that that prevents treatment with armodafinil or mo	dafinil in th	e space provided.

29. Is there a clinically significant drug interaction between another medication the member is taking and armodafinil or modafinil?	Yes	🗅 No
If yes, list the medication(s) and interaction(s) in the space provided.		
30. Has the member experienced an unsatisfactory therapeutic response or experienced a clinically significant adverse drug reaction with tricyclic antidepressant (TCA), selective serotonin reuptake inhibitor (SSRI), or serotonin norepinephrine reuptake inhibitor (SNRI)?	Yes	D No
If yes, list the TCA, SSRI, or SNRI, the dose, specific details about the unsatisfacto clinically significant adverse drug reaction, and the approximate dates the TCA, SS space provided.		•

SECTION IV – AUTHORIZED SIGNATURE

31. SIGNATURE – Prescriber

32. Date Signed

SECTION V - ADDITIONAL INFORMATION

33. Include any additional information in the space below. Additional diagnostic and clinical information explaining the need for the drug requested may also be included here.