This document describes the various data elements contained in the encounter record you will extract and send to the State. The description includes things like data element name, length and data type. In addition, there is a brief definition of the data element as well as some of the validation rules Encounter Reporting will use to verify the data you send us. It's primarily intended as a technical document to assist the MCO IT personnel in creating an extract from your claims history data

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Y=Yes, N=No, S=Situational	Default Value	ID#	Error Cat.			
Begin Posting Date	10 Fixed	D (CCYY-MM-DD)	Y	None	H003	Н			
Data Element Description:	The beginning	process date used to extract e	encounter records for the submission	on.					
Validation Rules:	Valid date forr current date.	alid date format, valid month and valid day for that month. Must be equal to the first day of the posting month. Must be less than or equal to the irrent date.							
End Posting Date	10 Fixed								
Data Element Description:	The ending pr	he ending process date used to extract encounter records for the submission.							
Validation Rules:		mat, valid month and valid day foegin posting date.	or that month. Must be equal to th	e last day of the posting month. Must be less the s	ame yea	ar and			
Number of Records Transmitted	8 Max	N	Υ	None	H005	Н			
Data Element Description:	The number of	f detail records that are contain	led within the submission.						
Validation Rules:	Number of Re	cords Transmitted must be equ	al to the number of detail records	in a submission.					
Pace: Submission Type	10 Max	А	Y	TEST	H006	Н			
Data Element Description:	The submission	on type must be Production.							
Validation Rules:	Must be Prod	uction. This value is not case s	ensitive.						

This document describes the various data elements contained in the encounter record you will extract and send to the State. The description includes things like data element name, length and data type. In addition, there is a brief definition of the data element as well as some of the validation rules Encounter Reporting will use to verify the data you send us. It's primarily intended as a technical document to assist the MCO IT personnel in creating an extract from your claims history data

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Y=Yes, N=No, S=Situational	Default Value	ID#	Error Cat.					
Submission Date	Submission Date 10 Fixed D (CCYY-MM-DD) Y		Y	None	H002	Н					
Data Element Description:	The date the	e date the submission was generated at the submitting organization.									
Validation Rules:		Valid date format, valid month and valid day for that month. Must be greater than or equal to the header posting end dates. Must be less than or equal to the current date.									
Submitter Organization ID	8 Fixed	N (0000000)	Y	None	H001	н					
Data Element Description:	Eight digit cer	Eight digit certified Medicaid provider number assigned to the submitting organization.									
Validation Rules:	Must exist in t	he Submitter Organization ID lo	ookup table.								

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Adjustment Type	1 Fixed	A (0)	S	None	NA	D009	Α	
Data Element Description:		The type of adjustment. Only applicable for transactions that are adjusting a former encounter transaction. These may be assigned by the MCO for credit/debit encounter transactions. R = A transaction that is the credit to reverse the adjusted transaction. N = A transaction that is the debit to replace the adjusted transaction.						
Validation Rules:	Required if Re	ecord Type is O or C.						
Adjustment Type Detail	2 Fixed	A (00)	N	None	NA	D010	Α	
Data Element Description:	PC = An adju	Specifies the type of adjustment. FC = An adjustment that fully reverses the adjusted transaction resulting in funds being paid back to the MCO from the provider. PC = An adjustment that partially reverses the adjusted transaction resulting in some funds being paid back to the MCO from the provider. NC = An adjustment that has no financial affect but changes demographic or other statistical data.						
Validation Rules:	Must be FC,	Must be FC, NC or PC.						
Admit Start Care Date	10 Fixed	D (CCYY-MM-DD)	S	None	Admission/Start of Care Date (AN, L=10)	D096	s	
Data Element Description:	The date the	patient was admitted to the prov	vider for inpatient care, outpatie	nt service or start of care.				
Validation Rules:	Required on I	nstitutional claims. Must be NU	JLL for Member share transaction	ons.				
Admitting Diagnosis Code	6 Max	AN	N	None	Admitting Diagnosis (AN, L=6)	D094	S	
Data Element Description:	The ICD diag	nosis code provided at the time	of admission as stated by the	physician.				
Validation Rules:	Must exist in t	he Admitting Diagnosis Code Io	ookup table. Must be NULL for	Member share.		=		
Allowed Amount	18 Max	N (99999999999999999999)	S	None	Allowed Amount (2 Decimals, N, L=18)	D061	s	
Data Element Description:	The maximum amount determined by the payer as being allowable under the provisions of the contract prior to the determination of actual payment. The lesser of the Medicaid Rate, MCO Contracted Rate or the amount Billed/Charged by the Provider. Example, the dollar amount of 35.5 can be sent as 35.5 or 35.50.							
Validation Rules:	Must be prese	ent for Encounter Transaction.	Must be NULL for Member sha	re transactions.				

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.
Billing Provider First Name	25 Max	ANPlus	N	None	Billing Provider First Name (AN, L=25)	D022	Р
Data Element Description:	First name of	the billing provider.					
Validation Rules:	None						
Billing Provider ID	80 Max	ANPlus	S	None	Billing Provider Identifier (AN, L=80)	D020	Р
Data Element Description:	The Provider's	s Employer ID, SSN, National P	rovider ID, or Submitter Organ	ization specific ID.			
Validation Rules:	Required whe When Billing I	en MA Billing Provider ID is not s Provider ID-Qualifier is XX this f	supplied otherwise it is optional ield must be alphannumeric an	. Required when Billing Pod a fixed length of 10.	rovider ID-Qualifier is supplied.		
Billing Provider ID-Qualifier	2 Max	AN	S	None	ID Code Qualifier (AN, L=2)	D019	Р
Data Element Description:	Qualifies wha	t identification is used in the Bill	ing Provider ID field. EIN = 24,	SSN = 34, NPI = XX, or N	MCO specific = CO.		
Validation Rules:		of the following: 24, 34, XX or C the SPC code is a medical serv					
Billing Provider Last Name or Organization	35 Max	ANPlus	Υ	None	Billing Provider Last Name or Organization (AN, L=35)	D021	Р
Data Element Description:	Last name of	the billing provider or the name	of the individual group/clinic, o	r organization.			
Validation Rules:	None						
Billing Provider Middle Name	25 Max	ANPlus	N	None	Billing Provider Middle Name (AN, L=25)	D023	Р
Data Element Description:	Full middle name of the billing provider.						
Validation Rules:	None						

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Charges	18 Max	N (99999999999999)	s	None	Line Item Charge Amount (AN, L-18)	D056	S	
Data Element Description:		The amount charged by the Provider. (This is the amount billed for this line item only. If multiple details are being billed on one claim do not enter the total claim billed amount). Example the dollar amount of 35.5 can be sent as 35.5 or 35.50.						
Validation Rules:	Must be provi	ded for an Encounter transactio	n. Must be NULL for Member	share transactions.				
Claim Adjustment Reason Code	3 Max	AN	S	None	Claim Adjustment Reason Code (ID, L=3)	D011	S	
Data Element Description:	Reason for ac	ljusting the claim.						
Validation Rules:	must be provi		ason Code field. Service Date		mount paid differs from the amount charged a reason code ween the Claim Adjustment Reason Code begin and end			
Claim Adjustment Reason Code 2	3 Max	AN	N	None	Claim Adjustment Reason Code (ID, L=3)	D012	S	
Data Element Description:	Reason for ac	ljusting the claim.						
Validation Rules:		the Claim Adjustment Reason C Claim adjustment Reason Code		From and To must be be	tween the Claim Adjustment Reason Code begin and end			
Claim Adjustment Reason Code 3	3 Max	AN	Ν	None	Claim Adjustment Reason Code (ID, L=3)	D013	S	
Data Element Description:	Reason for ac	ljusting the claim.						
Validation Rules:		Must exist in the Claim Adjustment Reason Code lookup table. Service Date From and To must be between the Claim Adjustment Reason Code begin and end dates for the Claim adjustment Reason Code to be valid for this record.						
Claim Adjustment Reason Code 4	3 Max	AN	Ν	None	NA	D014	S	
Data Element Description:	Reason for a	ljusting the claim.						
Validation Rules:	Must exist in t dates for the 0	the Claim Adjustment Reason C Claim adjustment Reason Code	ode lookup table. Service Date to be valid for this record.	e From and To must be be	tween the Claim Adjustment Reason Code begin and end			

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Claim Adjustment Reason Code 5	3 Max	AN	N	None	Claim Adjustment Reason Code (ID, L=3)	D015	S	
Data Element Description:	Reason for ac	Reason for adjusting the claim.						
Validation Rules:		he Claim Adjustment Reason C Claim adjustment Reason Code		e From and To must be be	etween the Claim Adjustment Reason Code begin and end			
Claim Adjustment Reason Code 6	3 Max	AN	Ν	None	Claim Adjustment Reason Code (ID, L=3)	D016	S	
Data Element Description:	Reason for ac	ljusting the claim.						
Validation Rules:		ust exist in the Claim Adjustment Reason Code lookup table. Service Date From and To must be between the Claim Adjustment Reason Code begin and end tes for the Claim adjustment Reason Code to be valid for this record.						
Claim Status	1 Fixed	A (0)	Υ	None	NA	D007	R	
Data Element Description:	The current st	atus of the encounter (claim de	tail line). (P = Paid; D = Denie	ed)				
Validation Rules:	Must be eithe	r P or D.				-		
Claim Type	2 Max	AN	S	None	NA	D097	S	
Data Element Description:	Claim form us	ed to fill out the claim.						
Validation Rules:	Must be provi Pharmacy, ar	ded for an encounter transaction nd PR = Professional.	n and must be NULL for Membe	er share. Must be one of t	the following values: DE = Dental, IN = Institutional, PH =			
Data Source	2 Fixed	AN (00)	Y	01	NA	D003	R	
Data Element Description:	Identifies the s Accounts Pay	dentifies the source of data. Current valid values for WPP are 01 = "Claim System", 02 = "ISP", 03 = "Accounts Receivable", 04 = Predictive Model, and 05 = Accounts Payable.						
Validation Rules:	Must exist in t	he Data Source table and be va	alid for WPP.			_		

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.
Diagnosis Code Additional 2	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D035	S
Data Element Description:	Additional ICE	Additional ICD Diagnosis code for conditions that may coexist at the time services were rendered.					
Validation Rules:	Must exist in t be valid for th		e. Service Date From and To m	nust be between the Diagn	nosis Code begin and end dates for the Diagnosis Code to		
Diagnosis Code Additional 3	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D036	S
Data Element Description:	Additional ICE	code for conditions that may c	coexist at the time services were	e rendered.			
Validation Rules:		Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record.					
Diagnosis Code Additional 4	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D037	S
Data Element Description:	Additional ICE	Diagnosis code for conditions	that may coexist at the time se	rvices were rendered.			
Validation Rules:	Must exist in t be valid for th		e. Service Date From and To m	nust be between the Diagn	nosis Code begin and end dates for the Diagnosis Code to	_	
Diagnosis Code Additional 5	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D038	S
Data Element Description:	Additional ICE	Diagnosis code for conditions	that may coexist at the time se	rvices were rendered.			
Validation Rules:	Must exist in t be valid for th		e. Service Date From and To m	nust be between the Diagn	nosis Code begin and end dates for the Diagnosis Code to		
Diagnosis Code Additional 6	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D039	S
Data Element Description:	Additional ICD code for conditions that may coexist at the time services were rendered.						
Validation Rules:	Must exist in t be valid for th		e. Service Date From and To m	nust be between the Diagn	nosis Code begin and end dates for the Diagnosis Code to	-	

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Diagnosis Code Additional 7	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D040	S	
Data Element Description:	Additional ICI	additional ICD code for conditions that may coexist at the time services were rendered.						
Validation Rules:		flust exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to e valid for this record.						
Diagnosis Code Additional 8	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D041	S	
Data Element Description:	Additional ICI	code for conditions that may c	coexist at the time services wer	e rendered.				
Validation Rules:	Must exist in t be valid for th		e. Service Date From and To m	nust be between the Diagr	nosis Code begin and end dates for the Diagnosis Code to	-		
Diagnosis Code Additional 9	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D077	S	
Data Element Description:	Additional ICI	code for conditions that may c	coexist at the time services wer	e rendered.				
Validation Rules:	Must exist in t be valid for th		e. Service Date From and To m	nust be between the Diagr	nosis Code begin and end dates for the Diagnosis Code to			
Diagnosis Code Additional 10	30 Max.	ANDot	N	None	Additional Diagnosis (AN, L=30)	D035	S	
Data Element Description:	Additional ICI	O code for conditions that may c	coexist at the time services wer	e rendered.				
Validation Rules:	Must exist in t be valid for th		e. Service Date From and To n	nust be between the Diagr	nosis Code begin and end dates for the Diagnosis Code to			
Diagnosis Code Additional 11	30 Max.	ANDot	N	None	Additional Diagnosis (AN, L=30)	D036	S	
Data Element Description:	Additional ICI	O code for conditions that may o	coexist at the time services wer	e rendered.	1			
Validation Rules:	Must exist in t be valid for th		e. Service Date From and To m	nust be between the Diagr	nosis Code begin and end dates for the Diagnosis Code to	_		
Diagnosis Code Additional 12	30 Max.	ANDot	N	None	Additional Diagnosis (AN, L=30)	D037	S	

Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Additional ICI	O code for conditions that may o	coexist at the time services were	e rendered.	-			
	Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record.						
30 Max.	ANDot	N	None	Additional Diagnosis (AN, L=30)	D038	S	
Additional ICI	O code for conditions that may c	coexist at the time services were	e rendered.				
		e. Service Date From and To m	nust be between the Diagr	nosis Code begin and end dates for the Diagnosis Code to			
30 Max.	ANDot	N	None	Additional Diagnosis (AN, L=30)	D039	S	
Additional ICI	O code for conditions that may o	oexist at the time services were	e rendered.				
	Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record.						
30 Max.	ANDot	N	None	Additional Diagnosis (AN, L=30)	D040	S	
Additional ICI	O code for conditions that may o	coexist at the time services were	e rendered.				
Must exist in the be valid for the	the Diagnosis Code lookup table is record.	e. Service Date From and To m	nust be between the Diagr	nosis Code begin and end dates for the Diagnosis Code to			
30 Max.	ANDot	N	None	Additional Diagnosis (AN, L=30)	D041	S	
Additional ICI	o code for conditions that may o	coexist at the time services were	e rendered.				
	Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record.						
30 Max.	ANDot	N	None	Additional Diagnosis (AN, L=30)	D077	S	
Additional ICI	o code for conditions that may c	coexist at the time services were	e rendered.				
	Additional ICE Must exist in the valid for the 30 Max. Additional ICE Must exist in the valid for the 30 Max. Additional ICE Must exist in the valid for the 30 Max. Additional ICE Must exist in the valid for the 30 Max. Additional ICE Must exist in the valid for the 30 Max. Additional ICE Must exist in the valid for the 30 Max.	ANPlus, or ANDot Additional ICD code for conditions that may of the valid for this record. 30 Max. ANDot Additional ICD code for conditions that may of the valid for this record. 30 Max. ANDot Must exist in the Diagnosis Code lookup table be valid for this record. 30 Max. ANDot Additional ICD code for conditions that may of the valid for this record. 30 Max. ANDot Additional ICD code for conditions that may of the valid for this record. 30 Max. ANDot Additional ICD code for conditions that may of the valid for this record. 30 Max. ANDot Additional ICD code for conditions that may of the valid for this record. 30 Max. ANDot Additional ICD code for conditions that may of the valid for this record. 30 Max. ANDot Andot ANDot Additional ICD code for conditions that may of the valid for this record.	ANPlus, or ANDot ANPlus, or ANDot) ANPlus, or ANDot) ANPlus, or ANDot) ANPlus, or ANDot) Additional ICD code for conditions that may coexist at the time services were devalid for this record. ANDot Additional ICD code for conditions that may coexist at the time services were devalid for this record. ANDot ANDot N Additional ICD code for conditions that may coexist at the time services were devalid for this record. ANDot ANDot N Additional ICD code for conditions that may coexist at the time services were devalid for this record. ANDot N Additional ICD code for conditions that may coexist at the time services were devalid for this record. ANDot N Additional ICD code for conditions that may coexist at the time services were devalid for this record. ANDot N Additional ICD code for conditions that may coexist at the time services were devalid for this record. ANDot N Additional ICD code for conditions that may coexist at the time services were devalid for this record. ANDot N Additional ICD code for conditions that may coexist at the time services were devalid for this record. ANDot N Additional ICD code for conditions that may coexist at the time services were devalid for this record. ANDot N ANDOT ANDOT N ANDOT ANDOT N ANDOT AN	Additional ICD code for conditions that may coexist at the time services were rendered. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code lookup table.	Length ANPlus, or ANDot, S=Situational Additional ICD code for conditions that may coexist at the time services were rendered. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. 30 Max. ANDot None Additional Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. 30 Max. ANDot None Additional Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. 30 Max. ANDot None Additional Diagnosis (AN, L=30) Additional ICD code for conditions that may coexist at the time services were rendered. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. 30 Max. ANDot None Additional Diagnosis (AN, L=30) Additional ICD code for conditions that may coexist at the time services were rendered. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this	Length APPlus, or ANDot) Additional ICD code for conditions that may coexist at the time services were rendered. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. Additional ICD code for conditions that may coexist at the time services were rendered. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. Additional ICD code for conditions that may coexist at the time services were rendered. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. Additional ICD code for conditions that may coexist at the time services were rendered. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. 30 Max. ANDot N None Additional Diagnosis (AN, L=30) D040 Additional ICD code for conditions that may coexist at the time services were rendered. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. Additional ICD code for conditions that may coexist at the time services were rendered. Additional ICD code for conditions that may coexist at the time services were rendered. Must exist in the Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. Author that Diagnosis Code lookup table. Service Date From and To must be between the Diagnosis Code begin and end dates for the Diagnosis Code to be valid for this record. Must exist in the Diagnosis Code lookup table. Service Date From and To must be betw	

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Validation Rules:	Must exist in t be valid for th		e. Service Date From and To m	nust be between the Diagr	osis Code begin and end dates for the Diagnosis Code to			
Diagnosis Code Additional 18	30 Max.	ANDot	N	None	Additional Diagnosis (AN, L=30)	D077	S	
Data Element Description:	Additional ICI	litional ICD code for conditions that may coexist at the time services were rendered.						
Validation Rules:	Must exist in t be valid for th		e. Service Date From and To n	nust be between the Diagr	nosis Code begin and end dates for the Diagnosis Code to			
Diagnosis Code Principal	30 Max	ANDot	N	None	Principal Diagnosis (AN, L=30)	D075	S	
Data Element Description:		code describing the Diagnosis C . The Diagnosis Code Principal		established after study to	b be chiefly responsible for causing the admission or health			
Validation Rules:	additional dia	ust exist in the Diagnosis Code lookup table. Must only provide the Diagnosis Code Principal. Must be NULL for Member share. Diagnosis Code Principal and Iditional diagnosis codes must be supplied sequentially without gaps. Service Date From and To must be between the Diagnosis Code begin and end dates for e Diagnosis Code to be valid for this record.						
Dispense As Written Ind	1 Fixed	AN (0)	S	None	Dispense as Written Code (ID, L=1) Not used in 837.	D101	S	
Data Element Description:	Indicator show	ving whether a brand name dru	g can be dispensed in lieu of a	generic.				
Validation Rules:	Required on F	Pharmacy claims. Must be NUL	L for Member share.			-		
DRG	3 Max	N	N	None	DRG (N, L< =3)	D073	S	
Data Element Description:	The national I	ORG code if applicable.						
Validation Rules:	Must exist in t	Must exist in the DRG Code lookup table. Must be NULL for Member Share.						
External Cause of Injury Code	6 Max	AN	N	None	External Cause of Injury (AN, L=6)	D095	S	
Data Element Description:	Code for the	external cause of an injury, pois	oning or adverse effect.					

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Validation Rules:	Must exist in t	the External Cause of Injury Co	de lookup table.					
MA Billing Provider ID	8 Fixed	N (0000000)	S	None	NA	D018	Р	
Data Element Description:	Medicaid Billir	ng Provider ID.						
Validation Rules:		en Billing Provider ID field is not een the MA Billing Provider ID b			ling Provider ID lookup table. Service Date From and To alid for this record.			
MA Rendering Provider ID	8 Fixed	N (0000000)	S	None	NA	D024	Р	
Data Element Description:	Medicaid Ren	Medicaid Rendering Provider ID.						
Validation Rules:	Submitter Org	Must exist in the MA Rendering Provider ID lookup table and be valid for the service date range. Required for Member share transaction and must equal the Submitter Organization ID. For non-Member share records it must not equal the Submitter Organization ID. Service Date From and To must be between the MA Rendering Provider ID begin and end dates for the MA Rendering Provider ID to be valid for this record.						
Medicare COB Type	2 Max	A (99)	S	None	Medicare COB Type (Decimal, L=18)	D104	S	
Data Element Description:	When the Me	dicare COB Type is provided it	must conform to the max lengt	n specified in the Data Dic	tionary.	1		
Validation Rules:	The Medicare	COB Type must be provided if	the Medicare Paid Amount is o	greater than zero.				
Medicare Paid Amount	18 Max	N (99999999999999)	Y	None	Medicare Paid Amount (Decimal, L=18)	D103	S	
Data Element Description:	When the Me	edicare Paid Amount is provided	d it must conform to the max lea	ngth specified in the Data	Dictionary.			
Validation Rules:	The Medicare	The Medicare Paid Amount must be greater than or equal to Zero, and must be equal to Zero on member share transactions.						
Member Share	1 Fixed	A (0)	Υ	N	NA	D063	А	
Data Element Description:	The type of M	lember's share. Supported serv	vices are: C = Cost Share, R =	Room & Board, V = Volur	ntary Contribution, S = Spenddown or N = None.			

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Validation Rules:	Must be eithe	r C, R, V, S or N.						
National Health Plan ID	80 Max	AN	N	None	Health Plan Identification Number (AN, L=80)	D064	М	
Data Element Description:	The National	e National Health Plan Identifier for this plan.						
Validation Rules:	None							
National Recipient ID	80 Max	AN	N	None	NA	D065	М	
Data Element Description:	The Member's	s National Subscriber Identifier.						
Validation Rules:	None	ne						
Original ID	80 Max	ANPlus	Υ	None	NA	D006	Α	
Data Element Description:	The Record II	O of the Original record for whic	h all subsequent adjustments v	vere made. This ID will al	ways reference a Record ID.			
Validation Rules:	Must exist on	an Original record for that orga	nization. Must exist on an adju	stment record.				
Other Payer COB Type Primary	2 Max	A (99)	S	None	Other Payer COB Type Primary (A, L=2)	D106	S	
Data Element Description:	When the Oth	er Payer COB Type (Primary) i	s provided it must conform to the	e max length specified in	the Data Dictionary.			
Validation Rules:	The Other Pa	yer COB Type (Primary) must b	e provided if the Other Payer F	Paid Amount (Primary) is g	greater than zero.			
Other Payer COB Type Secondary	2 Max	A (99)	S	None	Other Payer COB Type Secondary (A, L=2)	D108	S	
Data Element Description:	When the Oth	/hen the Other Payer COB Type (Secondary) is provided it must conform to the max length specified in the Data Dictionary.						
Validation Rules:	The Other Pa	yer COB Type (Secondary) mus	st be provided if the Other Paye	er Paid Amount (secondar	y) is greater than zero.			

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.
Other Payer Paid Amount Primary	18 Max	N (99999999999999)	Υ	None	Other Payer Paid Amount Primary (Decimal, L=18)	D105	S
Data Element Description:	When the Oth	ner Payer Paid Amount (Primary	r) is provided it must conform to	the max length specified	in the Data Dictionary.		
Validation Rules:	The Other Pa	er Payer Paid Amount (Primary) must be greater than or equal to Zero, and must be equal to Zero on member share transactions.					
Other Payer Paid Amount Secondary	18 Max	N (99999999999999)	Υ	None	Other Payer Paid Amount Secondary (Decimal, L=18)	D107	S
Data Element Description:	When the Oth	ner Payer Paid Amount (Second	ary) is provided it must conform	n to the max length specif	ied in the Data Dictionary.		
Validation Rules:	The Other Pa	Other Payer Paid Amount (Secondary) must be greater than or equal to Zero, and must be equal to Zero on member share transactions.					
Paid Amount	18 Max	N (99999999999999)	Y	None	Payer Paid Amount (AN, L=18)	D058	S
Data Element Description:		aid by the MCO to the provider. iount). Example, the dollar amo			le details are being paid on one claim do not enter the total		
Validation Rules:	Must be less	than or equal to Charges.					
Parent Record ID	80 Max	ANPlus	S	None	NA	D005	Α
Data Element Description:		O of the record being adjusted. ions will reference the same train			ter record. In a credit/debit adjustment both the credit and		
Validation Rules:		Must be NULL on original (O) record types. Required when the record being submitted is an adjustment. Must match the Record ID of an existing record being adjusted. Cannot equal the Record ID of the record being submitted. An adjustment record with the same adjustment type cannot reference the same parent record.					
Patient Status Code	2 Max	AN	S	None	NA	D078	М
Data Element Description:	The patient st	ne patient status code found on the Encounter.					
Validation Rules:	Must exist in t	the Patient Status Code lookup	table. Required on Institutiona	l Claims. Must be NULL f	for Member share.		

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Place of Service	2 Max	AN	S	None	Place of Service Code (AN, L=2)	D044	S	
Data Element Description:	Place of Servi	ce Code. (Refer to the place of	f service appendix in the WMAI	P handbook).				
Validation Rules:	Must exist in t	Must exist in the Place of Service code lookup table. Must be NULL for Member share.						
POA Indicator	22 Max.	AN	S	None	POA_Indicator (AN, L=22)	D110	R	
Data Element Description:	effective for d	Diagnosis Present on Admission (POA) Indicator must contain the letters POA followed by a single POA indicator for every secondary diagnosis of patients effective for discharge on or after October 1, 2007. Valid values are: Y = Yes, N = No, U = Unknown, W = Clinically undetermined, 1 = Unrecognized or exempt for POA reporting.						
Validation Rules:	"Z" must follow	r must contain letters POA, follow the last POA indicator associations. Yelive diagnosis codes were re	ated with the last reported Othe	r Diagnosis. Examples: F	that is reported. Valid values are Y, N, U, W or 1. An "X" or POAYZ (Principal diagnosis code was reported), codes were reported).			
Posting Date	10 Fixed	D (CCYY-MM-DD)	Y	None	Adjudication or Payment Date (AN, L=10)	D059	R	
Data Element Description:	The date the	claim was finalized. For paid cla	aims it is the check date. For c	lenied claims, it is the EOI	B or notification date. For adjustments it is the posting date.			
Validation Rules:	Valid date for	mat, valid month and valid day t	for that month. Must be within	the header posting begin	and end dates.	-		
Prescriber DEA Number	9 max	AN	S	None	NA	D098	S	
Data Element Description:	Drug Enforcement Agency number of the prescribing provider.							
Validation Rules:	Required on p	pharmacy claims. Must be NUL	L for Member share.			-		

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.
Prescription Number	8 max	AN	S	None	Prescription Number (AN, L=8)	D099	S
Data Element Description:	Unique presc	ique prescription number.					
Validation Rules:	Required on F	Pharmacy claims. Must be NUL	L for Member share.				
Procedure Code	48 Max	AN	S	None	Procedure Code (AN, L=48)	D046	S
Data Element Description:	CPT, HCPCS 11AN and CP		codes are approved State Loca	I codes and not County or	MCO generated local codes. HCPCS is a 5 AN, NDC is		
Validation Rules:		ust exist in the Procedure Code lookup table. Required if Revenue Code is not supplied. Service Date From and To must be between the Procedure Code egin and end dates for the Procedure Code to be valid for this record.					
Procedure Code ICD Additional 2	30 Max	AN	S	None	Additional Procedure Code (AN, L=30)	D080	S
Data Element Description:	The code that	identifies additional procedures	s performed during the period of	covered by this encounter.			
Validation Rules:	Must exist in t	the Procedure Code lookup tabl	e. If Procedure Date ICD is pro	ovided, then the correspor	nding Procedure Code ICD must be provided.		
Procedure Code ICD Additional 3	30 Max	AN	S	None	Additional Procedure Code (AN, L=30)	D081	S
Data Element Description:	The code that	identifies additional procedures	s performed during the period of	covered by this encounter.			
Validation Rules:	Must exist in t	the Procedure Code lookup tabl	e. If Procedure Date ICD is pro	ovided, then the correspor	nding Procedure Code ICD must be provided.		
Procedure Code ICD Additional 4	30 Max	AN	S	None	Additional Procedure Code (AN, L=30)	D082	S
Data Element Description:	The code that identifies additional procedures performed during the period covered by this encounter.						
Validation Rules:	Must exist in t	the Procedure Code lookup tabl	e. If Procedure Date ICD is pro	ovided, then the correspor	nding Procedure Code ICD must be provided.		

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Procedure Code ICD Additional 5	30 Max	AN	S	None	Additional Procedure Code (AN, L=30)	D083	S	
Data Element Description:	The code that	e code that identifies additional procedures performed during the period covered by this encounter.						
Validation Rules:	Must exist in t	t exist in the Procedure Code lookup table. If Procedure Date ICD is provided, then the corresponding Procedure Code ICD must be provided.						
Procedure Code ICD Additional 6	30 Max	AN	S	None	Additional Procedure Code (AN, L=30)	D084	S	
Data Element Description:	The code that	identifies additional procedures	s performed during the period of	covered by this encounter.				
Validation Rules:	Must exist in t	ist exist in the Procedure Code lookup table. If Procedure Date ICD is provided, then the corresponding Procedure Code ICD must be provided.						
Procedure Code ICD Principal	30 Max	AN	S	None	Principal Procedure Code (AN, L=30)	D079	S	
Data Element Description:	The code that	identifies the Procedure Code	ICD Principal performed during	the period covered by thi	is encounter.			
Validation Rules:		the Procedure Code lookup table ding Procedure Code ICD Princ		or Revenue Code is not p	provided. If Procedure Date ICD Principal is provided, then	-		
Procedure Code Modifier 1	2 Max	AN	N	None	Procedure Code Modifier 1 (AN, L=2)	D047	S	
Data Element Description:	Additional two	o digit Modifier Code for the Pro	cedure Code.					
Validation Rules:		the Procedure Code Modifier loo Procedure Code Modifier begin a			paps. Service Date From and Service Date To must be d for this record.			
Procedure Code Modifier 2	2 Max	AN	N	None	Procedure Code Modifier 2 (AN, L=2)	D048	S	
Data Element Description:	Additional two	Additional two digit Modifier Code for the Procedure Code.						
Validation Rules:		the Procedure Code Modifier loc Procedure Code Modifier begin a			paps. Service Date From and Service Date To must be d for this record.	-		

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.
Procedure Code Modifier 3	2 Max	AN	N	None	Procedure Code Modifier 3 (AN, L=2)	D049	S
Data Element Description:	Additional two	ditional two digit Modifier Code for the Procedure Code.					
Validation Rules:		exist in the Procedure Code Modifier lookup table. Modifiers must be filled sequentially without gaps. Service Date From and Service Date To must be en the Procedure Code Modifier begin and end dates for the Procedure Code Modifier to be valid for this record.					
Procedure Code Modifier 4	2 Max	AN	N	None	Procedure Code Modifier 4 (AN, L=2)	D050	S
Data Element Description:	Additional two	o digit Modifier Code for the Pro	cedure Code.				
Validation Rules:	Must exist in between the F	st exist in the Procedure Code Modifier lookup table. Modifiers must be filled sequentially without gaps. Service Date From and Service Date To must be ween the Procedure Code Modifier begin and end dates for the Procedure Code Modifier to be valid for this record.					
Procedure Date ICD Additional 2	10 Fixed	D (CCYY-MM-DD)	S	None	Principal Procedure Date (AN, L=10)	D086	S
Data Element Description:	The date the	Procedure Date ICD Additional	2 was performed during the pe	riod covered by this encou	unter.		
Validation Rules:	If the Procedu	are Code ICD is provided, the co	orresponding Procedure Date	CD must be provided.			
Procedure Date ICD Additional 3	10 Fixed	D (CCYY-MM-DD)	S	None	Principal Procedure Date (AN, L=10)	D087	S
Data Element Description:	The date the	Procedure Date ICD Additional	3 was performed during the pe	riod covered by this encou	unter.		
Validation Rules:	If the Procedu	ure Code ICD is provided, the co	orresponding Procedure Date I	CD must be provided.			
Procedure Date ICD Additional 4	10 Fixed	D (CCYY-MM-DD)	S	None	Additional Procedure Code (AN, L=30)	D088	S
Data Element Description:	The date the	The date the Procedure Date ICD Additional 4 was performed during the period covered by this encounter.					
Validation Rules:	If the Procedu	are Code ICD is provided, the co	orresponding Procedure Date I	CD must be provided.			

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.
Procedure Date ICD Additional 5	10 Fixed	D (CCYY-MM-DD)	S	None	Principal Procedure Date (AN, L=10)	D089	S
Data Element Description:	The date the	Procedure Date ICD Additional	5 was performed during the pe	riod covered by this enco	unter.		
Validation Rules:	If the Procedu	Procedure Code ICD is provided, the corresponding Procedure Date ICD must be provided.					
Procedure Date ICD Additional 6	10 Fixed	D (CCYY-MM-DD)	S	None	Principal Procedure Date (AN, L=10)	D090	S
Data Element Description:	The date the	Procedure Date ICD Additional	6 was performed during the pe	riod covered by this enco	unter.		
Validation Rules:	If the Procedu	are Code ICD is provided, the co	orresponding Procedure Date I	CD must be provided.		_	
Procedure Date ICD Principal	10 Fixed	D (CCYY-MM-DD)	S	None	Principal Procedure Date (AN, L=10)	D085	S
Data Element Description:	The date the	Procedure Date ICD Principal w	ras performed during the period	covered by this encounted	er.		
Validation Rules:	If the Procedu	re Code ICD Principal is provid	ed, the corresponding Procedu	re Date ICD Principal mu	st be provided.	_	
Quantity	15 Max	N (9999999999.999)	S	None	Service Unit Count (AN, L=15)	D052	S
Data Element Description:	The quantitati 3-digit decima		according to the service. Example 1	mple the quantity of 35 1/2	2 can be sent as 35.5, 35.50 or 35.500. (e.g., 15 digits with		
Validation Rules:	Must be prese	ent for Encounter Transactions.	Must be NULL for Member sh	are transactions.		-	
Receipt Date	10 Fixed	D (CCYY-MM-DD)	Y	None	NA	D057	S
Data Element Description:	The date the claim was received by the MCO from the provider.						
Validation Rules:	Valid date for	mat, valid month and valid day f	or that month. Must be less th	an or equal to the detail re	ecord posting date.	-	

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Recipient Birth Date	10 Fixed	D (CCYY-MM-DD)	S	None	Birth Date (AN, L=10)	D071	М	
Data Element Description:	Birth date for	the Recipient. If known please	provide it.					
Validation Rules:	When supplie recipient is M.	d, it must be less than or equal A eligible then this birth date mu	to the Service Date From; birth st equal the birth date found in	date plus 150 years must the MMIS Eligibility lookup	be greater than or equal the Service Date To; if the table.			
Recipient Death Date	10 Fixed	D (CCYY-MM-DD)	S	None	Death Date (AN, L=10)	D072	М	
Data Element Description:	Death date fo	r the Recipient. If known please	e provide it.					
Validation Rules:		/hen supplied, it must be less than or equal to the Posting Date; death date plus 1 month must be greater than the or equal Service Date To; if the recipient is IA eligible then this death date must equal the death date found in the MMIS Eligibility lookup table; required if MMIS Eligibility lookup table has a death date for its recipient.						
Recipient First Name	25 Max	ANPlus	Y	None	Patient First Name (AN, L=25)	D032	М	
Data Element Description:	First name of	recipient.						
Validation Rules:	None					-		
Recipient ID	10 Fixed	N (000000000)	Y	None	Patient's Primary Identification Number (N, L=10)	D030	М	
Data Element Description:	Recipient's te	n digit Medicaid identification nu	umber with no dashes. Fixed le	ength of 10 numbers.				
Validation Rules:	Must exist in t	the Recipient ID lookup table ar	d be eligible for services from t	he submitting organization	1.			
Recipient Last Name	35 Max	ANPlus	Υ	None	Patient Last Name (AN, L=35)	D031	М	
Data Element Description:	Last name of recipient.							
Validation Rules:	None					-		

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Recipient Middle Name	25 Max	ANPlus	N	None	Patient Middle Name (AN, L=25)	D033	М	
Data Element Description:	Full middle na	Il middle name of recipient.						
Validation Rules:	None							
Record ID	80 Max	ANPlus	Y	None	NA	D004	R	
Data Element Description:	Unique ID ass	signed by the submitting organiz	zation to uniquely identify the re	ecord within their organiza	tion. This ID is unique to every transaction submitted.			
Validation Rules:	Must not exist	for the organization in the Rec	ord ID lookup table detail.					
Record Type	1 Fixed	A (0)	Y	None	NA	D008	R	
Data Element Description:	The type of er transaction be	ncounter transaction. O = An ur ping adjusted and the Debit is to	nadjusted transaction. C = Adju replace the transaction being a	isting entries that usually of adjusted.	come in pairs. The Credit is to reverse the actual			
Validation Rules:	Must be O or	C.						
Rendering Provider First Name	25 Max	ANPlus	N	None	Rendering Provider First Name (AN, L=25)	D028	Р	
Data Element Description:	First name of	the rendering provider.						
Validation Rules:	None							
Rendering Provider ID	80 Max	ANPlus	S	None	Rendering Provider Identifier (AN, L=80)	D026	Р	
Data Element Description:	The Renderin	The Rendering Provider's Employer ID, SSN, National Provider ID, or MCO specific ID.						
Validation Rules:		endering Provider Last Name is be alphanumeric and a fixed le		dering Provider ID-Qualifie	er is supplied. When Rendering Provider ID-Qualifier is XX			

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.
Rendering Provider ID-Qualifier	2 Max	AN	S	None	ID Code Qualifier (AN, L=2)	D025	Р
Data Element Description:	Qualifies wha	t identification is used in the Re	ndering Provider ID field. EIN:	= 24, SSN = 34, NPI = XX	C, or MCO specific = CO.		
Validation Rules:		t be one of the following: 24, 34, XX or CO. Required if Rendering Provider ID is supplied. Must be XX if the SPC code is a medical service and the Billing ider ID-Qualifier is not XX.					
Rendering Provider Last Name	35 Max	ANPlus	S	None	Rendering Provider Last Name (AN, L=35)	D027	Р
Data Element Description:	Last name of	the rendering provider.					
Validation Rules:	Required if Re	endering Provider ID is supplied	l.				
Rendering Provider Middle Name	25 Max	ANPlus	N	None	Rendering Provider Middle Name (AN, L=25)	D029	Р
Data Element Description:	Full middle na	ame of the rendering provider.					
Validation Rules:	None						
Revenue Code	4 Max	AN	S	None	NA	D051	S
Data Element Description:	A code which	identifies a specific accommod	ation, ancillary service or billing	calculation.			
Validation Rules:		he Revenue Code lookup table. etween the Revenue Code begii			ed if Procedure Code is not present. Service Date From and s record.		
Service Date From	10 Fixed	D (CCYY-MM-DD)	Y	None	Service Date From (AN, L=10) Service Date From and Service Date To are combined into one field on the HIPAA 837 layout.	D042	S
Data Element Description:	First service of	rst service date.					
Validation Rules:	Valid date for	mat, valid month and valid day f	or that month. Must be less the	an or equal to the last day	y of the posting month.		

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.
Service Date To	10 Fixed	D (CCYY-MM-DD)	Y	None	Service Date To (AN, L=10) Service Date To and Service Date From are combined into one field on the HIPAA 837 layout.	D043	S
Data Element Description:	Last service of	late.					
Validation Rules:	Valid date format, valid month and valid day for that month. Must be greater than or equal to the Service Date From.						
Service Delivery Type	2 Fixed	A (00)	Y	None	NA	D076	R
Data Element Description:	The service d Health, etc.	elivery mechanism. Examples	are PC = Program Contract pro	viders, NC = non-program	n Contract providers, IS = Informal Supports, PH = Public		
Validation Rules:	Must exist in t	Must exist in the Service Delivery Type lookup lookup table.					
Statement From Date	10 Fixed	D (CCYY-MM-DD)	S	None	NA	D092	S
Data Element Description:	The beginning	g service date of the period inclu	uded on this bill.				
Validation Rules:	Required on I	nstitutional claims. Must be NU	ILL for Member share.				
Statement To Date	10 Fixed	D (CCYY-MM-DD)	S	None	NA	D093	S
Data Element Description:	The ending se	ervice date of the period include	d on this bill.				
Validation Rules:	Required on I	nstitutional claims. Must be NU	ILL for Member share.				
Submitter Organization ID	8 Fixed	N (0000000)	Υ	None	NA	D002	R
Data Element Description:	Eight digit certified Medicaid Provider Number assigned to the submitting organization.						
Validation Rules:	Must exist in t	the Submitter Organization ID lo	ookup table.				

Data Element	Length	Type (AN, N, D, A, ANPlus, or ANDot)	Required Yes=Yes, N=No, S=Situational	Default Value	HIPAA (837) Name and Characteristics	ID#	Error Cat.	
Support Indicator	1 Fixed	A (0)	Υ	С	NA	D062	S	
Data Element Description:	The type of si	ne type of support this service line item represents. S = Self-directed; C = MCO-directed; N = Non-Services						
Validation Rules:	Must be eithe	r C, N or S. Must be N for Mer	nber share.					
TPL Paid Amount	18 Max	N (99999999999999999999)	S	None	NA	D060	S	
Data Element Description:		Il claim amount paid by third party insurer. (This is the TPL amount paid for this line item only. If multiple TPL details are being paid on one claim do not the total TPL paid amount). Example the dollar amount of 35.5 can be sent as 35.5 or 35.50.						
Validation Rules:	Not allowed for	or posting dates after 12/31/200	7 except on reversal records w	rhose parent has a postino	g date before 1/1/2008.			
Type of Bill Code	3 Max	AN	S	None	Facility Type Code (AN, L=2) and Claim Frequency Type Code (ID, L=1) Bill Classification is not used in 837.	D091	S	
Data Element Description:		ting the specific type of bill. This JB92 requires 3 fields and the H		it in each, in the following	sequence: 1) Type of facility, 2) Bill Classification 3)			
Validation Rules:	Must be on th	e Tyoe of Bill Code lookup table	e. Required on Institutional cla	ims. Must be NULL for Mo	ember share.			
Unit Dose Ind	1 Fixed	AN (0)	S	None	Unit dose Code (ID, L=1) Not used in 837.	D100	S	
Data Element Description:	Indicator used	dicator used when billing unit dose drugs.						
Validation Rules:	Required on I	Pharmacy claims. Must be NUL	L for Member share.					

Information regarding Data Type

AN Alpha numeric

ANPlus Alpha numeric + special characters

ANDot Alpha numeric + period

A AlphaN NumericD Data

Information regarding length

(000) fixed length(999) variable length

Information regarding required field

Yes, Data is required in this field for Original or Change New transactions

No, Data is not required in this field

S Situational, Data is required in this field only when certain other criteria is met

Please note, the DD does not specify the severity of the edit. In most cases, it makes sense to set the severity to batch accept or batch reject. But, for business reasons, it may have been set to a '

Validation rule

This information is limited to business decisions and whether the data is checked against a master tal We do not go into parser or data integrity validations.

Error Category

A Adjustment attributeH Header Attribute

M Member (recipient) identification attribute

P Provider identification attribute

R Record attributeS Service Attribute

CHANGE LOG

Date	Changes	Changed By	Remarks/Reason
4/26/2005	(First draft)		
6/30/2007	Document is baselined at version 6. From now on, all changes will be implemented into the baseline document, and documented into the change log	Syed Aziz	One time document baselining.
6/30/2007	HIPAA related Tag (and DB) name changes.	Syed Aziz	Bugzilla 2255 and 2256.
7/25/2007	Changed existing baselined XML tag names to new baseline XML tag names.	Ramona Johnson	Update document baselining XML tag names.
8/10/2007	Reformat cells, update data element descriptions and field lengths. Under Validation Rules: List all Data Element lookup table names.	Ramona Johnson	Required HIPAA naming conventions.
8/17/2007	Added and removed text from several field descriptions and validations.	Ramona Johnson	Analysis: Required and requested revisions.
8/18/2007	Reviewed updated text from several field descriptions and validations: Fixed length Type A (0) and A (00) changed to A. Quotation marks were removed for readability and consistency. The word lookup added where the word table exists; the misspelled words and or punctuation corrections. Going forward, the revision history will be included in the Change Log.	Ramona Johnson	Analysis: Required and requested revisions.
8/24/2007	Data Elements: Updated the Data Source, Billing Provider First, Middle, and Last Name validation rules and/or descriptions. Made additional grammar/punctuation, and spelling corrections, and change log updated to reflect recent entries. The entry on 8/18/2007: The Fixed length Type A (0) and A (00) change to A should be disregarded. Question whether to show the DD field format as Type A and then drop the (0) and/or (00), but may be better to leave as is. Sent back to Charles	Ramona Johnson	Analysis: Required and requested revisions.
8/29/2007	Revised Data Source to be WPP specific and removed reference to FC. Changed release from 2.5 to 2.6. Removed references to HIPAA comply. Description changes: Claim Adjustment Reason Codes, External Cause of Injury, Place of Service, Procedure Code, Procedure Code ICD Principal	Charles Rumberger	
9/28/2007	Removed lookup reference for recipient first name	Charles Rumberger	Sent for web publication.
9/28/2007	Received approval from Client to move from documentation stage on the J:\Drive and publish the WPP DD to Client's Website (DHFS).	Ramona Johnson	Promoted to publication stage as of 09/28/07.
10/20/2007	Removed the existing TPL Paid Amount data element field to include new additional data elements fields that will be used to store the cumulative sum of the three types of TPL records for a service record. i.e., total_medicare_paid_amount, medicare_tpl_type, other_payer_amount_paid_primary, other_payer_tpl_type_primary, other_payer_amount_paid_secondary, other_payer_tpl_type_secondary	Ramona Johnson	Analysis: Client required and requested 6 additional data elements be added: TPLs for medicare. Contains revised/added edit numbers and related edit details: Bug 2242

CHANGE LOG

Date	Changes	Changed By	Remarks/Reason
12/12/2007	FC, WPP & SSI data element revisions: A006A Original ID changed to a mandatory alphanumeric field with a maximum length of 80 characters must be provided. Edit D006E changed in functionality, description, message and severity. The new functionality checks for record types 'O and C' with an adjustment type of N. This edit will not apply to reversal records. And the value must be supplied not derived.	Ramona Johnson	FC, WPP & SSI Parser and Content Edit: Original ID D006A & E will be a required field beginning 2008 posting dates. Refer to Bug 2317.
1/17/2008	Reintroduced the TPL Paid Amount field with a validation change and required became situational. Changed id # on new COB fields from D03, D04, D05, D06, D07 and D08 to D103, D104, D105, D106, D107 and D108.	Charles Rumberger	Clarification for changes implementing on 1/1/2008
4/30/2008	Added documentation for POA_Indicator. Also added rows for additional Diagnosis Codes 10-18.	Phyllis Schmoller	Additional data needed for new fields.
11/13/2008	Changed validation rules to 'None' for National Health Plan ID and National Recipient ID.	Phyllis Schmoller	Changes made per Bugzilla 2382.
11/14/2008	Modified ID# to be a 4-character field.	Phyllis Schmoller	Changed per Charles' request.