2017 Data		
Wisconsin		
Occupational Health Indicators		
Profile: Employment Demographics	Estimate	Units
Employed Persons, 16 Years and Older (in thousands)	3,069	Total number employed in thousands (e.g., 2,500 = 2,500,00)
P1. Percentage of civilian workforce unemployed	3.2	Percent unemployed
P2. Percentage of civilian employment self-employed	5.3	Percent self-employed
P3. Percentage of civilian employment in part-time jobs	21.0	Percent part-time
P4. Percentage of civilian employment by number of hours worked		
0 to 39 hours	34.6	Percent employed
40 hours	34.4	Percent employed
41+ hours	31.0	Percent employed
P5. Percentage of civilian employment by sex		Demonstrate Land
Males	52.4	Percent employed
Females	47.6	Percent employed
DC Describes of distillar analysis and business the second		
P6. Percentage of civilian employment by age group	26	Dovocut amulavad
16 to 17 18 to 64	2.6 92.0	Percent employed Percent employed
65+	5.5	Percent employed
1037	5.5	Percent employed
P7. Percentage of civilian employment by race		
White	89.0	Percent employed
Black	4.8	Percent employed
Other	6.2	Percent employed
Guici	U.E	T credit employed
P8. Percentage of civilian employment by Hispanic Origin	5.8	Percent employed
	515	T drawn ampleyed
P9. Percentage of civilian employment by industry		
Mining and logging	0.1	Percent employed
Construction	5.2	Percent employed
Manufacturing: Durable Goods	11.1	Percent employed
Manufacturing: Nondurable Goods	7.8	Percent employed
Wholesale and retail trade	13.6	Percent employed
Transportation and utilities	4.7	Percent employed
Information	1.2	Percent employed
Financial activities	6.3	Percent employed
Professional and business services	9.4	Percent employed
Education and health services	22.8	Percent employed
Leisure and hospitality	7.4	Percent employed
Other services	4.6	Percent employed
Public administration	2.6	Percent employed
Agriculture and related industries	3.2	Percent employed
P10. Percentage of civilian employment by occupation		
Management, business and financial operations	15.6	Percent employed
Professional and related occupations	22.0	Percent employed
Service	15.5	Percent employed
Sales and related occupations	9.2	Percent employed
Office and administrative support	12.3	Percent employed
Farming, fishing, and forestry	1.4	Percent employed
Construction and extraction	4.1	Percent employed
Installation, maintenance, and repair	3.8	Percent employed
Production	9.0	Percent employed
Transportation and material moving	7.2	Percent employed

P11. Percentage of civilian employment by union membership		
Union members	8.3	Percent employed
Represented by a union	9.0	Percent employed
Indicator 1: Non-Fatal Work-Related Injuries and Illnesses Reported by Employers		
1.1 Estimated Annual Total Number of Work-Related Injuries and Illnesses	71,900	Total number of cases
	·	
1.2 Estimated Annual Total Work-Related Injuries and Illness Incidence Rate (per 100,000 FTEs)	3,600	Rate: Cases per 100,000 FTEs
1.3 Estimated Annual Total Number of Cases Involving Days Away From Work	19,800	Total number of cases
1.4 Estimated Annual Total Incidence Rate for Cases Involving Days Away From Work (per 100,000 FTEs)	1,000	Rate: Cases per 100,000 FTEs
1.5 Estimated Annual Total Number of Cases Involving More Than 10 Days Away From Work	7,860	Total number of cases
Indicator 2: Work-Related Hospitalizations	7,800	Total number of cases
2.1 Annual Number of Inpatient Work-Related Hospitalizations	1.338	Total number of inpatient hospitalizations
22 American Number of Imputers work fedical rospitalizations	1,330	Total Hamber of Impatient Hospitalizations
2.2 Annual Rate of Inpatient Work-Related Hospitalization (per 100,000 workers)	43.6	Rate: Inpatient hospitalizations per 100,000 workers
Indicator 3: Fatal Work-Related Injuries	10.0	Trace in particular troop training per 200,000 training
3.1 Annual Number of Fatal Work-Related Injuries	106	Total number of fatalities
3.2 Annual Fatality Rate (per 100,000 FTEs)	3.6	Rate: Fatalities per 100,000 FTEs age 16 years and older
Indicator 4: Work-Related Amputations with Days Away from Work Reported by Employers		and the state of t
4.1 Estimated Annual Number of Work-Related Amputations Involving Days Away from Work	120	Total number of cases
4.2 Estimated Annual Incidence Rate of Work-Related Amputations Involving Days Away from Work (per 100,000 FTEs)	6.0	Rate: Work-related amputations per 100,000 FTEs
Indicator 5: State Workers' Compensation Claims for Amputations with Lost Work-Time		
5.1 Annual Number of Amputation Cases with Lost Work-Time Filed with State Workers' Compensation System	214	Total number of claims
5.2 Annual Incidence Rate of Amputation Cases with Lost Work-Time Filed with State Workers' Compensation System (per 100,000		
covered workers)	7.7	Rate: Claims per 100,000 covered workers
Indicator 6: Hospitalizations for Work-Related Burns		
6.1 Annual Number of Inpatient Hospitalizations for Work-Related Burns	34	Total number of inpatient hospitalizations (primary diagnosis)
6.2 Annual Rate of Inpatient Hospitalizations for Work-Related Burns (per 100,000 workers)	1.1	Rate: Inpatient hospitalizations per 100,000 workers
Indicator 7: Work-Related Musculoskeletal Disorders (MSDs) with Days Away from Work Reported by Employers		
7.1 Estimated Annual Number of All MSDs Involving Days Away from Work	7,320	Total number of cases
7.2 Estimated Annual Incidence Rate of All MSDs Involving Days Away from Work (per 100,000 FTEs)	370	Rate: Cases per 100,000 FTEs
7.3 Estimated Annual Number of MSDs of the Neck, Shoulder & Upper Extremities Involving Days Away from Work	2,590	Total number of cases
7.4 Estimated Annual Incidence Rate of MSDs of Neck, Shoulder, and Upper Extremities Involving Days Away from Work (per 100,000 FTEs)	131	Rate: Cases per 100,000 FTEs
7.5 Estimated Annual Number of Carpal Tunnel Syndrome Cases Involving Days Away from Work	200	Total number of cases
7.6 Estimated Annual Incidence Rate of Carpal Tunnel Syndrome Cases Involving Days Away from Work (per 100,000 FTEs)	18	Rate: Cases per 100,000 FTEs
7.7 Estimated Annual Number of MSDs of the Back Involving Days Away from Work	2,540	Total number of cases
7.8 Estimated Annual Incidence Rate of MSDs of the Back Involving Days Away from Work (per 100,000 FTEs)	129	Rate: Cases per 100,000 FTEs
Indicator 8: State Workers' Compensation Claims for Carpal Tunnel Syndrome With Lost Work-Time		
8.1 Annual Number of Carpal Tunnel Syndrome Cases with Lost Work-Time Filed with State Workers' Compensation System	222	Total number of claims
8.2 Annual Incidence Rate of Carpal Tunnel Syndrome Cases with Lost Work-Time Filed with State Workers' Compensation System (per 100,000 covered workers)	7.9	Rate: Claims per 100,000 covered workers
Indicator 9: Hospitalizations from or with Pneumoconiosis		
9.1.1 Annual Number of Inpatient Hospital Discharges for Total Pneumoconiosis	104	Total number of inpatient hospitalizations (primary or contributing diagnosis)

9.1.2 Annual Rate of Inpatient Hospital Discharges for Total Pneumoconiosis (per 1,000,000 residents)	22.0	Rate: Inpatient hospitalizations per 100,000 residents
9.1.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Total Pneumoconiosis (per 1,000,000 residents)	18.0	Age-adjusted rate: Inpatient hospitalizations per 100,000 residents
9.2.1 Annual Number of Inpatient Hospital Discharges for Coal Workers' Pneumoconiosis	9	Total number of inpatient hospitalizations (primary or contributing diagnosis)
9.2.2 Annual Rate of Inpatient Hospital Discharges for Coal Workers' Pneumoconiosis (per 1,000,000 residents)	1.9	Rate: Inpatient hospitalizations per 1,000,000 residents
9.2.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Coal Workers' Pneumoconiosis (per 1,000,000 residents)	1.7	Age-adjusted rate: Inpatient hospitalizations per 1,000,000 residents
9.3.1 Annual Number of Inpatient Hospital Discharges for Asbestosis	73	Total number of inpatient hospitalizations (primary or contributing diagnosis)
9.3.2 Annual Rate of Inpatient Hospital Discharges for Asbestosis (per 1,000,000 residents)	15.4	Rate: Inpatient hospitalizations per 1,000,000 residents
9.3.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Asbestosis (per 1,000,000 residents)	12.7	Age-adjusted rate: Inpatient hospitalizations per 1,000,000 residents
9.4.1 Annual Number of Inpatient Hospital Discharges for Silicosis	17	Total number of inpatient hospitalizations (primary or contributing diagnosis)
9.4.2 Annual Rate of Inpatient Hospital Discharges for Silicosis (per 1,000,000 residents)	3.6	Rate: Inpatient hospitalizations per 1,000,000 residents
9.4.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Silicosis (per 1,000,000 residents)	2.8	Age-adjusted rate: Inpatient hospitalizations per 1,000,000 residents
9.5.1 Annual Number of Inpatient Hospital Discharges for Other and Unspecified Pneumoconiosis	7	Total number of inpatient hospitalizations (primary or contributing diagnosis)
9.5.2 Annual Rate of Inpatient Hospital Discharges for Other and Unspecified Pneumoconiosis (per 1,000,000 residents)	1.5	Rate: Inpatient hospitalizations per 1,000,000 residents
9.5.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Other and Unspecified Pneumoconiosis (per 1,000,000		
residents)	1.2	Age-adjusted rate: Inpatient hospitalizations per 1,000,000 residents
Indicator 10: Mortality from or with Pneumoconiosis		
	29	Age-adjusted rate: Inpatient hospitalizations per 1,000,000 residents Total number of deaths (underlying or contributing cause)
Indicator 10: Mortality from or with Pneumoconiosis		
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths	29	Total number of deaths (underlying or contributing cause)
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents)	29 6.2	Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents)	29 6.2 5.1	Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.1 Annual Number of Coal Workers' Pneumoconiosis Deaths	29 6.2 5.1 <5	Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause)
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.1 Annual Number of Coal Workers' Pneumoconiosis Deaths 10.2.2 Annual Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents)	29 6.2 5.1 <5	Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.1 Annual Number of Coal Workers' Pneumoconiosis Deaths 10.2.2 Annual Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.3 Annual Age-Standardized Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents)	29 6.2 5.1 <5 *	Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.1 Annual Number of Coal Workers' Pneumoconiosis Deaths 10.2.2 Annual Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.3 Annual Age-Standardized Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.3.1 Annual Number of Asbestosis Deaths	29 6.2 5.1 <5 * * 22	Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause)
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.1 Annual Number of Coal Workers' Pneumoconiosis Deaths 10.2.2 Annual Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.3 Annual Age-Standardized Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.3.1 Annual Number of Asbestosis Deaths 10.3.2 Annual Asbestosis Death Rate (per 1,000,000 residents)	29 6.2 5.1 <5 * 22 4.6	Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.1 Annual Number of Coal Workers' Pneumoconiosis Deaths 10.2.2 Annual Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.3 Annual Age-Standardized Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.3.1 Annual Number of Asbestosis Deaths 10.3.2 Annual Asbestosis Death Rate (per 1,000,000 residents) 10.3.3 Annual Age-Standardized Asbestosis Death Rate (per 1,000,000 residents)	29 6.2 5.1 <5 * * 22 4.6 3.9	Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.1 Annual Number of Coal Workers' Pneumoconiosis Deaths 10.2.2 Annual Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.3 Annual Age-Standardized Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.3.1 Annual Number of Asbestosis Deaths 10.3.2 Annual Asbestosis Death Rate (per 1,000,000 residents) 10.3.3 Annual Age-Standardized Asbestosis Death Rate (per 1,000,000 residents)	29 6.2 5.1 <5 * * 22 4.6 3.9 5	Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause)
Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.1 Annual Number of Coal Workers' Pneumoconiosis Deaths 10.2.2 Annual Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.2.3 Annual Age-Standardized Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) 10.3.1 Annual Number of Asbestosis Deaths 10.3.2 Annual Asbestosis Death Rate (per 1,000,000 residents) 10.4.1 Annual Number of Silicosis Deaths 10.4.2 Annual Silicosis Death Rate (per 1,000,000 residents)	29 6.2 5.1 <5 * 22 4.6 3.9 5 1.1	Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents Age-adjusted rate: Deaths per 1,000,000 residents Total number of deaths (underlying or contributing cause) Rate: Deaths per 1,000,000 residents

10.5.3 Annual Age-Standardized Other and Unspecified Pneumoconiosis Death Rate (per 1,000,000 residents)	*	Age-adjusted rate: Deaths per 1,000,000 residents
Indicator 11: Acute Work-Related Pesticide-Associated Illness and Injury Reported to Poison Control Centers		
11.1 Annual Number of Reported Work-Related Pesticide Poisoning Cases	55	Total number of cases
11.2 Annual Incidence Rate of Reported Work-Related Pesticide Poisoning Cases (per 100,000 workers)	1.8	Rate: Cases per 100,000 workers
Indicator 12: Incidence of Malignant Mesothelioma, Ages 15 and Older		
12.1 Annual Number of Incident Mesothelioma Cases	79	Total number of cases
12.2 Annual Mesothelioma Incidence Rate (per 1,000,000 residents)	16.7	Rate: Cases per 1,000,000 residents
12.3 Annual Age-Standardized Mesothelioma Incidence Rate (per 1,000,000 residents)	14.1	Age-adjusted rate: Cases per 1,000,000 residents
Indicator 13: Elevated Blood Lead Levels (BLL) Among Adults		
13.1.1 Annual Number of Residents with Elevated Blood Lead Levels (≥ 5 µg/dL)	1,179	Total number of cases
13.1.2 Annual Prevalence Rate of Blood Lead Levels (≥ 5 μg/dL) (per 100,000 workers)	38.4	Rate: Cases per 100,000 workers
13.1.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (≥ 5 μg/dL)	618	Total number of cases
13.1.4 Annual Incidence Rate of Blood Lead Levels (≥ 5 μg/dL) (per 100,000 workers)	20.1	Rate: Cases per 100,000 workers
13.2.1 Annual Number of Residents with Elevated Blood Lead Levels (≥ 10 μg/dL)	576	Total number of cases
13.2.2 Annual Prevalence Rate of Blood Lead Levels (≥ 10 μg/dL) (per 100,000 workers)	18.8	Rate: Cases per 100,000 workers
13.2.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (≥ 10 μg/dL)	267	Total number of cases
13.2.4 Annual Incidence Rate of Blood Lead Levels (≥ 10 µg/dL) (per 100,000 workers)	8.7	Rate: Cases per 100,000 workers
13.3.1 Annual Number of Residents with Elevated Blood Lead Levels (≥ 25 μg/dL)	78	Total number of cases
13.3.2 Annual Prevalence Rate of Blood Lead Levels (≥ 25 μg/dL) (per 100,000 workers)	2.5	Rate: Cases per 100,000 workers
13.3.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (≥ 25 µg/dL)	40	Total number of cases
13.3.4 Annual Incidence Rate of Blood Lead Levels (≥ 25 μg/dL) (per 100,000 workers)	1.3	Rate: Cases per 100,000 workers
13.4.1 Annual Number of Residents with Elevated Blood Lead Levels (≥ 40 μg/dL)	7	Total number of residents
13.4.2 Annual Prevalence Rate of Blood Lead Levels (≥ 40 μg/dL) (per 100,000 workers)	0.2	Rate: Cases per 100,000 workers
13.4.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (≥ 40 μg/dL)	5	Total number of cases
13.4.4 Annual Incidence Rate of Blood Lead Levels (≥ 40 µg/dL) (per 100,000 workers)	0.2	Rate: Cases per 100,000 workers
Indicator 14: Percentage of Workers Employed in Industries at High Risk for Occupational Morbidity		
14.1 Number of Employed Persons in High Morbidity Risk North American Industry Classification System (NAICS) Industries	150,370	Total number of workers
14.2 Percentage of Employed Persons in High Morbidity Risk NAICS Industries Indicator 15: Percentage of Workers Employed in Occupations at High Risk for Occupational Morbidity	5.9	Percent employed
15.1 Number of Employed Persons in High Morbidity Risk Bureau of the Census (BOC) Occupations	369,534	Total number of workers
15.2 Percentage of Employed Persons in High Morbidity Risk BOC Occupations	15.4	Percent employed
Indicator 15: Percentage of Workers Employed in Industries and Occupations at High Risk for Occupational Mortality		
16.1 Number of Employed Persons in High Mortality Risk Bureau of Census (BOC) Industries	413,254	Total number of workers
16.2 Percentage of Employed Persons in High Mortality Risk BOC Industries	15.3	Percent employed
16.3 Number of Employed Persons in High Mortality Risk BOC Occupations	360,619	Total number of workers
16.4 Percentage of Employed Persons in High Mortality Risk BOC Occupations	13.3	Percent employed

Indicator 17: Occupational Safety and Health Professionals	Indicator Discontinued	
Indicator 17: Occupational Safety and Health Professionals Indicator 18: OSHA Enforcement Activities	mulcator Discontinued	
	1 110	T-4-1
18.1 Annual Number of Employer Establishments Inspected by OSHA	1,110	Total number of establishments inspected
40.2 Number of COUR Coursed Extellibrates that are Elicible for COUR leavesting (EVCLUDING MINIST & FARMS)	163,237	Tatal annulus of astablishments distilla and distance and famous
18.2 Number of OSHA-Covered Establishments that are Eligible for OSHA Inspection (EXCLUDING MINES & FARMS)	163,237	Total number of establishments eligible, excluding mines and farms
18.3 Percentage of OSHA-Covered Establishments Eligible for Inspection that were Inspected by OSHA	0.7	Percent of establishments
16.5 Percentage of OSHA-Covered Establishments Engine for hispection that were inspected by OSHA	0.7	reitent of establishments
18.4 Annual Number of Employees Whose Work Areas were Inspected by OSHA	54,472	Total number of employees
10.4 Allinda Number of Employees whose work Areas were inspected by OSTA	34,472	Total number of employees
18.5 Number of OSHA-Covered Employees (EXCLUDING MINERS & FARMERS)	2,502,101	Total number of employees, excluding miners and farmers
and the second and analysis (and a second se	2,502,101	Total name of completes, exchang name of an annual
18.6 Percentage of OSHA-Covered Employees Eligible for Inspection Whose Work Areas were Inspected by OSHA	2.2	Percent of employees
Indicator 19: Workers' Compensation Awards		Transaction employees
19.1 Total Amount of Workers' Compensation Benefits Paid	\$1,169,773,000	Dollars
	<i>4=,===,</i>	
19.2 Average Amount of Workers' Compensation Benefits Paid (per covered worker)	\$418.22	Average: Dollars per covered worker
Indicator 20: Work-Related Low Back Disorder Hospitalizations	Indicator Discontinued	
Indicator 21: Asthma Among Adults Caused or Made Worse by Work		
21.1a Weighted estimate of the number of ever-employed adults with current asthma who report that their asthma was caused or		
made worse by exposures at work (LANDLINE ONLY ESTIMATES)	N/A	Total number of ever-employed adults
, · · · · · · · · · · · · · · · · · · ·	·	·
21.2a Estimated proportion of ever-employed adults with current asthma who report that their asthma was caused or made worse by		
exposures at work (LANDLINE ONLY ESTIMATES)	N/A	Percent of ever-employed adults
21.1b Weighted estimate of the number of ever-employed adults with current asthma who report that their asthma was caused or		
made worse by exposures at work (LANDLINE & CELLPHONE ESTIMATES)	231,285	Total number of ever-employed adults
	·	
21.2b Estimated proportion (95% CI) of ever-employed adults with current asthma who report that their asthma was caused or made		
worse by exposures at work (LANDLINE & CELLPHONE ESTIMATES)	52.4 (44.7 - 63.7)	Percent (95% Confidence Interval) of ever-employed adults
Indicator 22: Work-Related Severe Traumatic Injury Hospitalizations	Indicator Discontinued	
Indicator 23: Influenza Vaccination Coverage Among Hospital Care Personnel		
23.1 Pooled Proportion of Hospital Care Personnel Influenza Vaccination Coverage in Acute Care Hospitals (2013–2014 influenza		
season)	94.0	Percent of hospital care personnel covered
Indicator 24: Occupational Heat-Related Emergency Department (ED) Visits		
24.1 Annual Number of Emergency Department Visits for Occupational Heat-Related Illness	30	Total number of emergency department (ED) visits
24.2 Annual Rate of Emergency Department Visits for Occupational Heat-Relatd Illness (per 100,000 workers)	1.0	Rate: Emergency visits per 100,000 workers
Indicator 25: Hospitalizations for or with Occupational Eye Injuries		
25.1 Annual Number of Inpatient Hospitalizations for or with Occupational Eye Injuries	17	Total number of inpatient hospitalizations
25.2 Annual Rate of Hospitalizations for Occupational Eye Injuries (per 100,000 employed persons)	0.5	Rate: Inpatient hospitalizations per 100,000 employed persons
* indicates rates too small to produce reliable estimates.		
Data Source:		
Wisconsin Occupational Health Surveillance Program		
Bureau of Occupational and Environmental Health		
Division of Public Health		
Wisconsin Department of Health Services		