

Wisconsin sexually transmitted disease surveillance report, 2013

Grant County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 127 | 100.0% | 258 | 8 | 100.0% | 16 | 0 | - | 0 | 135 | 100.0% | 274 |
| Sex | | | | | | | | | | | | |
| Male | 41 | 32.3% | 161 | 3 | 37.5% | 12 | - | - | - | 44 | 32.6% | 173 |
| Female | 86 | 67.7% | 361 | 5 | 62.5% | 21 | - | - | - | 91 | 67.4% | 382 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Race | | | | | | | | | | | | |
| White | 107 | 84.3% | 222 | 8 | 100.0% | 17 | - | - | - | 115 | 85.2% | 239 |
| African American | 8 | 6.3% | 1,418 | 0 | 0.0% | 0 | - | - | - | 8 | 5.9% | 1,418 |
| American Indian | 1 | 0.8% | 1,087 | 0 | 0.0% | 0 | - | - | - | 1 | 0.7% | 1,087 |
| Asian/Pacific Islander | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| Other | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Unknown | 11 | 8.7% | - | 0 | 0.0% | - | - | - | - | 11 | 8.1% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 2 | 1.6% | 510 | 0 | 0.0% | 0 | - | - | - | 2 | 1.5% | 510 |
| Not Hispanic | 99 | 78.0% | 203 | 6 | 75.0% | 12 | - | - | - | 105 | 77.8% | 215 |
| Unknown | 26 | 20.5% | - | 2 | 25.0% | - | - | - | - | 28 | 20.7% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 2 | 1.6% | 74 | 0 | 0.0% | 0 | - | - | - | 2 | 1.5% | 74 |
| 15-19 | 41 | 32.3% | 935 | 3 | 37.5% | 68 | - | - | - | 44 | 32.6% | 1,004 |
| 20-24 | 66 | 52.0% | 1,220 | 4 | 50.0% | 74 | - | - | - | 70 | 51.9% | 1,293 |
| 25-29 | 9 | 7.1% | 277 | 1 | 12.5% | 31 | - | - | - | 10 | 7.4% | 308 |
| 30-34 | 5 | 3.9% | 222 | 0 | 0.0% | 0 | - | - | - | 5 | 3.7% | 222 |
| 35-39 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 40-44 | 1 | 0.8% | 35 | 0 | 0.0% | 0 | - | - | - | 1 | 0.7% | 35 |
| 45-49 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 50+ | 3 | 2.4% | 18 | 0 | 0.0% | 0 | - | - | - | 3 | 2.2% | 18 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Northern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southern | 127 | 100.0% | 258 | 8 | 100.0% | 16 | - | - | - | 135 | 100.0% | 274 |
| Western | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |

* Demographic breakdown not available for diseases with less than 5 cases reported.

** Cases per 100,000 population



DEPARTMENT OF HEALTH SERVICES
Division of Public Health
Bureau of Communicable Diseases and
Emergency Preparedness
STD Control Section
P-00415B (07/14)