

Wisconsin sexually transmitted disease surveillance report, 2011

2011 Wood County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 164 | 100.0% | 222 | 12 | 100.0% | 16 | 2 | 100.0% | 3 | 178 | 100.0% | 241 |
| Sex | | | | | | | | | | | | |
| Male | 38 | 23.2% | 105 | 2 | 16.7% | 6 | - | - | - | 41 | 23.0% | 113 |
| Female | 126 | 76.8% | 335 | 10 | 83.3% | 27 | - | - | - | 137 | 77.0% | 364 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Race | | | | | | | | | | | | |
| White | 72 | 43.9% | 101 | 2 | 16.7% | 3 | - | - | - | 75 | 42.1% | 105 |
| African American | 10 | 6.1% | 1,658 | 1 | 8.3% | 166 | - | - | - | 11 | 6.2% | 1,824 |
| American Indian | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| Asian/Pacific Islander | 1 | 0.6% | 75 | 0 | 0.0% | 0 | - | - | - | 2 | 1.1% | 149 |
| Other | 6 | 3.7% | - | 0 | 0.0% | - | - | - | - | 6 | 3.4% | - |
| Unknown | 75 | 45.7% | - | 9 | 75.0% | - | - | - | - | 84 | 47.2% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 7 | 4.3% | 647 | 0 | 0.0% | 0 | - | - | - | 7 | 3.9% | 647 |
| Not Hispanic | 61 | 37.2% | 84 | 2 | 16.7% | 3 | - | - | - | 65 | 36.5% | 89 |
| Unknown | 96 | 58.5% | - | 10 | 83.3% | - | - | - | - | 106 | 59.6% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 1 | 0.6% | 22 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 1 | 0.6% | 21 | 0 | 0.0% | 0 | - | - | - | 1 | 0.6% | 21 |
| 15-19 | 49 | 29.9% | 1,005 | 5 | 41.7% | 103 | - | - | - | 54 | 30.3% | 1,108 |
| 20-24 | 74 | 45.1% | 1,771 | 2 | 16.7% | 48 | - | - | - | 77 | 43.3% | 1,843 |
| 25-29 | 24 | 14.6% | 582 | 2 | 16.7% | 49 | - | - | - | 26 | 14.6% | 631 |
| 30-34 | 9 | 5.5% | 265 | 1 | 8.3% | 29 | - | - | - | 10 | 5.6% | 294 |
| 35-39 | 4 | 2.4% | 96 | 1 | 8.3% | 24 | - | - | - | 5 | 2.8% | 120 |
| 40-44 | 2 | 1.2% | 41 | 1 | 8.3% | 21 | - | - | - | 3 | 1.7% | 62 |
| 45-49 | 1 | 0.6% | 16 | 0 | 0.0% | 0 | - | - | - | 1 | 0.6% | 16 |
| 50+ | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Northern | 164 | 100.0% | 222 | 12 | 100.0% | 16 | - | - | - | 178 | 100.0% | 241 |
| Southeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Western | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |

* Demographic breakdown not available for diseases with less than 5 cases reported.

** Cases per 100,000 population



WI DEPARTMENT OF HEALTH SERVICES
 Division of Public Health
 Bureau of Communicable Diseases and Emergency Response
 STD Control Section
 P-00415B (2011)