Wisconsin sexually transmitted disease surveillance report, 2019 Green County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 111 | 100.0% | 308 | 8 | 100.0% | 22 | 0 | - | 0 | 119 | 100.0% | 330 |
| Sex | | | | | | | | | | | | |
| Male | 32 | 28.8% | 180 | 2 | 25.0% | 11 | - | _ | - | 34 | 28.6% | 191 |
| Female | 79 | 71.2% | 432 | 6 | 75.0% | 33 | - | _ | - | 85 | 71.4% | 465 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Race | | | | | | | | | | | | |
| White | 89 | 80.2% | 250 | 7 | 87.5% | 20 | - | _ | - | 96 | 80.7% | 270 |
| African American | 6 | 5.4% | 2,449 | 1 | 12.5% | 408 | - | - | - | 7 | 5.9% | 2,857 |
| American Indian | 1 | 0.9% | 1,205 | 0 | 0.0% | 0 | - | _ | - | 1 | 0.8% | 1,205 |
| Asian/Pacific Islander | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | _ | _ | 0 | 0.0% | 0 |
| Other | 7 | 6.3% | - | 0 | 0.0% | - | - | _ | - | 7 | 5.9% | - |
| Unknown | 8 | 7.2% | - | 0 | 0.0% | - | - | - | - | 8 | 6.7% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 5 | 4.5% | 899 | 0 | 0.0% | 0 | - | - | - | 5 | 4.2% | 899 |
| Not Hispanic | 93 | 83.8% | 262 | 8 | 100.0% | 23 | - | _ | _ | 101 | 84.9% | 284 |
| Unknown | 13 | 11.7% | - | 0 | 0.0% | - | - | - | - | 13 | 10.9% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | _ | _ | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | _ | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | _ | _ | 0 | 0.0% | 0 |
| 15-19 | 49 | 44.1% | 2,120 | 1 | 12.5% | 43 | - | _ | - | 50 | 42.0% | 2,164 |
| 20-24 | 37 | 33.3% | 1,818 | 1 | 12.5% | 49 | - | _ | - | 38 | 31.9% | 1,867 |
| 25-29 | 13 | 11.7% | 503 | 6 | 75.0% | 232 | - | - | - | 19 | 16.0% | 736 |
| 30-34 | 4 | 3.6% | 203 | 0 | 0.0% | 0 | - | _ | - | 4 | 3.4% | 203 |
| 35-39 | 4 | 3.6% | 171 | 0 | 0.0% | 0 | - | - | - | 4 | 3.4% | 171 |
| 40-44 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 45-49 | 2 | 1.8% | 65 | 0 | 0.0% | 0 | - | - | - | 2 | 1.7% | 65 |
| 50+ | 2 | 1.8% | 16 | 0 | 0.0% | 0 | - | - | - | 2 | 1.7% | 16 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Northern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southeastern | 0 | 0.0% | - | 0 | 0.0% | _ | - | - | - | 0 | 0.0% | - |
| Southern | 111 | 100.0% | 308 | 8 | 100.0% | 22 | - | - | - | 119 | 100.0% | 330 |
| Western | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | _ | - | _ | - | 0 | 0.0% | - |

^{*} Demographic breakdown not available for diseases with less than 5 cases reported.



DEPARTMENT OF HEALTH SERVICES
Division of Public Health
Bureau of Communicable Diseases
STD Control Section
P-00415B (08/2020)

^{**} Cases per 100,000 population