

Wisconsin Sexually Transmitted Infections Surveillance Report
Langlade County, 2023

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total cases | 23 | 100.0% | 118 | 4 | 100.0% | 20 | 0 | - | - | 27 | 100.0% | 138 |
| Gender | | | | | | | | | | | | |
| Male | 4 | 17.4% | 40 | - | - | - | - | - | - | 5 | 18.5% | 50 |
| Female | 19 | 82.6% | 198 | - | - | - | - | - | - | 22 | 81.5% | 229 |
| Transgender Male | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Transgender Female | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Race/ethnicity*** | | | | | | | | | | | | |
| White | 16 | 69.6% | 88 | - | - | - | - | - | - | 19 | 70.4% | 105 |
| Black | - | - | - | - | - | - | - | - | - | - | - | - |
| Hispanic | - | - | - | - | - | - | - | - | - | - | - | - |
| Native American | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian/Pacific Islander | - | - | - | - | - | - | - | - | - | - | - | - |
| Other | - | - | - | - | - | - | - | - | - | - | - | - |
| Unknown | - | - | - | - | - | - | - | - | - | - | - | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 15-19 | 4 | 17.4% | 371 | - | - | - | - | - | - | 4 | 14.8% | 371 |
| 20-24 | 9 | 39.1% | 932 | - | - | - | - | - | - | 11 | 40.7% | 1,139 |
| 25-29 | 4 | 17.4% | 427 | - | - | - | - | - | - | 5 | 18.5% | 534 |
| 30-34 | 3 | 13.0% | 331 | - | - | - | - | - | - | 4 | 14.8% | 441 |
| 35-39 | 2 | 8.7% | 198 | - | - | - | - | - | - | 2 | 7.4% | 198 |
| 40-44 | 1 | 4.3% | 96 | - | - | - | - | - | - | 1 | 3.7% | 96 |
| 45-49 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 50+ | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| Region of residence | | | | | | | | | | | | |
| Northeastern | - | - | - | - | - | - | - | - | - | - | - | - |
| Northern | 23 | 100.0% | 0 | 4 | 100.0% | 20 | 0 | 100.0% | 0 | 27 | 100.0% | 138 |
| Southeastern | - | - | - | - | - | - | - | - | - | - | - | - |
| Southern | - | - | - | - | - | - | - | - | - | - | - | - |
| Western | - | - | - | - | - | - | - | - | - | - | - | - |

*Demographic breakdown not available for diseases with less than 5 cases reported.

**Cases per 100,000 population.

*** Race/ethnicity breakdowns are not shown if the cell in the subgroup has either a value of <5 or an estimated population size (denominator) <100.

