

Wisconsin Sexually Transmitted Infections Surveillance Report
Pepin County, 2023

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total cases | 12 | 100.0% | 162 | 1 | 100.0% | 13 | 1 | 100.0% | 13 | 14 | 100.0% | 189 |
| Gender | | | | | | | | | | | | |
| Male | 6 | 50.0% | 157 | - | - | - | - | - | - | 7 | 50.0% | 184 |
| Female | 6 | 50.0% | 167 | - | - | - | - | - | - | 7 | 50.0% | 194 |
| Transgender Male | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Transgender Female | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | - | - | - | - | - | - | 0 | 0.0% | - |
| Race/ethnicity*** | | | | | | | | | | | | |
| White | 7 | 58.3% | 99 | - | - | - | - | - | - | 9 | 64.3% | 127 |
| Black | - | - | - | - | - | - | - | - | - | - | - | - |
| Hispanic | - | - | - | - | - | - | - | - | - | - | - | - |
| Native American | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian/Pacific Islander | - | - | - | - | - | - | - | - | - | - | - | - |
| Other | - | - | - | - | - | - | - | - | - | - | - | - |
| Unknown | - | - | - | - | - | - | - | - | - | - | - | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 15-19 | 4 | 33.3% | 911 | - | - | - | - | - | - | 4 | 28.6% | 911 |
| 20-24 | 4 | 33.3% | 1,205 | - | - | - | - | - | - | 4 | 28.6% | 1,205 |
| 25-29 | 1 | 8.3% | 266 | - | - | - | - | - | - | 1 | 7.1% | 266 |
| 30-34 | 0 | 0.0% | 0 | - | - | - | - | - | - | 1 | 7.1% | 268 |
| 35-39 | 1 | 8.3% | 272 | - | - | - | - | - | - | 2 | 14.3% | 543 |
| 40-44 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 45-49 | 0 | 0.0% | 0 | - | - | - | - | - | - | 0 | 0.0% | 0 |
| 50+ | 2 | 16.7% | 59 | - | - | - | - | - | - | 2 | 14.3% | 59 |
| Region of residence | | | | | | | | | | | | |
| Northeastern | - | - | - | - | - | - | - | - | - | - | - | - |
| Northern | - | - | - | - | - | - | - | - | - | - | - | - |
| Southeastern | - | - | - | - | - | - | - | - | - | - | - | - |
| Southern | - | - | - | - | - | - | - | - | - | - | - | - |
| Western | 12 | 100.0% | 0 | 1 | 100.0% | 13 | 1 | 100.0% | 13 | 14 | 100.0% | 189 |

*Demographic breakdown not available for diseases with less than 5 cases reported.

**Cases per 100,000 population.

*** Race/ethnicity breakdowns are not shown if the cell in the subgroup has either a value of <5 or an estimated population size (denominator) <100.

