

# Wisconsin Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE	
State	
MONTH*	
December	307
December Rate per 100,000	5.9
YEAR TO DATE (YTD)	
Count	4329
Rate (per 100,000)	83.4
% of total ambulance runs	0.6
Naloxone doses administered	4527


\*The most recent month available

Figure 1. Wisconsin Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Wisconsin Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Northeastern Region Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE		
	Region	State
MONTH*		
December	42	307
December Rate per 100,000	3.7	5.9
YEAR TO DATE (YTD)		
Count	605	4329
Rate (per 100,000)	53.7	83.4
% of total ambulance runs	0.5	0.6
Naloxone doses administered	669	4527


\*The most recent month available

**Figure 1. Northeastern Region Suspected Opioid Overdose by Age and Gender, December 2025**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Northeastern Region Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Brown County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	10	42	307
December Rate per 100,000	4.2	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	146	605	4329
Rate (per 100,000)	62.0	53.7	83.4
% of total ambulance runs	0.7	0.5	0.6
Naloxone doses administered	154	669	4527


\*The most recent month available

Figure 1. Brown County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Brown County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Calumet County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	0	42	307
December Rate per 100,000	0.0	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	8	605	4329
Rate (per 100,000)	17.0	53.7	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	8	669	4527


\*The most recent month available

Figure 1. Calumet County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Calumet County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Door County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	2	42	307
December Rate per 100,000	7.2	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	11	605	4329
Rate (per 100,000)	39.4	53.7	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	30	669	4527


\*The most recent month available

**Figure 1. Door County Suspected Opioid Overdose by Age and Gender, December 2025**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Door County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Fond Du Lac County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	5	42	307
December Rate per 100,000	5.4	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	35	605	4329
Rate (per 100,000)	38.1	53.7	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	64	669	4527


\*The most recent month available

**Figure 1. Fond Du Lac County Suspected Opioid Overdose by Age and Gender, December 2025**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Fond Du Lac County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Green Lake County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	0	42	307
December Rate per 100,000	0.0	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	6	605	4329
Rate (per 100,000)	35.5	53.7	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	3	669	4527


\*The most recent month available

Figure 1. Green Lake County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Green Lake County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Kewaunee County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	0	42	307
December Rate per 100,000	0.0	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	5	605	4329
Rate (per 100,000)	27.3	53.7	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	5	669	4527


\*The most recent month available

Figure 1. Kewaunee County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Kewaunee County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



# Manitowoc County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	3	42	307
December Rate per 100,000	4.2	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	30	605	4329
Rate (per 100,000)	41.6	53.7	83.4
% of total ambulance runs	0.4	0.5	0.6
Naloxone doses administered	38	669	4527


\*The most recent month available

**Figure 1. Manitowoc County Suspected Opioid Overdose by Age and Gender, December 2025**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Manitowoc County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Marinette County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	5	42	307
December Rate per 100,000	13.3	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	18	605	4329
Rate (per 100,000)	47.9	53.7	83.4
% of total ambulance runs	0.2	0.5	0.6
Naloxone doses administered	23	669	4527


\*The most recent month available

Figure 1. Marinette County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Marinette County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Marquette County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	0	42	307
December Rate per 100,000	0.0	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	8	605	4329
Rate (per 100,000)	56.4	53.7	83.4
% of total ambulance runs	0.4	0.5	0.6
Naloxone doses administered	7	669	4527


\*The most recent month available

Figure 1. Marquette County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Marquette County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Menominee County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	3	42	307
December Rate per 100,000	87.2	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	25	605	4329
Rate (per 100,000)	727.0	53.7	83.4
% of total ambulance runs	0.8	0.5	0.6
Naloxone doses administered	27	669	4527


\*The most recent month available

**Figure 1. Menominee County Suspected Opioid Overdose by Age and Gender, December 2025**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Menominee County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Oconto County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	1	42	307
December Rate per 100,000	2.8	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	7	605	4329
Rate (per 100,000)	19.8	53.7	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	12	669	4527


\*The most recent month available

**Figure 1. Oconto County Suspected Opioid Overdose by Age and Gender, December 2025**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Oconto County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Outagamie County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	1	42	307
December Rate per 100,000	0.6	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	107	605	4329
Rate (per 100,000)	63.8	53.7	83.4
% of total ambulance runs	0.6	0.5	0.6
Naloxone doses administered	119	669	4527


\*The most recent month available

Figure 1. Outagamie County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Outagamie County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Shawano County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	2	42	307
December Rate per 100,000	5.5	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	18	605	4329
Rate (per 100,000)	49.9	53.7	83.4
% of total ambulance runs	0.5	0.5	0.6
Naloxone doses administered	15	669	4527


\*The most recent month available

Figure 1. Shawano County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Shawano County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Sheboygan County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	7	42	307
December Rate per 100,000	6.8	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	64	605	4329
Rate (per 100,000)	61.8	53.7	83.4
% of total ambulance runs	0.5	0.5	0.6
Naloxone doses administered	50	669	4527


\*The most recent month available

Figure 1. Sheboygan County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Sheboygan County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



# Waupaca County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	0	42	307
December Rate per 100,000	0.0	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	8	605	4329
Rate (per 100,000)	17.5	53.7	83.4
% of total ambulance runs	0.2	0.5	0.6
Naloxone doses administered	13	669	4527


\*The most recent month available

Figure 1. Waupaca County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Waupaca County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Waushara County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	0	42	307
December Rate per 100,000	0.0	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	17	605	4329
Rate (per 100,000)	75.7	53.7	83.4
% of total ambulance runs	0.6	0.5	0.6
Naloxone doses administered	14	669	4527


\*The most recent month available

Figure 1. Waushara County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Waushara County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Winnebago County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
December	3	42	307
December Rate per 100,000	2.0	3.7	5.9
<b>YEAR TO DATE (YTD)</b>			
Count	92	605	4329
Rate (per 100,000)	60.7	53.7	83.4
% of total ambulance runs	0.6	0.5	0.6
Naloxone doses administered	87	669	4527


\*The most recent month available

**Figure 1. Winnebago County Suspected Opioid Overdose by Age and Gender, December 2025**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Winnebago County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.