Wisconsin Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	State		
MONTH*			
March	365		
March Rate per 100,000	7.0		
YEAR TO DATE (YTD)			
Count	963		
Rate (per 100,000)	18.6		
% of total ambulance runs	0.6		
Naloxone doses administered	957		


^{*}The most recent month available

Figure 1. Wisconsin Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Wisconsin Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Northeastern Region Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	Region State		
MONTH*			
March	63	365	
March Rate per 100,000	5.6	7.0	
YEAR TO DATE (YTD)			
Count	169	963	
Rate (per 100,000)	15.0	18.6	
% of total ambulance runs	0.5	0.6	
Naloxone doses administered	175	957	


^{*}The most recent month available

Figure 1. Northeastern Region Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Northeastern Region Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Brown County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	15	63	365
March Rate per 100,000	6.4	5.6	7.0
YEAR TO DATE (YTD)			
Count	43	169	963
Rate (per 100,000)	18.3	15.0	18.6
% of total ambulance runs	0.8	0.5	0.6
Naloxone doses administered	37	175	957


^{*}The most recent month available

Figure 1. Brown County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Brown County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Calumet County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	0	63	365
March Rate per 100,000	0.0	5.6	7.0
YEAR TO DATE (YTD)			
Count	0	169	963
Rate (per 100,000)	0.0	15.0	18.6
% of total ambulance runs	0.0	0.5	0.6
Naloxone doses administered	2	175	957


^{*}The most recent month available

Figure 1. Calumet County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Calumet County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Door County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	2	63	365
March Rate per 100,000	7.2	5.6	7.0
YEAR TO DATE (YTD)			
Count	3	169	963
Rate (per 100,000)	10.7	15.0	18.6
% of total ambulance runs	0.4	0.5	0.6
Naloxone doses administered	8	175	957


^{*}The most recent month available

Figure 1. Door County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Door County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Fond Du Lac County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	1	63	365
March Rate per 100,000	1.1	5.6	7.0
YEAR TO DATE (YTD)			
Count	11	169	963
Rate (per 100,000)	12.0	15.0	18.6
% of total ambulance runs	0.4	0.5	0.6
Naloxone doses administered	19	175	957


^{*}The most recent month available

Figure 1. Fond Du Lac County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Fond Du Lac County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Green Lake County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	0	63	365
March Rate per 100,000	0.0	5.6	7.0
YEAR TO DATE (YTD)			
Count	2	169	963
Rate (per 100,000)	11.8	15.0	18.6
% of total ambulance runs	0.4	0.5	0.6
Naloxone doses administered	0	175	957


^{*}The most recent month available

Figure 1. Green Lake County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Green Lake County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Kewaunee County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	0	63	365
March Rate per 100,000	0.0	5.6	7.0
YEAR TO DATE (YTD)			
Count	0	169	963
Rate (per 100,000)	0.0	15.0	18.6
% of total ambulance runs	0.0	0.5	0.6
Naloxone doses administered	0	175	957


^{*}The most recent month available

Figure 1. Kewaunee County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Kewaunee County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Manitowoc County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	3	63	365
March Rate per 100,000	4.2	5.6	7.0
YEAR TO DATE (YTD)			
Count	5	169	963
Rate (per 100,000)	6.9	15.0	18.6
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	9	175	957

^{*}The most recent month available

Figure 1. Manitowoc County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Manitowoc County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Marinette County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	3	63	365
March Rate per 100,000	8.0	5.6	7.0
YEAR TO DATE (YTD)			
Count	4	169	963
Rate (per 100,000)	10.6	15.0	18.6
% of total ambulance runs	0.2	0.5	0.6
Naloxone doses administered	8	175	957


^{*}The most recent month available

Figure 1. Marinette County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Marinette County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Marquette County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	1	63	365
March Rate per 100,000	7.0	5.6	7.0
YEAR TO DATE (YTD)			
Count	6	169	963
Rate (per 100,000)	42.3	15.0	18.6
% of total ambulance runs	1.4	0.5	0.6
Naloxone doses administered	2	175	957


^{*}The most recent month available

Figure 1. Marquette County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Marquette County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Menominee County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	1	63	365
March Rate per 100,000	29.1	5.6	7.0
YEAR TO DATE (YTD)			
Count	5	169	963
Rate (per 100,000)	145.4	15.0	18.6
% of total ambulance runs	0.6	0.5	0.6
Naloxone doses administered	10	175	957


^{*}The most recent month available

Figure 1. Menominee County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Menominee County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Oconto County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	0	63	365
March Rate per 100,000	0.0	5.6	7.0
YEAR TO DATE (YTD)			
Count	1	169	963
Rate (per 100,000)	2.8	15.0	18.6
% of total ambulance runs	0.2	0.5	0.6
Naloxone doses administered	8	175	957


^{*}The most recent month available

Figure 1. Oconto County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Oconto County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Outagamie County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE				
	County	Region	State	
MONTH*				
March	13	63	365	
March Rate per 100,000	7.8	5.6	7.0	
YEAR TO DATE (YTD)				
Count	28	169	963	
Rate (per 100,000)	16.7	15.0	18.6	
% of total ambulance runs	0.5	0.5	0.6	
Naloxone doses administered	32	175	957	


^{*}The most recent month available

Figure 1. Outagamie County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Outagamie County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Shawano County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	0	63	365
March Rate per 100,000	0.0	5.6	7.0
YEAR TO DATE (YTD)			
Count	4	169	963
Rate (per 100,000)	11.1	15.0	18.6
% of total ambulance runs	0.4	0.5	0.6
Naloxone doses administered	6	175	957


^{*}The most recent month available

Figure 1. Shawano County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Shawano County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Sheboygan County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	10	63	365
March Rate per 100,000	9.6	5.6	7.0
YEAR TO DATE (YTD)			
Count	18	169	963
Rate (per 100,000)	17.4	15.0	18.6
% of total ambulance runs	0.6	0.5	0.6
Naloxone doses administered	10	175	957


^{*}The most recent month available

Figure 1. Sheboygan County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Sheboygan County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Waupaca County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE				
	County	Region	State	
MONTH*				
March	1	63	365	
March Rate per 100,000	2.2	5.6	7.0	
YEAR TO DATE (YTD)				
Count	4	169	963	
Rate (per 100,000)	8.8	15.0	18.6	
% of total ambulance runs	0.4	0.5	0.6	
Naloxone doses administered	5	175	957	

^{*}The most recent month available

Figure 1. Waupaca County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Waupaca County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Waushara County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE				
	County	Region	State	
MONTH*				
March	2	63	365	
March Rate per 100,000	8.9	5.6	7.0	
YEAR TO DATE (YTD)				
Count	6	169	963	
Rate (per 100,000)	26.7	15.0	18.6	
% of total ambulance runs	0.9	0.5	0.6	
Naloxone doses administered	2	175	957	


^{*}The most recent month available

Figure 1. Waushara County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Waushara County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Winnebago County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE				
	County	Region	State	
MONTH*				
March	11	63	365	
March Rate per 100,000	7.3	5.6	7.0	
YEAR TO DATE (YTD)				
Count	29	169	963	
Rate (per 100,000)	19.1	15.0	18.6	
% of total ambulance runs	0.7	0.5	0.6	
Naloxone doses administered	17	175	957	


^{*}The most recent month available

Figure 1. Winnebago County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Winnebago County Suspected Opioid Overdose by Month, YTD





^{*}These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.