

Wisconsin Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE	
State	
MONTH*	
December	307
December Rate per 100,000	5.9
YEAR TO DATE (YTD)	
Count	4329
Rate (per 100,000)	83.4
% of total ambulance runs	0.6
Naloxone doses administered	4527


*The most recent month available

Figure 1. Wisconsin Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Wisconsin Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Northern Region Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE		
	Region	State
MONTH*		
December	12	307
December Rate per 100,000	2.7	5.9
YEAR TO DATE (YTD)		
Count	174	4329
Rate (per 100,000)	39.3	83.4
% of total ambulance runs	0.4	0.6
Naloxone doses administered	225	4527


*The most recent month available

Figure 1. Northern Region Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Northern Region Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Ashland County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	2	12	307
December Rate per 100,000	14.1	2.7	5.9
YEAR TO DATE (YTD)			
Count	16	174	4329
Rate (per 100,000)	112.9	39.3	83.4
% of total ambulance runs	0.8	0.4	0.6
Naloxone doses administered	5	225	4527


*The most recent month available

Figure 1. Ashland County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Ashland County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Bayfield County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	1	12	307
December Rate per 100,000	6.6	2.7	5.9
YEAR TO DATE (YTD)			
Count	8	174	4329
Rate (per 100,000)	52.5	39.3	83.4
% of total ambulance runs	0.5	0.4	0.6
Naloxone doses administered	5	225	4527


*The most recent month available

Figure 1. Bayfield County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Bayfield County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Florence County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	12	307
December Rate per 100,000	0.0	2.7	5.9
YEAR TO DATE (YTD)			
Count	0	174	4329
Rate (per 100,000)	0.0	39.3	83.4
% of total ambulance runs	0.0	0.4	0.6
Naloxone doses administered	2	225	4527


*The most recent month available

Figure 1. Florence County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Florence County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Forest County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	2	12	307
December Rate per 100,000	24.4	2.7	5.9
YEAR TO DATE (YTD)			
Count	13	174	4329
Rate (per 100,000)	158.4	39.3	83.4
% of total ambulance runs	1.2	0.4	0.6
Naloxone doses administered	28	225	4527


*The most recent month available

Figure 1. Forest County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Forest County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Iron County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	12	307
December Rate per 100,000	0.0	2.7	5.9
YEAR TO DATE (YTD)			
Count	2	174	4329
Rate (per 100,000)	35.1	39.3	83.4
% of total ambulance runs	0.3	0.4	0.6
Naloxone doses administered	0	225	4527


*The most recent month available

Figure 1. Iron County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Iron County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Langlade County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	12	307
December Rate per 100,000	0.0	2.7	5.9
YEAR TO DATE (YTD)			
Count	0	174	4329
Rate (per 100,000)	0.0	39.3	83.4
% of total ambulance runs	0.0	0.4	0.6
Naloxone doses administered	0	225	4527


*The most recent month available

Figure 1. Langlade County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Langlade County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Lincoln County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	12	307
December Rate per 100,000	0.0	2.7	5.9
YEAR TO DATE (YTD)			
Count	6	174	4329
Rate (per 100,000)	23.5	39.3	83.4
% of total ambulance runs	0.2	0.4	0.6
Naloxone doses administered	5	225	4527


*The most recent month available

Figure 1. Lincoln County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Lincoln County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Marathon County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	1	12	307
December Rate per 100,000	0.8	2.7	5.9
YEAR TO DATE (YTD)			
Count	42	174	4329
Rate (per 100,000)	34.7	39.3	83.4
% of total ambulance runs	0.4	0.4	0.6
Naloxone doses administered	73	225	4527


*The most recent month available

Figure 1. Marathon County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Marathon County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Oneida County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	12	307
December Rate per 100,000	0.0	2.7	5.9
YEAR TO DATE (YTD)			
Count	9	174	4329
Rate (per 100,000)	26.0	39.3	83.4
% of total ambulance runs	0.2	0.4	0.6
Naloxone doses administered	23	225	4527


*The most recent month available

Figure 1. Oneida County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Oneida County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Portage County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	12	307
December Rate per 100,000	0.0	2.7	5.9
YEAR TO DATE (YTD)			
Count	15	174	4329
Rate (per 100,000)	23.6	39.3	83.4
% of total ambulance runs	0.3	0.4	0.6
Naloxone doses administered	18	225	4527


*The most recent month available

Figure 1. Portage County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Portage County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of **HEALTH SERVICES**

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339B (12/2025)

Price County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	12	307
December Rate per 100,000	0.0	2.7	5.9
YEAR TO DATE (YTD)			
Count	2	174	4329
Rate (per 100,000)	15.6	39.3	83.4
% of total ambulance runs	0.1	0.4	0.6
Naloxone doses administered	4	225	4527


*The most recent month available

Figure 1. Price County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Price County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Sawyer County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	2	12	307
December Rate per 100,000	12.0	2.7	5.9
YEAR TO DATE (YTD)			
Count	19	174	4329
Rate (per 100,000)	113.6	39.3	83.4
% of total ambulance runs	1.2	0.4	0.6
Naloxone doses administered	12	225	4527


*The most recent month available

Figure 1. Sawyer County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Sawyer County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Taylor County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	12	307
December Rate per 100,000	0.0	2.7	5.9
YEAR TO DATE (YTD)			
Count	4	174	4329
Rate (per 100,000)	22.8	39.3	83.4
% of total ambulance runs	0.4	0.4	0.6
Naloxone doses administered	2	225	4527


*The most recent month available

Figure 1. Taylor County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Taylor County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Vilas County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	1	12	307
December Rate per 100,000	4.6	2.7	5.9
YEAR TO DATE (YTD)			
Count	13	174	4329
Rate (per 100,000)	60.0	39.3	83.4
% of total ambulance runs	0.5	0.4	0.6
Naloxone doses administered	12	225	4527


*The most recent month available

Figure 1. Vilas County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Vilas County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Wood County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	3	12	307
December Rate per 100,000	4.6	2.7	5.9
YEAR TO DATE (YTD)			
Count	25	174	4329
Rate (per 100,000)	38.5	39.3	83.4
% of total ambulance runs	0.3	0.4	0.6
Naloxone doses administered	36	225	4527


*The most recent month available

Figure 1. Wood County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Wood County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.