

Wisconsin Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | |
|--|------|
| State | |
| MONTH* | |
| December | 307 |
| December Rate per 100,000 | 5.9 |
| YEAR TO DATE (YTD) | |
| Count | 4329 |
| Rate (per 100,000) | 83.4 |
| % of total ambulance runs | 0.6 |
| Naloxone doses administered | 4527 |


*The most recent month available

Figure 1. Wisconsin Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Wisconsin Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



**WISCONSIN DEPARTMENT
of HEALTH SERVICES**

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (12/2025)

Southeastern Region Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | |
|--|--------|-------|
| | Region | State |
| MONTH* | | |
| December | 177 | 307 |
| December Rate per 100,000 | 9.6 | 5.9 |
| YEAR TO DATE (YTD) | | |
| Count | 2493 | 4329 |
| Rate (per 100,000) | 135.2 | 83.4 |
| % of total ambulance runs | 0.8 | 0.6 |
| Naloxone doses administered | 2418 | 4527 |


*The most recent month available

Figure 1. Southeastern Region Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Southeastern Region Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (12/2025)

Jefferson County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 2 | 177 | 307 |
| December Rate per 100,000 | 2.6 | 9.6 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 25 | 2493 | 4329 |
| Rate (per 100,000) | 32.7 | 135.2 | 83.4 |
| % of total ambulance runs | 0.3 | 0.8 | 0.6 |
| Naloxone doses administered | 51 | 2418 | 4527 |


*The most recent month available

Figure 1. Jefferson County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Jefferson County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (12/2025)

Kenosha County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 12 | 177 | 307 |
| December Rate per 100,000 | 8.2 | 9.6 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 111 | 2493 | 4329 |
| Rate (per 100,000) | 75.4 | 135.2 | 83.4 |
| % of total ambulance runs | 0.5 | 0.8 | 0.6 |
| Naloxone doses administered | 93 | 2418 | 4527 |


*The most recent month available

Figure 1. Kenosha County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Kenosha County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (12/2025)

Milwaukee County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 138 | 177 | 307 |
| December Rate per 100,000 | 17.5 | 9.6 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 1988 | 2493 | 4329 |
| Rate (per 100,000) | 252.6 | 135.2 | 83.4 |
| % of total ambulance runs | 1.0 | 0.8 | 0.6 |
| Naloxone doses administered | 1823 | 2418 | 4527 |


*The most recent month available

Figure 1. Milwaukee County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Milwaukee County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (12/2025)

Ozaukee County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 1 | 177 | 307 |
| December Rate per 100,000 | 1.2 | 9.6 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 23 | 2493 | 4329 |
| Rate (per 100,000) | 27.9 | 135.2 | 83.4 |
| % of total ambulance runs | 0.3 | 0.8 | 0.6 |
| Naloxone doses administered | 9 | 2418 | 4527 |


*The most recent month available

Figure 1. Ozaukee County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Ozaukee County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (12/2025)

Racine County Suspected Opioid Overdose Report

January 09, 2026

Wisconsin Department of Health Services, Division of Public Health

Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 9 | 177 | 307 |
| December Rate per 100,000 | 5.3 | 9.6 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 143 | 2493 | 4329 |
| Rate (per 100,000) | 83.6 | 135.2 | 83.4 |
| % of total ambulance runs | 0.6 | 0.8 | 0.6 |
| Naloxone doses administered | 188 | 2418 | 4527 |

*The most recent month available


Figure 1. Racine County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services

Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Racine County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services

Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids

For additional data requests, email: dhshealthstats@wisconsin.gov

P02339C (12/2025)

Walworth County Suspected Opioid Overdose Report

January 09, 2026

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 2 | 177 | 307 |
| December Rate per 100,000 | 2.1 | 9.6 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 28 | 2493 | 4329 |
| Rate (per 100,000) | 29.6 | 135.2 | 83.4 |
| % of total ambulance runs | 0.3 | 0.8 | 0.6 |
| Naloxone doses administered | 37 | 2418 | 4527 |


*The most recent month available

Figure 1. Walworth County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Walworth County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (12/2025)

Washington County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 2 | 177 | 307 |
| December Rate per 100,000 | 1.6 | 9.6 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 41 | 2493 | 4329 |
| Rate (per 100,000) | 33.6 | 135.2 | 83.4 |
| % of total ambulance runs | 0.3 | 0.8 | 0.6 |
| Naloxone doses administered | 67 | 2418 | 4527 |


*The most recent month available

Figure 1. Washington County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Washington County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (12/2025)

Waukesha County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 11 | 177 | 307 |
| December Rate per 100,000 | 3.0 | 9.6 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 134 | 2493 | 4329 |
| Rate (per 100,000) | 36.8 | 135.2 | 83.4 |
| % of total ambulance runs | 0.3 | 0.8 | 0.6 |
| Naloxone doses administered | 150 | 2418 | 4527 |


*The most recent month available

Figure 1. Waukesha County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Waukesha County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (12/2025)