

Wisconsin Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE	
State	
MONTH*	
March	365
March Rate per 100,000	7.0
YEAR TO DATE (YTD)	
Count	963
Rate (per 100,000)	18.6
% of total ambulance runs	0.6
Naloxone doses administered	957


*The most recent month available

Figure 1. Wisconsin Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Wisconsin Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Southeastern Region Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE		
	Region	State
MONTH*		
March	201	365
March Rate per 100,000	10.9	7.0
YEAR TO DATE (YTD)		
Count	515	963
Rate (per 100,000)	27.9	18.6
% of total ambulance runs	0.7	0.6
Naloxone doses administered	489	957


*The most recent month available

Figure 1. Southeastern Region Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Southeastern Region Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Jefferson County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	1	201	365
March Rate per 100,000	1.3	10.9	7.0
YEAR TO DATE (YTD)			
Count	6	515	963
Rate (per 100,000)	7.8	27.9	18.6
% of total ambulance runs	0.4	0.7	0.6
Naloxone doses administered	8	489	957


*The most recent month available

Figure 1. Jefferson County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Jefferson County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Kenosha County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	8	201	365
March Rate per 100,000	5.4	10.9	7.0
YEAR TO DATE (YTD)			
Count	25	515	963
Rate (per 100,000)	17.0	27.9	18.6
% of total ambulance runs	0.5	0.7	0.6
Naloxone doses administered	23	489	957


*The most recent month available

Figure 1. Kenosha County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Kenosha County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Milwaukee County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	164	201	365
March Rate per 100,000	20.8	10.9	7.0
YEAR TO DATE (YTD)			
Count	415	515	963
Rate (per 100,000)	52.7	27.9	18.6
% of total ambulance runs	0.9	0.7	0.6
Naloxone doses administered	365	489	957


*The most recent month available

Figure 1. Milwaukee County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Milwaukee County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Ozaukee County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	0	201	365
March Rate per 100,000	0.0	10.9	7.0
YEAR TO DATE (YTD)			
Count	2	515	963
Rate (per 100,000)	2.4	27.9	18.6
% of total ambulance runs	0.1	0.7	0.6
Naloxone doses administered	2	489	957


*The most recent month available

Figure 1. Ozaukee County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Ozaukee County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Racine County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	7	201	365
March Rate per 100,000	4.1	10.9	7.0
YEAR TO DATE (YTD)			
Count	23	515	963
Rate (per 100,000)	13.4	27.9	18.6
% of total ambulance runs	0.4	0.7	0.6
Naloxone doses administered	44	489	957


*The most recent month available

Figure 1. Racine County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Racine County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Walworth County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	2	201	365
March Rate per 100,000	2.1	10.9	7.0
YEAR TO DATE (YTD)			
Count	6	515	963
Rate (per 100,000)	6.3	27.9	18.6
% of total ambulance runs	0.3	0.7	0.6
Naloxone doses administered	4	489	957


*The most recent month available

Figure 1. Walworth County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Walworth County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Washington County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	6	201	365
March Rate per 100,000	4.9	10.9	7.0
YEAR TO DATE (YTD)			
Count	10	515	963
Rate (per 100,000)	8.2	27.9	18.6
% of total ambulance runs	0.3	0.7	0.6
Naloxone doses administered	12	489	957


*The most recent month available

Figure 1. Washington County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Washington County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Waukesha County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
March	13	201	365
March Rate per 100,000	3.6	10.9	7.0
YEAR TO DATE (YTD)			
Count	28	515	963
Rate (per 100,000)	7.7	27.9	18.6
% of total ambulance runs	0.3	0.7	0.6
Naloxone doses administered	31	489	957


*The most recent month available

Figure 1. Waukesha County Suspected Opioid Overdose by Age and Gender, March 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Waukesha County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.