

Wisconsin Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | |
|--|------|
| State | |
| MONTH* | |
| December | 307 |
| December Rate per 100,000 | 5.9 |
| YEAR TO DATE (YTD) | |
| Count | 4329 |
| Rate (per 100,000) | 83.4 |
| % of total ambulance runs | 0.6 |
| Naloxone doses administered | 4527 |


*The most recent month available

Figure 1. Wisconsin Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Wisconsin Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Southern Region Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | |
|--|--------|-------|
| | Region | State |
| MONTH* | | |
| December | 50 | 307 |
| December Rate per 100,000 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | |
| Count | 650 | 4329 |
| Rate (per 100,000) | 61.7 | 83.4 |
| % of total ambulance runs | 0.6 | 0.6 |
| Naloxone doses administered | 800 | 4527 |


*The most recent month available

Figure 1. Southern Region Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Southern Region Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Adams County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 0 | 50 | 307 |
| December Rate per 100,000 | 0.0 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 7 | 650 | 4329 |
| Rate (per 100,000) | 35.2 | 61.7 | 83.4 |
| % of total ambulance runs | 0.4 | 0.6 | 0.6 |
| Naloxone doses administered | 14 | 800 | 4527 |


*The most recent month available

Figure 1. Adams County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Adams County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Columbia County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 3 | 50 | 307 |
| December Rate per 100,000 | 5.8 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 25 | 650 | 4329 |
| Rate (per 100,000) | 48.7 | 61.7 | 83.4 |
| % of total ambulance runs | 0.4 | 0.6 | 0.6 |
| Naloxone doses administered | 25 | 800 | 4527 |


*The most recent month available

Figure 1. Columbia County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Columbia County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Crawford County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 1 | 50 | 307 |
| December Rate per 100,000 | 7.1 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 10 | 650 | 4329 |
| Rate (per 100,000) | 70.5 | 61.7 | 83.4 |
| % of total ambulance runs | 0.6 | 0.6 | 0.6 |
| Naloxone doses administered | 5 | 800 | 4527 |


*The most recent month available

Figure 1. Crawford County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Crawford County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Dane County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 17 | 50 | 307 |
| December Rate per 100,000 | 3.3 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 334 | 650 | 4329 |
| Rate (per 100,000) | 65.5 | 61.7 | 83.4 |
| % of total ambulance runs | 0.7 | 0.6 | 0.6 |
| Naloxone doses administered | 450 | 800 | 4527 |


*The most recent month available

Figure 1. Dane County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Dane County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Dodge County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 9 | 50 | 307 |
| December Rate per 100,000 | 11.4 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 70 | 650 | 4329 |
| Rate (per 100,000) | 88.7 | 61.7 | 83.4 |
| % of total ambulance runs | 0.9 | 0.6 | 0.6 |
| Naloxone doses administered | 96 | 800 | 4527 |


*The most recent month available

Figure 1. Dodge County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Dodge County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Grant County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 3 | 50 | 307 |
| December Rate per 100,000 | 6.7 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 17 | 650 | 4329 |
| Rate (per 100,000) | 37.8 | 61.7 | 83.4 |
| % of total ambulance runs | 0.4 | 0.6 | 0.6 |
| Naloxone doses administered | 12 | 800 | 4527 |


*The most recent month available

Figure 1. Grant County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Grant County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Green County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 0 | 50 | 307 |
| December Rate per 100,000 | 0.0 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 7 | 650 | 4329 |
| Rate (per 100,000) | 21.5 | 61.7 | 83.4 |
| % of total ambulance runs | 0.3 | 0.6 | 0.6 |
| Naloxone doses administered | 7 | 800 | 4527 |


*The most recent month available

Figure 1. Green County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Green County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Iowa County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 2 | 50 | 307 |
| December Rate per 100,000 | 9.5 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 11 | 650 | 4329 |
| Rate (per 100,000) | 52.2 | 61.7 | 83.4 |
| % of total ambulance runs | 0.5 | 0.6 | 0.6 |
| Naloxone doses administered | 7 | 800 | 4527 |


*The most recent month available

Figure 1. Iowa County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Iowa County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Juneau County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 3 | 50 | 307 |
| December Rate per 100,000 | 12.6 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 30 | 650 | 4329 |
| Rate (per 100,000) | 126.4 | 61.7 | 83.4 |
| % of total ambulance runs | 1.1 | 0.6 | 0.6 |
| Naloxone doses administered | 22 | 800 | 4527 |


*The most recent month available

Figure 1. Juneau County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Juneau County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Lafayette County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 0 | 50 | 307 |
| December Rate per 100,000 | 0.0 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 6 | 650 | 4329 |
| Rate (per 100,000) | 41.7 | 61.7 | 83.4 |
| % of total ambulance runs | 0.6 | 0.6 | 0.6 |
| Naloxone doses administered | 10 | 800 | 4527 |


*The most recent month available

Figure 1. Lafayette County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Lafayette County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Richland County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 1 | 50 | 307 |
| December Rate per 100,000 | 6.6 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 7 | 650 | 4329 |
| Rate (per 100,000) | 46.1 | 61.7 | 83.4 |
| % of total ambulance runs | 0.5 | 0.6 | 0.6 |
| Naloxone doses administered | 5 | 800 | 4527 |


*The most recent month available

Figure 1. Richland County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Richland County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Rock County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 8 | 50 | 307 |
| December Rate per 100,000 | 5.6 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 89 | 650 | 4329 |
| Rate (per 100,000) | 62.1 | 61.7 | 83.4 |
| % of total ambulance runs | 0.5 | 0.6 | 0.6 |
| Naloxone doses administered | 109 | 800 | 4527 |


*The most recent month available

Figure 1. Rock County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Rock County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Sauk County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 3 | 50 | 307 |
| December Rate per 100,000 | 5.2 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 29 | 650 | 4329 |
| Rate (per 100,000) | 50.4 | 61.7 | 83.4 |
| % of total ambulance runs | 0.4 | 0.6 | 0.6 |
| Naloxone doses administered | 33 | 800 | 4527 |


*The most recent month available

Figure 1. Sauk County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Sauk County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Vernon County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

| OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE | | | |
|--|--------|--------|-------|
| | County | Region | State |
| MONTH* | | | |
| December | 0 | 50 | 307 |
| December Rate per 100,000 | 0.0 | 4.7 | 5.9 |
| YEAR TO DATE (YTD) | | | |
| Count | 8 | 650 | 4329 |
| Rate (per 100,000) | 30.3 | 61.7 | 83.4 |
| % of total ambulance runs | 0.3 | 0.6 | 0.6 |
| Naloxone doses administered | 5 | 800 | 4527 |


*The most recent month available

Figure 1. Vernon County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Vernon County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.