

Wisconsin Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE	
State	
MONTH*	
December	307
December Rate per 100,000	5.9
YEAR TO DATE (YTD)	
Count	4329
Rate (per 100,000)	83.4
% of total ambulance runs	0.6
Naloxone doses administered	4527


*The most recent month available

Figure 1. Wisconsin Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Wisconsin Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



**WISCONSIN DEPARTMENT
of HEALTH SERVICES**

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Western Region Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE		
	Region	State
MONTH*		
December	26	307
December Rate per 100,000	3.6	5.9
YEAR TO DATE (YTD)		
Count	407	4329
Rate (per 100,000)	56.5	83.4
% of total ambulance runs	0.5	0.6
Naloxone doses administered	415	4527


*The most recent month available

Figure 1. Western Region Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Western Region Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Barron County Suspected Opioid Overdose Report

January 09, 2026

Wisconsin Department of Health Services, Division of Public Health

Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	1	26	307
December Rate per 100,000	2.4	3.6	5.9
YEAR TO DATE (YTD)			
Count	12	407	4329
Rate (per 100,000)	29.1	56.5	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	21	415	4527

*The most recent month available


Figure 1. Barron County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services

Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Barron County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids

For additional data requests, email: dhshealthstats@wisconsin.gov

P02339E (12/2025)

Buffalo County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care


January 09, 2026

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	26	307
December Rate per 100,000	0.0	3.6	5.9
YEAR TO DATE (YTD)			
Count	1	407	4329
Rate (per 100,000)	8.4	56.5	83.4
% of total ambulance runs	0.1	0.5	0.6
Naloxone doses administered	2	415	4527


*The most recent month available

Figure 1. Buffalo County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Buffalo County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Burnett County Suspected Opioid Overdose Report

January 09, 2026

Wisconsin Department of Health Services, Division of Public Health


Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	26	307
December Rate per 100,000	0.0	3.6	5.9
YEAR TO DATE (YTD)			
Count	5	407	4329
Rate (per 100,000)	31.9	56.5	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	4	415	4527


*The most recent month available

Figure 1. Burnett County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Burnett County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Chippewa County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health

Office of Health Informatics and Office of Preparedness and Emergency Health Care

January 09, 2026


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	3	26	307
December Rate per 100,000	5.1	3.6	5.9
YEAR TO DATE (YTD)			
Count	28	407	4329
Rate (per 100,000)	47.4	56.5	83.4
% of total ambulance runs	0.4	0.5	0.6
Naloxone doses administered	48	415	4527

*The most recent month available


Figure 1. Chippewa County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services

Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Chippewa County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services

Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids

For additional data requests, email: dhshealthstats@wisconsin.gov

P02339E (12/2025)

Clark County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	26	307
December Rate per 100,000	0.0	3.6	5.9
YEAR TO DATE (YTD)			
Count	15	407	4329
Rate (per 100,000)	52.4	56.5	83.4
% of total ambulance runs	0.6	0.5	0.6
Naloxone doses administered	7	415	4527


*The most recent month available

Figure 1. Clark County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Clark County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Douglas County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	7	26	307
December Rate per 100,000	17.7	3.6	5.9
YEAR TO DATE (YTD)			
Count	21	407	4329
Rate (per 100,000)	53.1	56.5	83.4
% of total ambulance runs	0.5	0.5	0.6
Naloxone doses administered	21	415	4527


*The most recent month available

Figure 1. Douglas County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Douglas County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Dunn County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	26	307
December Rate per 100,000	0.0	3.6	5.9
YEAR TO DATE (YTD)			
Count	11	407	4329
Rate (per 100,000)	27.0	56.5	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	23	415	4527


*The most recent month available

Figure 1. Dunn County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Dunn County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Eau Claire County Suspected Opioid Overdose Report

January 09, 2026

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	5	26	307
December Rate per 100,000	5.2	3.6	5.9
YEAR TO DATE (YTD)			
Count	54	407	4329
Rate (per 100,000)	56.6	56.5	83.4
% of total ambulance runs	0.5	0.5	0.6
Naloxone doses administered	38	415	4527


*The most recent month available

Figure 1. Eau Claire County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Eau Claire County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Jackson County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	26	307
December Rate per 100,000	0.0	3.6	5.9
YEAR TO DATE (YTD)			
Count	23	407	4329
Rate (per 100,000)	125.9	56.5	83.4
% of total ambulance runs	1.1	0.5	0.6
Naloxone doses administered	25	415	4527


*The most recent month available

Figure 1. Jackson County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Jackson County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

La Crosse County Suspected Opioid Overdose Report

January 09, 2026

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	6	26	307
December Rate per 100,000	5.6	3.6	5.9
YEAR TO DATE (YTD)			
Count	163	407	4329
Rate (per 100,000)	151.8	56.5	83.4
% of total ambulance runs	0.9	0.5	0.6
Naloxone doses administered	160	415	4527


*The most recent month available

Figure 1. La Crosse County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. La Crosse County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Monroe County Suspected Opioid Overdose Report

January 09, 2026

Wisconsin Department of Health Services, Division of Public Health

Office of Health Informatics and Office of Preparedness and Emergency Health Care


The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.

These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	1	26	307
December Rate per 100,000	2.5	3.6	5.9
YEAR TO DATE (YTD)			
Count	15	407	4329
Rate (per 100,000)	38.1	56.5	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	28	415	4527

*The most recent month available


Figure 1. Monroe County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services

Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Monroe County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services

Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids

For additional data requests, email: dhshealthstats@wisconsin.gov

P02339E (12/2025)

Pepin County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	26	307
December Rate per 100,000	0.0	3.6	5.9
YEAR TO DATE (YTD)			
Count	1	407	4329
Rate (per 100,000)	15.4	56.5	83.4
% of total ambulance runs	0.2	0.5	0.6
Naloxone doses administered	1	415	4527


*The most recent month available

Figure 1. Pepin County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Pepin County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Pierce County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	26	307
December Rate per 100,000	0.0	3.6	5.9
YEAR TO DATE (YTD)			
Count	14	407	4329
Rate (per 100,000)	36.7	56.5	83.4
% of total ambulance runs	0.5	0.5	0.6
Naloxone doses administered	5	415	4527


*The most recent month available

Figure 1. Pierce County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Pierce County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Polk County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	26	307
December Rate per 100,000	0.0	3.6	5.9
YEAR TO DATE (YTD)			
Count	14	407	4329
Rate (per 100,000)	34.3	56.5	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	13	415	4527


*The most recent month available

Figure 1. Polk County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Polk County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Rusk County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	1	26	307
December Rate per 100,000	8.0	3.6	5.9
YEAR TO DATE (YTD)			
Count	3	407	4329
Rate (per 100,000)	23.9	56.5	83.4
% of total ambulance runs	0.2	0.5	0.6
Naloxone doses administered	3	415	4527


*The most recent month available

Figure 1. Rusk County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Rusk County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

St Croix County Suspected Opioid Overdose Report

January 09, 2026

Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	1	26	307
December Rate per 100,000	1.2	3.6	5.9
YEAR TO DATE (YTD)			
Count	10	407	4329
Rate (per 100,000)	11.9	56.5	83.4
% of total ambulance runs	0.3	0.5	0.6
Naloxone doses administered	0	415	4527


*The most recent month available

Figure 1. St Croix County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. St Croix County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Trempealeau County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	1	26	307
December Rate per 100,000	3.9	3.6	5.9
YEAR TO DATE (YTD)			
Count	11	407	4329
Rate (per 100,000)	42.5	56.5	83.4
% of total ambulance runs	0.4	0.5	0.6
Naloxone doses administered	10	415	4527


*The most recent month available

Figure 1. Trempealeau County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Trempealeau County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)

Washburn County Suspected Opioid Overdose Report

January 09, 2026


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
December	0	26	307
December Rate per 100,000	0.0	3.6	5.9
YEAR TO DATE (YTD)			
Count	6	407	4329
Rate (per 100,000)	39.3	56.5	83.4
% of total ambulance runs	0.4	0.5	0.6
Naloxone doses administered	6	415	4527


*The most recent month available

Figure 1. Washburn County Suspected Opioid Overdose by Age and Gender, December 2025



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Washburn County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



WISCONSIN DEPARTMENT
of HEALTH SERVICES

For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339E (12/2025)