











RESPIRATORY VIRUS SURVEILLANCE REPORT

Week 46, Ending November 19, 2022

Wisconsin Department of Health Services | Division of Public Health

Bureau of Communicable Diseases | Communicable Diseases Epidemiology Section

www.dhs.wisconsin.gov/dph/bcd.htm | dhsdphbcd@dhs.wi.gov



INFLUENZA-LIKE ILLNESS (ILI) ACTIVITY









UNITED STATES



ILI: HIGH LEVELS ILI: MODERATE LEVELS ILI: BELOW BASELINE

ILI: INSUFFICIENT DATA

AT-A-GLANCE:

Predominant Viruses of the Week:

Respiratory Syncytial Virus (RSV) continues to be the predominant virus this week.

Current Alerts:

- Influenza A activity is increasing in Wisconsin. The laboratory percent positive increased from 7% to 14 % this week.
- In addition to RSV and flu rhinovirus/enterovirus activity remains high.
- Additional data on SARS-CoV-2 (the virus causing COVID-19) trends in Wisconsin can be found at: https://www.dhs.wisconsin.gov/covid-19/data.htm

INFLUENZA-ASSOCIATED PEDIATRIC DEATHS REPORTED:

	Week 46, 2022	October 1, 2021 to present			
Wisconsin	0	0			
Nationwide	5	12			


For National US influenza surveillance statistics visit: www.cdc.gov/flu/weekly/



INFLUENZA AND PNEUMONIA-ASSOCIATED MORTALITY

Influenza and Pneumonia Deaths, Wisconsin

Influenza- and pneumonia-associated deaths by influenza season year and week, Wisconsin



Influenza- and pneumonia-associated deaths by most recent 3 week period.


Influenza season week	Influenza- associated deaths (I)	Pneumonia- associated deaths (P)	Percent I+P of all deaths	Baseline I+P of all deaths	Threshold I+P of all deaths
44	0	46	4.1%	4.6%	6.0%
45	0	64	6.0%	4.7%	6.1%
46 Preliminary Data	0	43	5.5%	4.8%	6.2%

Data source: <u>DPH, Office of Health Informatics</u>



WISCONSIN LABORATORY SURVEILLANCE FOR RESPIRATORY VIRUSES BY PCR


Wisconsin positive influenza results and subtypes by PCR



Cumulative number of positive influenza PCR tests by subtype October 1, 2022 to present

	A (2009 H1N1)	Influenza A: A (H3N2)	97% A (Unknown)	B (Victoria)	Influenza B: B (Yamagata)	3% B (Unknown)	Total
Total positive (n)	101	212	4,459	1	0	141	4,914
% of total positive	2%	4%	91%	0%	0%	3%	100%

WISCONSIN LABORATORY SURVEILLANCE FOR RESPIRATORY VIRUSES




Week 46, Ending on November 19, 2022

		Positive	Positive		Influenza B							
Respiratory virus	Tested	(n)	(%)	H3N2	2009 H1N1	Unl	known	Victo	ria	Yamaga	ıta	Unknown
Influenza	16497	2364	14.3%	74 20 2235		0		0		35		
Respiratory virus	Tested	Positive (n)	Positiv	Parainfluenza 1 Parainfluenza 2		2 Pa	arainf	rainfluenza 3 Pa		ainfluenza 4		
Parainfluenza	1226	92	7.5%	,	49 9			2		32		
Respiratory virus Tes		Tested	Positive (Positive (%)	Positive (%)		29E CoV OC43		CoV NL63			CoV HKU1
Coronavirus (se	asonal)	asonal) 120 0 0% 0 0		0		0		0				
Respiratory virus			Tested			Positive (n)				Positive (%)		
RSV			11304			2571				22.7%		
Human metapneumovirus		rus	1162			6			0.5%			
Rhino-enterovirus			1164			223			19.29		%	
Adenovirus			120			5				4.2%		

WISCONSIN STATE SUMMARY


ILI activity trend analysis by influenza season, Wisconsin



Influenza-associated hospitalizations, Wisconsin Electronic Disease Surveillance System October 1, 2022 to present (Hospitalization data will be updated at a later date)

Ago group	Total		Ir	ıfluenza subty	уре		Admitted	Required	Pregnant	Postpartum (≤6 weeks)
Age group (years)	reported (n)	A (2009 H1N1)	A (H3N2)	A (Unknown)	В	Not reported	to ICU	mechanical ventilation		
<1	0	0	0	0	0	0	0	0		
1-4	0	0	0	0	0	0	0	0		
5-17	0	0	0	0	0	0	0	0		
18-49	0	0	0	0	0	0	0	0	0	0
50-64	0	0	0	0	0	0	0	0		
65+	0	0	0	0	0	0	0	0		
Total	0	0	0	0	0	0	0	0	0	0

Reported cumulative influenza-associated hospitalizations by influenza season, Wisconsin




The 2020–2021 influenza season was unusually low due much in part to the ongoing COVID-19 pandemic. As such, numbers for that season are substantially different than previous seasons and should be considered an anomaly.




*

ILI ACTIVITY TREND ANALYSIS


Wisconsin



Northeastern Region




Northern Region




ILI ACTIVITY TREND ANALYSIS (CONTINUED)

Southeastern Region




Southern Region





Western Region





SEASONAL INFLUENZA VACCINATION

Influenza vaccine composition 2022-2023:

Egg-based vaccines are recommended to contain:

- an A/Victoria/2570/2019 (H1N1) pdm09-like virus;
- an A/Darwin/9/2021 (H3N2)-like virus (updated);
- a B/Austria/1359417/2021-like virus (B/Victoria lineage (updated);
- a B/Phuket/3073/2013-like virus (B/Yamagata lineage).

Cell- or recombinant-based vaccines are recommended to contain:

- an A/Wisconsin/588/2019 (H1N1) pdm09-like virus;
- an A/Darwin/6/2021 (H3N2)-like virus (updated);
- a B/Austria/1359417/2021-like virus (B/Victoria lineage) (updated);
- a B/Phuket/3073/2013-like virus (B/Yamagata lineage).

Seasonal flu vaccination data for Wisconsin based on information from the Wisconsin Immunization Registry (WIR) are available on the DHS Influenza Vaccine Data Dashboard webpage.

These data are updated on a weekly basis during the influenza season.