	POPULATION	N ESTIMATI	ES	LOI	NG-TERM CARE	<u> </u>	LOCAL HEA	LTH DEPARTM	ENTS
Total 20	05 Populat:	ion	34 362	   Community Opt:	ions and MA	Waiver			Per 10,000
İ	•		•	as HSRS repor	ts costs for	services	Staffing - FTE	Number	Ponulátion i
Populat	ion per squ	uare mile	28				Total staff Administrative Public health nurs Other prof. staff Technical/Parapro Support staff	6.0	1.7
County	ranking ir	n state (	1-72) 55	COP MA Waiver *	Clients	Costs	Administrative		.
				COP	10	\$163,748	Public health nur	ses 3.0	0.9
Age	Female		Total	MA_Waiver *	4-	40.45 050	Other prof. staff	2.0	0.6
0-14	3,866	3,962	7,828	CIPIA	15	\$945,050	lechnical/Parapro	τ	•
15-19 20-24	1,354	1,449	2,803 2,309	CIPIB	117	\$3,640,221	Support Staff	1.0	0.3
25-29	1,121 850	1,100	2,309 1,844	COP-W	17 62	\$300,330 \$053 027			
30-34	1,354 1,121 859 973	959	1,932	MA Walver * CIP1A CIP1B CIP2 COP-W CLTS Brain Injury Total COP/Wvr	11	\$119.562	Funding Total Local Taxes	\$576, 188	\$16.77
35-39	1,001	1.071	2,072	Brain Injury	0	\$0	Local Taxes	\$427.976	\$12.45
40-44	1,218	1,071 1,273	2,491	Total COP/Wvr	s 232	\$6,122,859		, ,	*
45-54	2,299	2,468	4,707				LICENSED	ESTABLISHME	NTS
55-64	1,591	1,553	3,144	\$308,668 o	f_the_above <sub>.</sub>	waiver costs			
65-74	1,251 1,057	1,130	2,381	were paid as	local_match	n/overmatch	Type	Capacity	Facilities
75-84	1,057	1,130 785 327	1,842	using COP fu	nds. Ihis a	amount is	Bed & Breakfast	12	3
85+ Total	622	327 17 150	949	not included	in above Co	OP COSTS.	Camps	811	15
TOTAL	17,212	17,150	34,362	   * Waiver cos <sup>.</sup>	te ranortad	horo	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	270	10
Age	Female	Male	Total	include fed			Pools	U	6
0-17	4.645		9,486	Inordae read	•		Restaurants		156
18-44	4,645 5,747	6,046	11.793		Clients	Costs	Vending		2
45-64	3,890 2,930	4,021	7,911 5,172	Eligible and Waiting					
65+	2,930	2,242	5,172	Waiting	51	n/a			
Total	17,212	17,150	34,362						
Davis netv.		F 0000		(Family Care i	not provided	d in county)	WIC PA	RTICIPANTS	
Poverty	Estimates 1	for 2000	(C.I.+/-)						Number
Δ11 an	188 2	1 262	161	   Note: Eligibl	e and waitin	na clients	   Pregnant/Postpart	ım	
All ag	-	12.7%	(4%)	will be phase	sed into the	COP and MA	Infants	uiii	388
Ages 0	)-17 ·	1.868	86	Waivers as			Children, age 1-4		479
1.911		18.6%	161 ( 4%) 86 ( 5%)				Total		1,225
				<b>.</b>			CANCER IN	CIDENCE (20	04)
Average w	age for job	os covere	d ************************************	Home Health A Patients	gencies	1	Primary Site		00
(place of	oyment comp	bensation	\$26,973	Patients	10 000 202	324	Breast		29
(prace or	work)		Annual	Patients per	10,000 pop.	. 94	Cervical Colorectal		0 17
labor For	ce Estimate	26	Alliuai	   Nursing Homes		4	Lung and Bronchus		25
İ			-	Nursing Homes Licensed bed	s	439	Dnaatata		20
Civilian	Labor Ford	ce	17,743	Occupancy ra	te	90.7%	Other sites		89
Number	employed		16,̈757	Occupancy ra Residents on	Dec.31	402	Other sites Total		190
Number	unemployed	b	17,743 16,757 986 5.6%	Residents ag	e 65 or olde	er			
Unemp	oloyment rat	te	5.6%	Residents on Residents ago per 1,000 po	opulation	73	Note: Totals shown		
1							invasive can	cers only.	l

				NATA	LITY					
TOTAL LIVE BIRTHS		581	Birth Or		Births	Percent	Marital	Status		
			First		163	28	of Moth		Births	Percent
Crude Live Birth Rate	1	16.9	Second		166	29	Marrie		478	82
General Fertility Rat		89.0	Third		91	16		rried	103	18
deficial ferentially flat	.0	03.0		or higher	161	28	Unknow		0	0
Live binthe with none	ntod		Unknow		0	0	OHKHOW	11	U	U
Live births with repo congenital anomalies	nrteu	0 1 50.	Ulikilow	11	U	U	_daa±÷			
congenital anomalies		9 1.5%					Educati		Diatha	Damasant
	<b>-</b>						of Moth		Births	Percent
Delivery Type	Births	Percent		atal Visit		Percent		tary or les		35
Vaginal after				imester	343	59	Some h	igh school	38	7
previous cesarean	15	3	2nd tr	imester imester	174	30	High s	chool	170	29
Forcens	1	< .5	3rd tr	imester	53	9	Some c	cňool ollege	112	19
Other vaginal	455	78	No vis	its	8	1	Colleg	e graduate	55	9
Other vaginal Primary cesarean	59	10	Unknow	n	8	1	Unknow	n Õ		
Repeat cesarean	51	9								
		-	Prenatal	Visits	Births	Percent	Smokina	Status		
Birthweight	Births	Percent	No vis		8	1	of Moth		Births	Percent
<1 500 gm	5	0.9	1-4	100	79	14	Smoker		75	13
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	24	4.1	5-9		198	34	Nonemo	ker	506	87
2 500+ cm	552	95.0	10-12		179	31	Unknow	n	0	0
Linknown	552	95.0	13+		114	20	OHKHOW	11	U	U
Ulikilowii	U	U								
			Unknow	N	3	1				
			Low Birth	waiaht		Trimast	ar of Fir	st Prenatal	Vieit	
			FOM DTI CII	weight		II TIIIC S C	CI OI I II			
			(under 2	500 am)	1c+ Tr	imactar	2nd Tr	imactar	Other/	Hnknown
Page/Ethnigity	Dinthe E	)oncont	(under 2,	500 gm)	1st Tr	imester	2nd Tr	imester		Unknown
Race/Ethnicity	Births F	ercent	Births P	ercent	Births	Percent	Births	Percent	Births <sup>°</sup>	Percent
Race/Ethnicity White	Births F 546	Percent 94	Births P 26	ercent 4.8	Births 318	Percent 58	Births 165	Percent 30	Births 63	
Race/Ethnicity White Black/Afr.American	Births F 546 1	Percent 94 <.5	Births P 26 *	ercent	Births 318 *	Percent 58	Births 165 *	Percent	Births <sup>°</sup>	Percent
Race/Ethnicity White Black/Afr.American American Indian	Births F 546 1 4	Percent 94 <.5 1	Births P 26 * *	ercent 4.8	Births 318 * *	Percent 58	Births 165 *	Percent 30	Births 63	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino	Births F 546 1 4 27	Percent 94 <.5 1 5	Births P 26 * *	ercent 4.8	Births 318 * *	Percent 58	Births 165 *	Percent 30	Births 63	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong	Births F 546 1 4 27 0	Percent 94 <.5 1 5	Births P 26 * * 2	ercent 4.8	Births 318 * * 22	Percent 58	Births 165 * * 5	Percent 30	Births 63	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	Births F 546 1 4 27 0 3	Percent 94 <.5 1 5 0	Births P 26 * *	ercent 4.8	Births 318 * *	Percent 58	Births 165 *	Percent 30	Births 63	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	Births F 546 1 4 27 0 3	Percent 94 <.5 1 5 0	Births P 26 * 2	ercent 4.8 7.4	Births 318 * * 22	Percent 58	Births 165 * * 5	Percent 30 19	Births 63 * * * * * * * * * * * * * * * * * *	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	546 1 4 27 0 3	94 <.5 1 5 0 1	Births P 26  * 2  .	ercent 4.8 . 7.4 .	Births 318 * * 22	Percent 58 . 81 .	Births 165 * * 5	Percent 30 19 st Prenatal	Births 63 * * *	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	546 1 4 27 0 3	94 <.5 1 5 0 1	Births P 26  * 2 Low Birth (under 2,	ercent	8irths 318 * 22 *	Percent 58 . 81 . Trimest	Births 165  * 5  er of Fir 2nd Tr	Percent 30 19 . st Prenatal	Births 63 * * * Visit Other/	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother	546 1 4 27 0 3 Fe Births	94 <.5 1 5 0 1 	Births P 26  * 2  .	ercent	8irths 318 * 22 *	Percent 58 . 81 .	Births 165  * 5  er of Fir 2nd Tr	Percent 30 19 . st Prenatal	Births 63 * * * Visit Other/	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15	546 1 4 27 0 3  Fe Births 0	94 <.5 1 5 0 1  ertility Rate	Births P 26  * 2 Low Birth (under 2,	ercent	Births 318  * 22	Percent 58 . 81 . Trimest imester Percent	Births 165  * 5  er of Fir 2nd Tr Births	Percent 30 . 19 . st Prenatal imester Percent	Births 63 * * * Visit Other/ Births	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17	546 1 4 27 0 3  Fe Births 0 6	94 <.5 1 5 0 1  ertility Rate  8	Births P 26  * 2 Low Birth (under 2,	ercent	Births 318  * 22	Percent 58 81 Trimest imester Percent 67	Births 165  * 5  er of Fir 2nd Tr Births	Percent 30 19 st Prenatal imester Percent 17	Births 63 * * * * Visit Other/ Births	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19	546 1 4 27 0 3  Fe Births 0	94 <.5 1 5 0 1  ertility Rate  8 56	Births P 26  * 2 Low Birth (under 2, Births P	ercent	Births 318  * 22	Percent 58 . 81 . Trimest imester Percent	Births 165  * * 5 er of Fir 2nd Tr Births 1	Percent 30 19 st Prenatal imester Percent 17 34	Births 63 * * * Visit Other/ Births	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	546 1 4 27 0 3  Fe Births 0 6 32 167	94 <.5 1 5 0 1 	Births P 26 * 2 Low Birth (under 2, Births P	ercent 4.8 . 7.4 weight 500 gm) ercent 7.2	8irths 318 * 22 .*  1st Tr Births 4 19 100	Percent 58 . 81 . Trimest imester Percent . 67 59 60	Births 165  * * 5 er of Fir 2nd Tr Births 1 11 52	Percent 30 19 st Prenatal imester Percent 17 34 31	Births 63  *  *  Visit Other/ Births 1 2 15	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19	546 1 4 27 0 3  Fe Births 0 6 32	94 <.5 1 5 0 1  ertility Rate  8 56	Births P 26  * 2 Low Birth (under 2, Births P 12 6	ercent	Births 318  * 22	Percent 58 81 Trimest imester Percent 67 59	Births 165  * * 5 er of Fir 2nd Tr Births 1	Percent 30 19 st Prenatal imester Percent 17 34	Births 63 * * * Visit Other/ Births	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	546 1 4 27 0 3  Fe Births 0 6 32 167 174	94 <.5 1 5 0 1 	Births P 26  * 2 Low Birth (under 2, Births P 12 6	ercent 4.8 . 7.4 weight 500 gm) ercent 7.2 3.4	8irths 318 * 22 .*  1st Tr Births 4 19 100 118	Percent 58 . 81 . Trimest imester Percent . 67 59 60 68	Births 165 * * 5 er of Fir 2nd Tr Births 1 11 52 46	Percent 30 19 st Prenatal imester Percent 17 34 31	Births 63  *  *  Visit Other/ Births 1 2 15	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	546 1 4 27 0 3  Fe Births 0 6 32 167 174 114	94 <.5 1 5 0 1 	Births P 26  * 2 Low Birth (under 2, Births P 12 6 3	ercent 4.8 . 7.4 weight 500 gm) ercent 7.2 3.4 2.6	8irths 318 * 22 .*  1st Tr Births 4 19 100 118 65	Percent	Births 165 * * 5 er of Fir 2nd Tr Births 1 11 52 46 33	Percent 30 st Prenatal imester Percent	Births 63 * * * Visit Other/ Births 1 2 15 10 16	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	546 1 4 27 0 3  Fe Births 0 6 32 167 174 114 60	94 <.5 1 5 0 1 	Births P 26  * 2  Low Birth (under 2, Births P 12 6 3 5	ercent 4.8 . 7.4 weight 500 gm) ercent 7.2 3.4 2.6 8.3	Births 318 * * 22 .*  1st Tr Births 4 19 100 118 65 27	Percent	Births 165 * * 5 er of Fir 2nd Tr Births 1 11 52 46 33 20	Percent 30 st Prenatal imester Percent	Births 63 * * * Visit Other/ Births 1 2 15 10 16 13	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	546 1 4 27 0 3 3  Fe Births 0 6 32 167 174 114 60 28	94 <.5 1 5 0 1 Prtility Rate 8 56 149 203 117 60 23	Births P 26  * 2 Low Birth (under 2, Births P 12 6 3	ercent 4.8 . 7.4 weight 500 gm) ercent 7.2 3.4 2.6	8irths 318 * 22 .*  1st Tr Births 4 19 100 118 65	Percent	Births 165 * * 5 er of Fir 2nd Tr Births 1 11 52 46 33	Percent 30 st Prenatal imester Percent	Births 63 * * * Visit Other/ Births 1 2 15 10 16	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	546 1 4 27 0 3  Fe Births 0 6 32 167 174 114 60	94 <.5 1 5 0 1 	Births P 26  * 2  Low Birth (under 2, Births P 12 6 3 5	ercent 4.8 . 7.4 weight 500 gm) ercent 7.2 3.4 2.6 8.3	Births 318 * * 22 .*  1st Tr Births 4 19 100 118 65 27	Percent	Births 165 * * 5 er of Fir 2nd Tr Births 1 11 52 46 33 20	Percent 30 st Prenatal imester Percent	Births 63 * * * Visit Other/ Births 1 2 15 10 16 13	Percent 12
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	546 1 4 27 0 3 3  Fe Births 0 6 32 167 174 114 60 28	94 <.5 1 5 0 1 Prtility Rate 8 56 149 203 117 60 23	Births P 26 * 2 .* Low Birth (under 2, Births P	ercent 4.8 . 7.4 weight 500 gm) ercent 7.2 3.4 2.6 8.3 10.7 .	# 22	Percent	Births 165 * * 5 er of Fir 2nd Tr Births 1 11 52 46 33 20 11	Percent 30 st Prenatal imester Percent	Births 63 * * * Visit Other/ Births 1 2 15 10 16 13 7	Percent 12

MORBIDITY				MOI	RTALITY		
REPORTED CASES OF SELECTED DISE		Note: Death rates ( neonatal, and Perinatal and	except ir postneor fetal de	nfant) are p natal death eath rates a	per 100,000 population. rates are per 1,000 live are per 1,000 live birth culated for fewer than 2	Infant, e births. s plus	
Disease ! Campylobacter Enteritis Giardiasis Hepatitis Type A	Number 13 <5 0	TOTAL DEATHS Crude Death Ra	te	339 987	Selected   Underlying Cause   Heart Disease (total)   Ischemic heart diseas	72	Rate 210 151
Hepatitis Type B** Hepatitis NANB/C	0	Age 1-4	Deaths	Rate •	Cancer (total) Trachea/Bronchus/Lung	80 20	233 58
Legionnaire's Lyme Measles	0 31 0	5-14 15-19 20-34	3 2 4	:	Colorectal Female Breast Cerebrovascular Diseas	9 2 e 26	.* 76
Meningitis, Aseptic Meningitis, Bacterial	5	35 - 54 55 - 64	23 28	891	Lower Resp. Disease Pneumonia & Influenza	20 14	58
Mumps Pertussis Salmonellosis	0 8 9	65 - 74 75 - 84 85+	47 94 134	1,974 5,103 14,120	Accidents   Motor vehicle   Diabetes	12	70
Shigellosis Tuberculosis	0 0	Infant		,	Infect./Parasitic Dis. Suicide	6 4	
* 2005 provisional data. ** Includes all positive HBsAg			Deaths 4	Rate	* Based on female popu	lation.	
test results.		Neonatal Postneonatal Unknown			ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU		
Sexually Transmitted Disease Chlamydia Trachomatis	39	Race of Mother	•	•	Alcohol Tobacco Use	35	102
Genital Herpes Gonorrhea Syphilis	7 <5 0	White Black Hispanic	4	•	Other Drugs	•	
бурпініз		Laotian/Hmong Other/Unknown	:		MOTOR VEHICL		
IMMUNIZATIONS		Birthweight <1,500 gm	3		Note: These data are be of crash, not o		
Children in Grades K-12 by Compliance Level		1,500-2,499 gm 2,500+ gm	i		Type of Motor Vehicle Crash	Persons P Injured	Killed
Compliant 6,7 Non-compliant Percent Compliant 99	//1 65 9.0	Unknown Perinatal	•	•	Total Crashes Alcohol-Related With Citation:	213 35	7 4
		Montality	Deaths 10	Rate •	For OWI	21 14	0
		Total Perinatal Neonatal Fetal	8	•	Motorcyclist Bicyclist Pedestrian	15 0 1	1 0 0

DISEASE / Number			Average	Per		ITALIZATIONS	· 2005 HOSP. Charge		Average	Per		
AGE GROUP   Number   Pop   (Days)   Charge   Capita			Stav			DISEASE /	Per					DISEASE /
Total         380         11.1         4.9         \$20,667         \$229           <18         39         4.1         3.2         \$13,474         \$55           18-44         91         7.7         3.7         \$16,922         \$131           45-64         83         10.5         5.2         \$21,994         \$231           65+         167         32.3         5.8         \$23,728         \$766           Injury: Hip Fracture         Total         38         1.1         5.8         \$25,422         \$28           65+         32         6.2         6.1         \$26,272         \$163           Injury: Poisonings         Total         30         0.9         2.8         \$8,903         \$8           18-44         14         .	O				Number						Number	
Total         380         11.1         4.9         \$20,667         \$229           <18         39         4.1         3.2         \$13,474         \$55           18-44         91         7.7         3.7         \$16,922         \$131           45-64         83         10.5         5.2         \$21,994         \$231           65+         167         32.3         5.8         \$25,722         \$766           Injury: Hip Fracture         Total         38         1.1         5.8         \$25,422         \$28           65+         32         6.2         6.1         \$26,272         \$163           Injury: Poisonings         Total         30         0.9         2.8         \$8,903         \$8           18-44         14         .					d	Alcohol-Relate					: All	Injury-Related:
18	\$10,589 \$19	\$10.589	5.9	1.8			\$229	\$20,667	4.9	11.1		
18-44 91 7.7 3.7 \$16,922 \$131   45-64 83 10.5 5.2 \$21,994 \$231   65+ 167 32.3 5.8 \$23,728 \$766   Injury: Hip Fracture					30							
45-64 83 10.5 5.2 \$21,994 \$231   65+ 167 32.3 5.8 \$23,728 \$766   Injury: Hip Fracture								\$16,922				
65+ 167 32.3 5.8 \$23,728 \$766 Injury: Hip Fracture Total 38 1.1 5.8 \$25,422 \$28 65+ 32 6.2 6.1 \$26,272 \$163 Injury: Poisonings Total 30 0.9 2.8 \$8,903 \$8 18-44 14	, , , , , , , , , , , , , , , , , , ,	+- <b>,</b>						\$21,994				
Injury: Hip Fracture	\$9.916 \$61	\$9.916	3.8	6.1				\$23.728	5.8			
Total         38         1.1         5.8         \$25,422         \$28         45-64         30         3.8         3.3         \$8,939         65+         147         28.4         4.3         \$10,997         10,998         10,499						<18	***	·,				Injury: Hip F
65+ 32 6.2 6.1 \$26,272 \$163 Injury: Poisonings Total 30 0.9 2.8 \$8,903 \$8 18-44 14							\$28	\$25,422	5.8	1.1	38	Total
Total												
Total 30 0.9 2.8 \$8,903 \$8	70.0	Ţ,					<b></b>	<del>+,</del>				
18-44	\$12,998 \$44	\$12.998	3.6	3.4		!	\$8	\$8,903	2.8	0.9	30	
Psychiatric Total 192 5.6 7.5 \$8,269 \$46			4.5	2.7		1	·	,				
Psychiatric  Total 192 5.6 7.5 \$8,269 \$46						65+	_	_	_	- -		
Total         192         5.6         7.5         \$8,269         \$46           <18	,	, ,										Psvchiatric
<pre>&lt;18</pre>	\$8,885 \$34	\$8.885					\$46	\$8.269	7.5	5.6	192	
18-44 87 7.4 8.9 \$8,625 \$64   45-64 42 5.3 6.0 \$7,461 \$40   65+ 25 4.8 8.5 \$13,264 \$64    Coronary Heart Disease	•	•				<18						
45-64 42 5.3 6.0 \$7,461 \$40 65+ 25 4.8 8.5 \$13,264 \$64 \$65+ 70 13.5 3.8 \$9,882 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0								\$8.625				
65+ 25 4.8 8.5 \$13,264 \$64  Coronary Heart Disease Total 267 7.8 4.0 \$30,517 \$237 45-64 89 11.3 3.0 \$29,893 \$336 65+ 171 33.1 4.6 \$30,772 \$1017  Malignant Neoplasms (Cancers): All Total 182 5.3 5.9 \$22,167 \$117 18-44 1,058 89.7 3.3 \$9,096 18-44 7	\$9.713 \$44	\$9.713										
Drug-Related Total	\$9,882 \$134	\$9.882						\$13.264				
Total 267 7.8 4.0 \$30,517 \$237	<b>40,002 4.0</b> .	<b>+</b> -,			. •		<b>4</b> • ·	Ţ, <u>_</u>				
Total 267 7.8 4.0 \$30,517 \$237	\$7,560 \$6	\$7.560	5.7	0.8	27						Disease	Coronary Heart
45-64 89 11.3 3.0 \$29,893 \$336 65+ 171 33.1 4.6 \$30,772 \$1017  Malignant Neoplasms (Cancers): All 70tal 182 5.3 5.9 \$22,167 \$117 18-44 1,058 89.7 3.3 \$9,096 18-44 7		ų.,					\$237	\$30.517	4.0	7.8	267	Total
Total Hospitalizations   Total Hospitalizati	•	-	-	-	. •			\$29,893	3.0			
Malignant Neoplasms (Cancers): All  Total 182 5.3 5.9 \$22,167 \$117  18-44 7					izations	Total Hospital		\$30.772	4.6			
Malignant Neoplasms (Cancers): All       <18	\$12,832 \$1,848	\$12.832	3.9	144.0			Ψ.σ.,	φου,		0011		
Total 182 5.3 5.9 \$22,167 \$117					796	1			A11	ncers):	asms (Ca	Malignant Neopl
18-44       7       . <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>\$117</td> <td>\$22,167</td> <td></td> <td></td> <td>182</td> <td></td>							\$117	\$22,167			182	
45-64       56       7.1       3.8       \$17,584       \$124       \$65+       116       22.4       6.7       \$23,180       \$520         Neoplasms: Female Breast (rates for female population)       Total       9       .       .       .       .       .       Total       740       21.5       3.4       \$8,865       . <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>,</td><td></td><td></td><td></td><td></td></td<>								,				
65+ 116 22.4 6.7 \$23,180 \$520  Neoplasms: Female Breast (rates for female population)    Total 9  Neoplasms: Colo-rectal 518 81 8.5 2.1 \$5,506  Total 17							\$124	\$17.584	3.8			
Neoplasms: Female Breast (rates for femále population)       Total       9       .       .       .       Total       740       21.5       3.4       \$8,865         Neoplasms: Colo-rectal        <18	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Ţ,c			_,			\$23.180	6.7			
Total       9       . <td>IS*</td> <td>ONS*</td> <td>TAL I ZAT I</td> <td>HOSPI</td> <td>REVENTABLE</td> <td>  P</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	IS*	ONS*	TAL I ZAT I	HOSPI	REVENTABLE	P						
Neoplasms: Colo-rectal       <18							'			`		
Total       17       . <td>\$5,506 \$47</td> <td>\$5.506</td> <td></td> <td></td> <td></td> <td></td> <td>•</td> <td>•</td> <td>•</td> <td></td> <td>-</td> <td></td>	\$5,506 \$47	\$5.506					•	•	•		-	
65+ 13								_				
Neoplasms: Lung Total 19							-	-	-	-		
Total 19							-	•	-	-		
Diabetes * Hospitalizations for conditions where timely and ambulatory care can reduce the likelihood of hospit	<b>40,000</b>	40,000	0.0	0011	100						19	Total
Total 37 1.1 3.1 \$7.589 \$8   ambulatory care can reduce the likelihood of hospit	nelv and effect	imelv ar	where t	itions	s for cond	   * Hospitalization						Diabetes
	of hospitalizati	of hose	kelihood	the li	an reduce	ambulatory care c	\$8	\$7,589	3.1	1.1	37	Total
65+ 16		- · · · · · · · · · · · ·					·	,,,				