2010 PROFILE FOR JEFFERSON COUNTY

First of four pages

POPULATION ESTIMATES		LONG-TERM CARE LOCAL HEALTH DEPARTMENTS	
Total 2010 Population 8 County population rank (1-72) Population per square mile County rank in population	33,690 20 150		on 9 8
County rank in population density (1-72)	17	COP5\$88,505Oral health profMA Waiver *Envir. health prof.3.00.4	.
Population growth 2006-2010 County rank in 5-year	-,	CIP1A Develop. disabled Public health educ	
population growth (1-72)	12	CIP1B Develop. disabled Other prof. staff 1.4 0.2 . Technical/paraprof. 7.7 1.2	2
Age Female Male 0-14 7,990 8,370	Total 16,360	CIP2 Elderly/phys. disab. adults Support staff 4.0 0.6	5
15-17 1,680 1,820 18-19 1,610 1,540	3,500 3,150	COP-W Elderly/phys. disab. adults Funding Per capit	a
20-24 2,680 2,760 25-44 10,450 10,680	5,440 21,130	CLTS Disabled children Local \$1,417,462 \$21.21 112 \$1,455,100 LICENSED \$712,913 \$10.67	
45-64 11,520 11,550 65-84 5,150 4,390 85+ 970 530	23,070 9,540	Total COP/Wvrs 117 \$1,543,605 Bed & Breakfast 8	3
85+ 970 530 Total 42,050 41,640	1,500 83,690	\$84,497 of the above waiver costs Hotels, Motels 19 were paid as local match/overmatch Tourist Rooming 11)
Race/ethnicity Female Male T	76 4201	using COP funds. This amount is Pools 41	
Afr.Amer. 390 460 Amer. Ind. 120 140	840 260	* Waiver costs reported here 7	,
Hispanic 2,630 2,930 Asian 330 280	5,560 600	include federal funding. Number Clients Costs Pregnant/Postpartum 728	}
Total 42,050 41,640	83,690	* Waiver costs reported here include federal funding. Clients 323 Body Art 7 * Waiver costs reported here include federal funding. Clients 7 * Waiver costs reported here include federal funding. Clients Number 728 Pregnant/Postpartum 728 728 Eligible and Waiting 88 n/a Family Care 842 \$28,322,219)
Poverty Estimates for 2009- Estimate (%) (C.I	 I.+/-)	Family Care842\$28,322,219Do not speak English515	;
Poverty Estimates for 2009- Estimate (%) (C.I All ages 10.5% (1.4 Ages 0-17 11.9% (2.3	4%) 3%)	Note: In 2010 this county operated under the Family Care waiver.Do not speak English515 Speak English2,136 	
EMPLOYMENT		phased into Family Care. Hence,	1
Average wage for jobs covered by unemployment compensation \$34, (place of work)			,
Ann Labor Force Estimates Aver	nual rage	Nursing Homes4Cervical512.2Nursing Homes4Colorectal4049.2	
Labor Force Estimates Aver Civilian Labor Force 41, Unemployment rate 5-yr avg. unemployment rate	,787 9.2% 6.5%	COP/waivers and Family Care.Primary SiteTotal CasesRateNursing Homes4100.0Licensed beds292Residents on Dec.31243Residents age 65 or older0ther sites173per 1,000 population19)
Median HH income (2009) \$53,	,261	per 1,000 population 19 Total 373 459.2 Note: Totals for invasive cancers only.	2
Rank in median HH income (1-72)	´10	Rate is per 100,000 population.	

2010 PROFILE FOR JEFFERSON COUNTY

Second of four pages

				NATA	LITY					
TOTAL LIVE BIRTHS		923	Birth Or	rder	Births	Percent	Marital	Status		
			First		373	40	of Mothe	r	Births	Percent
Crude Live Birth Rate		11.0	Second	ł	306	33	Married		626	68
General Fertility Rate			Third		146	16 11	Not mar	ried	297	32
	-			n or higher	98	11	Unknown		0	0
live hirths with reno	rted		Unknow	n on ninghon	0	0	onninonni		Ū	Ū
Live births with repo congenital anomalies	2	21 2.3%	Unition	***	Ū	Ū	Educatio	n		
congenitar anomaries	2	.1 2.0%					of Mothe		Births	Percent
Dolivopy Type	Dintho	Donoont	1at Daar	atal Viait	Dintho	Dopoont				
Delivery Type	BILLUS	Percent		natal Visit			ETement	ary or les		4
Vaginal after				rimester	783	85	Some ni	gh school	67	7
previous cesarean Forceps Other vaginal	8	1	2nd tr	rimester	106	11	High sc	hool	249	27
Forceps	10	1	3rd tr	rimester Sits Vn	23	2	Some co	llege	256	28
Other vaginal	641	69	No vis	sits	4	<.5	College	graduate	315	
Primary česarean	151	16	Unknow	vn	7	1	Unknown	0	3	<.5
Repeat cesarean	113	12								
			Prenatal	Visits	Births	Percent	Smoking	Status		
Birthweight	Birthe	Percent	No vis		4		of Mothe		Births	Percent
<1,500 gm	DTI (113		1-4) <u> </u>	11	1	Smoker	1	126	14
<1,500 yili	10	0.7	5-9		110		Neperal		797	
1,500-2,499 gm 2,500+ gm	6 49 867 1	5.3					NONSMOK	er	/9/	86
2,500+ gm	867	93.9	10-12		419	45	Unknown		0	0
Unknown	1	<.5	13+		363	39				
			Unknow	vn	16	2				
			Low Dinth	wojaht		Tnimood	ter of Firs	+ Dnonotol		
			Low Birth		dat Ta					
			(under 2,	500 gm)	1st Tr	Imester	2nd Ini	mester Percent	Other/	Unknown
Race/Ethnicity	BILTINS P	ercent	Births F			Percent				Percent
White Black/Afr.American American Indian Hispanic/Latino	793	86	42	5.3	700	88	71	9	22	3
Black/Afr.American	4	<.5 1 12	*		*		*		*	
American Indian	6	1	1 9	16.7	5	83	1	17		
Hispanic/Latino	111	12	9	8.1	67	60	32	29	12	11
Asian	8	1			6	75	2	25		
Other/Unknown	8 1	<.5	• *		*		*		• *	
	_		Low Birth	nweight		Irimest	ter of Firs	t Prenatal	. Visit	
		ertility	(under 2,	500 gm)	1st Tr	imester	2nd Tri	mester	Other/	Unknown
Age of Mother	Births	Rate	`Births É	Percent	Births	imester Percent	Births	Percent	Births	Percent
[¯] <15	1		*	.	*		*		*	
15-17	8	5	1	12.5	4	50	2	25	2	25
18-19	32	20	1	3.1	24	75	6		2	6
20-24	223	83	15	6.7	178	80	33	15	12	5
25-29	292	117	23	7.9	256	88	27	9	9	3
30-34	258	103	12	4.7	230	88	28	11	9 4	
35-39		35		2.2	83	89			4	2 4
	93		2				6	6	4	
40+	16	6	1	6.3	11	69	4	25	1	6
Unknown	0		•	•	•	•	•	•	•	•
Unknown Teenage Births	41	12	•	• * Not repor	rted if a	de or race	category h	as fewer t	han 5 bir	ths.

2010 PROFILE FOR JEFFERSON COUNTY

Third of four pages

MORBIDITY				MO	RTALITY		
CONFIRMED CASES OF COMMUNICABLE DISEASES (2010)		Note: Death rates neonatal, ar Perinatal ar	except in nd postneon nd fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 live are per 1,000 live birth culated for fewer than 20	Infant, e births. s plus	
	Number	TOTAL DEATHS		615	Selected		_ .
Campylobacter Enteritis	37	Crude Death Ra	ate	735	Underlying Cause	Deaths	Rate
Giardiasis	<5				Heart Disease (total)	164	196
Hepatitis Type A	<5 <5	4.550	Deaths	Data	Ischemic heart diseas	e 119 160	142 191
Hepatitis Type B* Hepatitis NANB/C	<5 25	Age 1-4	Deaths		Cancer (total)	40	
Legionnaire's	20 <5	5-14	2	•	Trachea/Bronchus/Lung Colorectal	40	
	11	15-14	2	•	Colorectal Female Breast	13	*
Measles	0	20-34	7	•	Cerebrovascular Diseas	24	29
N. Meningitis, Meningococcal		35-54	, 53	223	Lower Resp. Disease		
Meningitis, Bacterial	0 0	55-64	74	717	Pneumonia & Influenza	20	24
Mumps	Ö	65-74	112		Accidents	30	36
Pertussis	õ	75-84	160	4,650			
Salmonellosis	15	85+	203	13,551	Motor vehicle Diabetes	10	
Shigellosis	<5		200	10,001	Infect./Parasitic Dis.	7	
Tuberculosis	Ō	Infant			Suicide	14	
E-Coli,Shiga Toxin-prod.(STEC		Mortality Total Infant	Deaths	Rate			-
Babesiosis	Ű Ő	Total Infant	2	•	* Based on female popul	Lation.	
Cryptosporidiosis	24	i ineuliatat			'''		
Streptococcus Pneum Invasive	10	Postneonatal	1		ALCOHOL AND DRUG ABUSE	AS UNDER	LYING
All Streptococcal Diseases	9				OR CONTRIBUTING CAU	SE OF DEA	TH
Blastomycosis	<5	Infant Mortality					
Haemophilus flu, Invasive	0	Race of Mother			Alcohol	7	.
Ehrlichiosis/Anaplasmosis	0	White	1	•	Tobacco Use	88	105
Influenza A-Novel	<5	Black		•	Other Drugs	2	.
Listeriosis	0	Hispanic	1				
		Asian	•	•			
* Includes all positive HBsAg		Other/Unknown	•	•	MOTOR VEHICL	E CRASHES	;
test results.		Tafaat Maatalita	h				
Onumelly Transmitted Discose		Infant Mortality	ру		Note: These data are ba		
Sexually Transmitted Disease	100	Birthweight			of crash, not o	i residen	ice.
Chlamydia Trachomatis Gonorrhea	182	<1,500 gm	1		Type of Meter	Persons	Bancana
Syphilis	<5 0	1,500-2,499 gm 2,500+ gm	i	•	Type of Motor	Thiung	Killod
оурптте	U	Unknown	I	:	Vehicle Crash Total Crashes	11jul'eu 752	10
IMMUNIZATIONS			•	•	Alcohol-Related	400	3
		Perinatal			With Citation:	77	U U
Children in Grades K-12 by		Montality	Deaths	Rate	For OWI	40	0
Compliance Level		Total Perinatal	L 6		For Speeding	74	
Compliant Non-compliant Percent Compliant	14,439	Total Perinatal Neonatal Fetal	1	•	Motorcyclist		
Non-compliant	274	Fetal	5	-	Bicyclist	15	ō

2010 PROFILE FOR JEFFERSON COUNTY

Fourth of four pages

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	2010 HOSP Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)		Charge Per Capita
Injury-Related:	A11					Alcohol-Related	h				
Total	583	7.0	4.7	\$33,558	\$234	Total	84	1.0	4.1	\$10,613	\$11
<18	34	1.7	4.4	\$38,903	\$67	18-44	41	1.4	3.6	\$8,873	\$12
18-44	130	4.4	4.3	\$32,305	\$141	45-64	40	1.7	3.7	\$11,656	\$20
45-64	157	6.8		\$34,376	\$234	Pneumonia and 1			017	<i><i>φιι</i>,000</i>	420
65+	262	23.7	5.0	\$32,997	\$783	Total	245	2.9	4.3	\$19,740	\$58
Injury: Hip F		2017	0.0	<i>\\\</i>	φ <i>1</i> 00	<18	24	1.2	2.9	\$9,989	\$12
Total	60	0.7	4.2	\$26,807	\$19	45-64	62	2.7		\$24,323	\$65
65+	52	4.7	4.4	\$27,337	\$129	65+	136	12.3	4.4	\$19,963	\$246
Injury: Poiso		717		Ψ27,007	Ψ120	Cerebrovascula		12.0		φ10,000	Ψ240
Total	48	0.6	20	\$10,567	\$6	Total	175	2.1	3.9	\$28,855	\$60
18-44	23	0.8	1.7	\$9,958	\$8 \$8	45-64	40	1.7		\$41,829	\$73
10 44	20	0.0		ψ3,330	ψΟ	65+	129	11.7	3.3	\$23,383	\$273
Psychiatric						Asthma	125		0.0	φ20,000	φ270
Total	419	5.0	8 /	\$14,772	\$74	Total	39	0.5	3 1	\$11,249	\$5
<18	108	5.4	8.0	\$16,769	\$91	<18	7			φ11,249	ψŪ
18-44	179	6.0	6.0	\$11,349	\$68	18-44	3	•	•	•	•
45-64	95	4.1	0.9	\$15,200	\$63	45-64	13	•	•	•	•
45-04 65+	95 37	4.1 3.4	9.3 14.9	\$24,152	\$83	65+	16	•	•	•	•
00+	57	5.4	14.9	φ 24 ,152	400	Other Chronic (Dulma	- - -		•
Coronary Heart	Diccocc					Total	76	0.9		\$16,231	\$15
Total	248	3.0	3.0	\$55,919	\$166	45-64	23	1.0		\$17,163	\$15
45-64	107	4.6	3.5	\$58,342	\$271	65+	52	4.7		\$15,863	\$75
45-04 65+	131	11.9		\$55,435	\$658	05+	52	4./	5.0	\$15,605	φ/5
00+	131	11.9	4.4	4 55,455	9000	Drug-Related					
Malignant Neop]			A 1 1			Total	28	0.3	6 9	\$13,111	\$4
Total	236 Lasiiis	2.8	5.6	ФЛЛ Н ЛН	\$124	18-44	20 21	0.3	7.3	\$13,111 ¢11,000	\$4 \$8
18-44			5.0	\$44,141	Φ124	18-44	21	0.7	7.3	\$11,089	40
45-64	18	4.0	- · -	\$48,004	\$194						
	93		5.5	\$48,004		Total Hospital:		00 0	4 4	#00 004	¢0 110
65+	121	11.0	5.9 + for	\$41,023	\$450	Total	7,418	88.6		\$23,804	\$2,110 \$673
Neoplasms: Fe		•			• •	<18	1,298	65.4	3.2	\$10,293	
Total	10	· ·	•	•	•	18-44	1,893	63.7		\$17,617	\$1,122
Neoplasms: Co			7.6	¢44 050	#00	45-64 65+	1,808	78.4		\$32,484	\$2,546
Total	37	0.4	7.0	\$44,259	\$20	65+	2,419	219.1	4.6	\$29,408	\$6,442
65+	23	2.1	7.8	\$42,259	\$88					2010 *	
Neoplasms: Lu	ung oo	0.0	E 4	¢40,000	¢10	Pf					•••••
Total	° 22	0.3	5.4	\$48,288	\$13	Total	850	10.2	4.3	\$20,563	\$209
Diskatas						<18	56	2.8		\$17,492	\$49
Diabetes	00		0.5		#10	18-44	124	4.2		\$16,012	\$67
Total	92	1.1		\$16,659	\$18	45-64	219	9.5		\$22,646	\$215
65+	28	2.5	4.6	\$19,302	\$49	65+	451	. 40.8	4.5	\$21,185	\$865
						* Hospitalizations	s tor cond	itions	where t	ımeıy and	ettectiv
						ambulatory care ca	an reduce	tne ⊥i∤	ke⊥ihood	ot hospit	a⊥ızati